

Title (en)
CONICAL FRICTION RING TRANSMISSION

Title (de)
KEGELREIBRINGGETRIEBE

Title (fr)
VARIATEUR À CÔNES ET ANNEAU À FRICTION

Publication
EP 2912348 A1 20150902 (DE)

Application
EP 13805241 A 20131029

Priority
• DE 102012021171 A 20121029
• DE 2013000640 W 20131029

Abstract (en)
[origin: WO2014067509A1] In a conical friction ring transmission, the safety device may have a normal state, in which electrical energy is applied to the safety device, and a failure state, in which the safety device is free of electrical energy, or a bi-stable safety actuator with a normal position and a failure position, and may change the effect parameter of a mechanical articulating element for adjusting a friction ring. An especially compact design of the conical friction ring transmission is thus achieved.

IPC 8 full level
F16H 15/42 (2006.01)

CPC (source: CN EP US)
F16H 15/42 (2013.01 - CN EP US); **F16H 61/12** (2013.01 - EP US); **F16H 63/062** (2013.01 - CN EP US); **F16H 2061/1272** (2013.01 - US)

Citation (search report)
See references of WO 2014067509A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
DE 102012021171 A1 20140430; CN 104769324 A 20150708; CN 108412991 A 20180817; DE 112013005174 A5 20150716; EP 2912348 A1 20150902; JP 2015532970 A 20151116; JP 6497628 B2 20190410; US 2016069436 A1 20160310; US 9719582 B2 20170801; WO 2014067509 A1 20140508

DOCDB simple family (application)
DE 102012021171 A 20121029; CN 201380056582 A 20131029; CN 201810243832 A 20131029; DE 112013005174 T 20131029; DE 2013000640 W 20131029; EP 13805241 A 20131029; JP 2015538299 A 20131029; US 201314436545 A 20131029