

Title (en)  
CRIMPING TOOL AND CRIMPING DIE

Title (de)  
CRIMPWERKZEUG UND CRIMPMATRIZE

Title (fr)  
MOULE ET OUTIL DE GAUFRAGE

Publication  
**EP 2949429 A1 20151202 (EN)**

Application  
**EP 15168698 A 20150521**

Priority  
SE 1400271 A 20140528

Abstract (en)  
The invention relates to a hand operated crimping tool (2) comprising a tool body (4) and two handles (6, 8), which handles (6, 8) are movably arranged in relation to each other, and further comprising at least three crimping dies (10, 12, 14, 16), where each of the crimping dies (10, 12, 14, 16) has a respective crimping surface (18, 20, 22, 24), where the crimping surfaces (18, 20, 22, 24) together enclose a crimp opening (26) arranged to receive a workpiece (28) to be crimped, where the crimping dies (10, 12, 14, 16) have pivot points (42, 44, 46, 48) that are arranged movable in relation to the body (4) of the crimping tool (2), where the relative movement of the tool handles (6, 8) is connected to the relative movement of the crimping dies (10, 12, 14, 16) by that a linkage (30) is arranged to guide the movement of the pivot points (42, 44, 46, 48) for the crimping dies (10, 12, 14, 16) relative to the body (4) of the crimping tool (2) when the tool handles (6, 8) are moved in relation to each other, where each of the crimping dies (10, 12, 14, 16) is further arranged between two guide elements (38, 32; 32, 34; 34, 36; 36, 38) arranged on the body (4) of the crimping tool (2) and further has a respective cam surface (74, 76, 78, 80) and a respective stop surface (82, 84, 86, 88), where the respective cam surface (74, 76, 78, 80) is arranged to cooperate with a guide surface (83, 85, 87, 89) on one of the guide elements (38, 32; 32, 34; 34, 36; 36, 38) and the respective stop surface (82, 84, 86, 88) is arranged to cooperate with a guide surface (83, 85, 87, 89) on the other one of the guide elements (38, 32; 32, 34; 34, 36; 36, 38), thus guiding the movement of the respective crimping die (10, 12, 14, 16) when the pivot points (42, 44, 46, 48) for the crimping dies (10, 12, 14, 16) are moved relative to the body (4) of the crimping tool (22). The invention also relates to a crimping die for a crimping tool.

IPC 8 full level  
**B25B 27/10** (2006.01); **B25B 27/14** (2006.01); **H01R 43/042** (2006.01)

CPC (source: EP SE US)  
**B25B 27/10** (2013.01 - EP US); **B25B 27/146** (2013.01 - EP SE US); **H01R 43/0424** (2013.01 - EP SE US)

Citation (applicant)

- DE 19858719 A1 20000621 - CONNECTOOL GMBH & CO [DE]
- US 6176116 B1 20010123 - WILHELM EDGAR [DE], et al
- EP 1820607 A2 20070822 - PRESSMASTER AB [SE]
- EP 0158611 A2 19851016 - PRESSMASTER TOOL AB [SE]

Citation (search report)

- [XDAI] EP 1820607 A2 20070822 - PRESSMASTER AB [SE]
- [A] DE 19507347 C1 19960912 - RENNSTEIG WERKZEUGE GMBH [DE]
- [A] US 680870 A 19010820 - LEU FREDERICK [US]

Cited by

CN109532041A; US11986935B2; WO2021217785A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

**EP 2949429 A1 20151202; EP 2949429 B1 20170510; JP 2015225861 A 20151214; JP 6224650 B2 20171101; SE 1400271 A1 20151129;**  
SE 539135 C2 20170411; US 2015349478 A1 20151203; US 9381631 B2 20160705

DOCDB simple family (application)

**EP 15168698 A 20150521; JP 2015108546 A 20150528; SE 1400271 A 20140528; US 201514718193 A 20150521**