

Title (en)

COWL WITH PRESSURE DRIVEN LATCH

Title (de)

HAUBE MIT EINER DRUCKBETRIEBENEN VERRIEGELUNG

Title (fr)

CAPOT AVEC VERROU ACTIONNÉ PAR PRESSION

Publication

EP 2951090 B1 20190116 (EN)

Application

EP 13873448 A 20130129

Priority

US 2013023649 W 20130129

Abstract (en)

[origin: WO2014120126A1] A gas turbine engine includes an engine core, a core cowl extending circumferentially around the engine core, and a pressure actuated latch assembly. The core cowl includes a first cowl section on a first side of the engine core and a second cowl section on a second side of the engine core. The pressure actuated latch assembly connects the first cowl section to a support structure and is actuatable between an unlatched position when pressure within the core cowl is relatively low and a latched position when pressure within the core cowl is relatively high.

IPC 8 full level

B64D 29/06 (2006.01); **B64C 7/02** (2006.01); **B64D 29/00** (2006.01); **F02C 7/20** (2006.01)

CPC (source: EP US)

B64C 7/02 (2013.01 - US); **B64D 29/00** (2013.01 - US); **B64D 29/06** (2013.01 - EP US); **F02C 7/20** (2013.01 - US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2014120126 A1 20140807; EP 2951090 A1 20151209; EP 2951090 A4 20160803; EP 2951090 B1 20190116; US 2015367949 A1 20151224; US 9376215 B2 20160628

DOCDB simple family (application)

US 2013023649 W 20130129; EP 13873448 A 20130129; US 201314764375 A 20130129