

Title (en)

Method of operating a fork-lift truck, a fork-lift truck, a computer program product, and a method of modifying a fork-lift truck

Title (de)

Verfahren zum Betrieb eines Gabelstaplers, Gabelstapler, Computerprogrammprodukt und Verfahren zum Verändern eines Gabelstaplers

Title (fr)

Procédé d'exploitation d'un chariot élévateur à fourche, chariot élévateur à fourche, produit de programme informatique et procédé de modification de chariot élévateur à fourche

Publication

**EP 2955149 B1 20171220 (EN)**

Application

**EP 14172090 A 20140612**

Priority

EP 14172090 A 20140612

Abstract (en)

[origin: EP2955149A1] The present disclosure relates to a fork-lift truck with support arms and a mast structure, arranged to provide a constant maximum lifting height independent of the position of the support arms, wherein the fork-lift truck further comprises, a lifting device, carried by the mast structure and movable along the mast structure. The fork-lift truck further comprises an elongated element comprising a magnetic or ferromagnetic material arranged on the lifting device. A sensor arranged on the mast structure is configured to sense a presence/absence of the elongated element. The fork-lift truck is operative to stop an upward movement of the lifting device when the sensor senses the presence of the elongated element in a case where the support arms are in an upright position, to provide the constant maximum lifting height. The fork-lift truck is further operative to ramp down the speed of the upward movement of the lifting device in a case where the support arms are in a lowered position and stop the movement of the lifting device when the lifting device has moved upwards a predetermined distance wherein the sensor sense the absence of the elongated element, to provide the constant maximum lifting height. The present disclosure further related to a method of operating a fork-lift truck and a method of modifying a fork-lift truck, such that the fork-lift truck is able to provide a constant maximum lifting height independent of the position of the support arms.

IPC 8 full level

**B66F 9/075** (2006.01); **B66F 9/24** (2006.01)

CPC (source: EP)

**B66F 9/0755** (2013.01); **B66F 9/07559** (2013.01); **B66F 9/24** (2013.01)

Cited by

EP3208228A1; US10377612B2

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 2955149 A1 20151216; EP 2955149 B1 20171220**

DOCDB simple family (application)

**EP 14172090 A 20140612**