

Title (en)

Photocrosslinkable compositions, patterned high k thin film dielectrics and related devices

Title (de)

Photo-vernetzbare Zusammensetzungen, strukturierte Dünnfilm-Dielektrika mit hohem k-Wert und Bauteile darmit

Title (fr)

Compositions photo-réticulables, des couches minces diélectriques structurées ayant un valeur k élevé et des appareils contentants celles-ci.

Publication

EP 2960280 A1 20151230 (EN)

Application

EP 14425084 A 20140626

Priority

EP 14425084 A 20140626

Abstract (en)

The present teachings relate to a photocrosslinkable composition including a partially fluorinated polymer, a photosensitive dehydrohalogenating agent, and a crosslinker. The photocrosslinkable composition can be used to prepare a patterned thin film having a high dielectric constant, for example, a dielectric constant greater than 10.

IPC 8 full level

C08K 5/00 (2006.01); **C08F 8/00** (2006.01); **C08F 214/18** (2006.01); **G03F 7/00** (2006.01); **H01L 21/00** (2006.01); **H10K 99/00** (2023.01)

CPC (source: CN EP KR US)

C08F 214/22 (2013.01 - CN KR); **C08F 214/222** (2013.01 - CN EP KR US); **C08K 5/00** (2013.01 - CN); **C08K 5/0025** (2013.01 - KR);
C08K 5/16 (2013.01 - KR); **C08K 5/3435** (2013.01 - KR); **C08K 5/45** (2013.01 - KR); **C09D 127/16** (2013.01 - EP US);
G03F 7/0045 (2013.01 - CN EP KR US); **G03F 7/0046** (2013.01 - CN EP KR US); **G03F 7/038** (2013.01 - EP US);
G03F 7/0384 (2013.01 - CN US); **G03F 7/162** (2013.01 - US); **G03F 7/2002** (2013.01 - US); **G03F 7/32** (2013.01 - US); **G03F 7/38** (2013.01 - US);
H10K 10/471 (2023.02 - KR); **H10K 50/30** (2023.02 - EP KR US); **H10K 85/141** (2023.02 - CN EP KR US); **H10K 10/464** (2023.02 - US);
H10K 10/466 (2023.02 - US); **H10K 10/471** (2023.02 - CN EP US); **H10K 50/30** (2023.02 - CN)

C-Set (source: EP US)

1. **C09D 127/16 + C08K 5/18**
2. **C09D 127/16 + C08K 5/3437 + C08L 83/08**
3. **C09D 127/16 + C08K 5/0025**

Citation (applicant)

- WO 2005064705 A1 20050714 - KONINKL PHILIPS ELECTRONICS NV [NL], et al
- WO 2013087500 A1 20130620 - SOLVAY SPECIALTY POLYMERS IT [IT]
- WO 2013087501 A1 20130620 - SOLVAY SPECIALTY POLYMERS IT [IT]
- US 2007166838 A1 20070719 - MARSMAN ALBERT W [NL], et al
- US 8017458 B2 20110913 - MARKS TOBIN J [US], et al
- US 7125989 B2 20061024 - AFZALI-ARDAKANI ALI [US], et al
- WO 2012030662 A2 20120308 - POLYERA CORP [US], et al
- WO 2010117449 A2 20101014 - UNIV KENTUCKY RES FOUND [US], et al
- US 6585914 B2 20030701 - MARKS TOBIN J [US], et al
- US 7671202 B2 20100302 - MARKS TOBIN J [US], et al
- US 7928249 B2 20110419 - MARKS TOBIN J [US], et al
- WO 2011082234 A1 20110707 - POLYERA CORP [US], et al
- US 2010326527 A1 20101230 - FACCHETTI ANTONIO [US], et al
- WO 2012156948 A1 20121122 - E T C SRL [IT], et al
- US 2014054566 A1 20140227 - FACCHETTI ANTONIO [US]
- US 2014054613 A1 20140227 - FACCHETTI ANTONIO [US]
- WO 2013017999 A1 20130207 - E T C SRL [IT], et al
- WO 2013018000 A1 20130207 - E T C SRL [IT], et al
- WO 2013018002 A1 20130207 - E T C SRL [IT], et al
- WO 2013128344 A1 20130906 - E T C SRL [IT]
- US 5747183 A 19980505 - SHI SONG [US], et al
- US 5683823 A 19971104 - SHI JIANMIN [US], et al
- US 6626722 B2 20030930 - TAKEMATSU MASAKAZU [JP], et al
- US 7074502 B2 20060711 - VARGAS J RAMON [US], et al
- US 7671241 B2 20100302 - CHENG CHIEN-HONG [TW], et al
- US 7772762 B2 20100810 - LEE MENG-TING [TW], et al
- WANG ET AL.: "Photophysics and excited-state proton transfer of 2'-hydroxy-2-trans-styrylquinoline", CHEMICAL PHYSICS LETTERS, vol. 418, 2006, pages 397 - 401
- FAVARO ET AL.: "Excited State Reactivity of Aza Aromatics. I. Basicity of 3-Styrylpyridines in the First Excited Singlet State", J. PHYS. CHEM., vol. 77, no. 5, 1973, pages 601 - 604
- J. FRECHET ET AL.: "Base Catalysis in Imaging Materials", J. ORG. CHEM., vol. 55, 1990, pages 5919
- WINKLE ET AL.: "Acid Hardening Positive Photoresist Using Photochemical Generation of Base", J. OF PHOTOPOLYMER SCI. AND TECH., vol. 3, 1990, pages 419
- HORSPOOL, SPRINGER, SYNTHETIC ORGANIC PHOTOCHEMISTRY, 1984
- DADVAND ET AL.: "Maximizing Field-Effect Mobility and Solid-State Luminescence in Organic Semiconductors", ANGEW. CHEM. INT. ED., vol. 51, 2012, pages 3837 - 3841
- EBATA, H. ET AL.: "Highly Soluble [1]Benzothieno[3,2-b]benzothiophenes (BTBT) Derivatives for High-Performance, Solution-Processed Organic Field-Effect Transistors", JACS, vol. 129, no. 51, 2007, pages 15732 - 15733
- EBATA, H. ET AL.: "Alkylated Dinaphtho[2,3-b:2',3'-f]Thieno[3,2-b]Thiophenes (C-DNTTs): Organic Semiconductors for High-Performance Thin-Film Transistors", ADV. MAT., vol. 23, no. 10, 2011, pages 1222 - 1225
- MIYATA ET AL.: "High-performance organic field-effect transistors based on dihexyl-substituted dibenzo[d,d']thieno[3,2-b;4,5-b']dithiophene", J. MATER. CHEM., 2012
- MITSUI ET AL.: "Naphtha[2,1-b:6,5-b']difurans: A Versatile Motif Available for Solution-Processed Single-Crystal Organic Field-Effect Transistors with High Hole Mobility", J. AM. CHEM. SOC, vol. 134, 2012, pages 5448 - 5451

- SUBRAMANIAN ET AL.: "Chromophore Fluorination Enhances Crystallization and Stability of Soluble Anthradithiophene Semiconductors", J. AM. CHEM. SOC., vol. 130, no. 9, 2008, pages 2706 - 2707
- LI ET AL.: "A High Mobility P-Type DPP-Thieno[3,2-b]thiophene Copolymer for Organic Thin-Film Transistors", ADV. MATER., vol. 22, 2010, pages 4862 - 4866
- LI ET AL.: "Annealing-Free High-Mobility Diketopyrrolopyrrole-Quaterthiophene Copolymer for Solution-Processed Organic Thin Film Transistors", J. AM. CHEM. SOC., vol. 133, 2011, pages 2198 - 2204
- BRONSTEIN: "Thieno[3,2-b]thiophene-Diketopyrrolopyrrole-Containing Polymers for High-Performance Organic Field-Effect Transistors and Organic Photovoltaic Devices", J. AM. CHEM. SOC., vol. 133, 2011, pages 3272 - 3275
- CHEN ET AL.: "Highly pi-Extended Copolymers with Diketopyrrolopyrrole Moieties for High-Performance Field-Effect Transistors", ADV. MATER., 2012
- MEI ET AL.: "Siloxane-Terminated Solubilizing Side Chains: Bringing Conjugated Polymer Backbones Closer and Boosting Hole Mobilities in Thin-Film Transistors", J. AM. CHEM. SOC., vol. 133, 2011, pages 20130 - 20133
- LEI ET AL.: "High-Performance Air-Stable Organic Field-Effect Transistors: Isoindigo-Based Conjugated Polymers", J. AM. CHEM. SOC., vol. 133, 2011, pages 6099 - 6101
- YUE ET AL.: "Hybrid Rylene Arrays via Combination of Stille Coupling and C-H Transformation as High-Performance Electron Transport Materials", J. AM. CHEM. SOC., 2012
- HWANG ET AL.: "Stable Solution-Processed Molecular n-Channel Organic Field-Effect Transistors", ADV. MATER., 2012
- POLANDER ET AL.: "Solution-Processed Molecular Bis (Naphthalene Diimide) Derivatives with High Electron Mobility", CHEM. MATER., vol. 23, 2011, pages 3408 - 3410
- LI ET AL.: "Disc-like 7,14-dicyano-ovalene-3,4:10,11-l-is(dicarboximide) as a solution-processible n-type semiconductor for air stable field-effect transistors", CHEM. SCI., vol. 3, 2012, pages 846 - 850
- GAO ET AL.: "Core-Expanded Naphthalene Diimides Fused with 2-(1,3-Ditiol-2-Ylidene)Malonitrile Groups for High-Performance Ambient-Stable, Solution-Processed n-Channel Organic Thin Film Transistors", J. AM. CHEM. SOC., vol. 132, no. 11, 2010, pages 3697 - 3699
- QIAO ET AL.: "Diketopyrrolopyrrole-Containing Quinoidal Small Molecules for High-Performance, Air-Stable, and Solution-Processable n-Channel Organic Field-Effect Transistors", J. AM. CHEM. SOC., vol. 134, 2012, pages 4084 - 4087
- CHASKAR ET AL.: "Bipolar Host Materials: A Chemical Approach for Highly Efficient Electrophosphorescent Devices", ADV. MATER., vol. 23, no. 34, 2011, pages 3876 - 3895
- TAO ET AL.: "Organic host materials for phosphorescent organic light-emitting diodes", CHEM. SOC. REV., vol. 40, no. 5, 2011, pages 2943 - 2970
- SASABE ET AL.: "Multifunctional Materials in High-Performance OLEDs: Challenges for Solid-State Lighting", CHEM. MATER., vol. 23, no. 3, 2011, pages 621 - 630
- TSUBOI: "Recent advances in white organic light emitting diodes with a single emissive dopant", J. NON-CRYST. SOLIDS, vol. 356, no. 37-40, pages 1919 - 1927
- SINGH ET AL.: "Bio-organic optoelectronic devices using DNA", ADV. POLYM. SCI., vol. 223, 2010, pages 189 - 212
- KAPPAUN ET AL.: "Phosphorescent organic light-emitting devices: working principle and iridium based emitter materials", INT. J. MOL. SCI., vol. 9, no. 8, 2008, pages 1527 - 1547
- TOKITO ET AL.: "Phosphorescent organic light-emitting devices: triplet energy management", ELECTROCHEMISTRY, vol. 76, no. 1, 2008, pages 24 - 31
- CHEN: "Evolution of Red Organic Light-Emitting Diodes: Materials and Devices", CHEM. MATER., vol. 16, no. 23, 2004, pages 4389 - 4400
- LIU ET AL.: "Polyfluorenes with on-chain metal centers", ADV. POLY. SCI., vol. 212, 2008, pages 125 - 144
- DANEV ET AL.: "Vacuum deposited polyimide - a perfect matrix for nanocomposite materials", J. OPTOELECTRON. ADV. MATER., vol. 7, no. 3, 2005, pages 1179 - 1190
- LI ET AL.: "Low operating-voltage and high power-efficiency OLED employing Mo03-doped CuPc as hole injection layer", DISPLAYS, vol. 33, no. 1, 2012, pages 17 - 20
- WEN ET AL.: "Self-assembled of conducting polymeric nanoparticles and its application for OLED hole injection layer", ENERGY PROcedia, vol. 12, 2011, pages 609 - 614
- ZHANG ET AL.: "Role of Fe 0 as a p-dopant in improving the hole injection and transport of organic light-emitting devices", IEEE JOURNAL OF QUANTUM ELECTRONICS, vol. 47, no. 5, 2011, pages 591 - 596
- CHOO ET AL.: "Luminance and charge transport mechanisms for phosphorescent organic light-emitting devices fabricated utilizing a tris(2-phenylpyridine)iridium-doped N,N'-dicarbazoyl-3,5-benzene emitting layer", THIN SOLID FILMS, vol. 519, no. 15, 2011, pages 5253 - 5256
- TAO ET AL.: "Odd-even modulation of electrode work function with self-assembled layer: Interplay of energy barrier and tunneling distance on charge injection in organic light-emitting diodes", ORGANIC ELECTRONICS, vol. 12, no. 4, 2011, pages 602 - 608
- SUNG ET AL.: "AC Field-Induced Polymer Electroluminescence with Single Wall Carbon Nanotubes", NANO LETTERS, vol. 11, no. 3, 2011, pages 966 - 972
- QIAO ET AL.: "Controlling charge balance and exciton recombination by bipolar host in single-layer organic light-emitting diodes", JOURNAL OF APPLIED PHYSICS, vol. 108, no. 3, 2011, pages 034508,1 - 034508,8
- KHIZAR-UL-HAQ ET AL.: "Blue organic light-emitting diodes with low driving voltage and enhanced power efficiency based on Mo03 as hole injection layer and optimized charge balance", JOURNAL OF NON-CRYSTALLINE SOLIDS, vol. 356, no. 20-22, 2010, pages 1012 - 1015
- QI ET AL.: "Analysis of metal-oxide-based charge generation layers used in stacked organic light-emitting diodes", JOURNAL OF APPLIED PHYSICS, vol. 107, no. 1, pages 014514,1 - 014514,8
- HUANG ET AL.: "Materials and interface engineering in organic light-emitting diodes", ORGANIC ELECTRONICS, 2010, pages 243 - 261
- HELANDER ET AL.: "Comparison of Alq /alkali-metal fluoride/Al cathodes for organic electroluminescent devices", JOURNAL OF APPLIED PHYSICS, vol. 104, no. 9, 2008, pages 094510,1 - 094510,6
- ROY CHOUDHURY ET AL.: "LiF as an n-dopant in tris(8-hydroxyquinoline) aluminum thin films", ADVANCED MATERIALS, vol. 20, no. 8, 2008, pages 1456 - 1461
- VACCA ET AL.: "Poly(3,4-ethylenedioxythiophene):poly(4-styrenesulfonate) ratio: Structural, physical and hole injection properties in organic light emitting diodes", THIN SOLID FILMS, vol. 516, no. 12, 2008, pages 4232 - 4237
- YANG ET AL.: "Improved fabrication process for enhancing light emission in single-layer organic light-emitting devices doped with organic salt", JAPANESE JOURNAL OF APPLIED PHYSICS, vol. 47, 2008, pages 1101 - 1103
- KIM ET AL.: "UV-ozone surface treatment of indium-tin-oxide in organic light emitting diodes", JOURNAL OF THE KOREAN PHYSICAL SOCIETY, vol. 50, no. 6, 2007, pages 1858 - 1861
- PRAT ET AL.: "Stable, highly efficient and temperature resistant organic light-emitting devices", JAPANESE JOURNAL OF APPLIED PHYSICS, PART 1: REGULAR PAPERS, BRIEF COMMUNICATIONS & REVIEW PAPERS, vol. 46, no. 4A, 2007, pages 1727 - 1730
- LUO ET AL.: "Improving the stability of organic light-emitting devices by using a hole-injection-tunable-anode-buffer-layer", JOURNAL OF APPLIED PHYSICS, vol. 101, no. 5, 2007, pages 054512,1 - 054512,4
- MATSUSHIMA ET AL.: "Charge-carrier injection characteristics at organic/organic heterojunction interfaces in organic light-emitting diodes", CHEMICAL PHYSICS LETTERS, vol. 435, no. 4-6, 2007, pages 327 - 330
- KIM ET AL.: "Controllable work function of Li-Al alloy nanolayers for organic light-emitting devices", ADVANCED ENGINEERING MATERIALS, vol. 7, no. 11, 2005, pages 1023 - 1027
- KATO: "Designing Interfaces That Function to Facilitate Charge Injection in Organic Light-Emitting Diodes", JOURNAL OF THE AMERICAN CHEMICAL SOCIETY, vol. 127, no. 33, 2005, pages 11538 - 11539
- VEINOT ET AL.: "Toward the Ideal Organic Light-Emitting Diode. The Versatility and Utility of Interfacial Tailoring by CrossLinked Siloxane Interlayers", ACCOUNTS OF CHEMICAL RESEARCH, vol. 38, no. 8, 2005, pages 632 - 643

- OYAMADA ET AL.: "Extremely low-voltage driving of organic light-emitting diodes with a Cs-doped phenyldiphenylphosphine oxide layer as an electron-injection layer", APPLIED PHYSICS LETTERS, vol. 86, no. 3, 2005, pages 033503,1 - 033503,3
- HUGHES ET AL.: "Electron-transporting materials for organic electroluminescent and electrophosphorescent devices", JOURNAL OF MATERIALS CHEMISTRY, vol. 15, no. 1, 2005, pages 94 - 107
- D'ANDRADE ET AL.: "Efficient organic electrophosphorescent white-light-emitting device with a triple doped emissive layer", ADVANCED MATERIALS, vol. 16, no. 7, 2004, pages 624 - 628
- KANNO ET AL.: "Development of OLED with high stability and luminance efficiency by co-doping methods for full color displays", IEEE JOURNAL OF SELECTED TOPICS IN QUANTUM ELECTRONICS, vol. 10, no. 1, 2004, pages 30 - 36
- HAN ET AL.: "Transparent-cathode for top-emission organic light-emitting diodes", APPLIED PHYSICS LETTERS, vol. 82, no. 16, 2003, pages 2715 - 2717
- TUTIS ET AL.: "Internal electric field and charge distribution in multilayer organic light-emitting diodes", JOURNAL OF APPLIED PHYSICS, vol. 93, no. 8, 2003, pages 4594 - 4602
- MATHAI ET AL.: "Controlled injection of holes into AlQ₃ based OLEDs by means of an oxidized transport layer", MATERIALS RESEARCH SOCIETY SYMPOSIUM PROCEEDINGS, vol. 708, 2002, pages 101 - 106
- CRONE ET AL.: "Charge injection and transport in single-layer organic light-emitting diodes", APPLIED PHYSICS LETTERS, vol. 73, no. 21, 1998, pages 3162 - 3164
- PARK ET AL.: "Charge injection and photooxidation of single conjugated polymer molecules", JOURNAL OF THE AMERICAN CHEMICAL SOCIETY, vol. 126, no. 13, 2004, pages 4116 - 7

Citation (search report)

- [XY] US 2010201227 A1 20100812 - CHOI SEUNG-TAE [KR], et al
- [Y] WO 2005064705 A1 20050714 - KONINKL PHILIPS ELECTRONICS NV [NL], et al
- [XY] EP 0208314 A2 19870114 - DU PONT [US]
- [XY] EP 1634895 A1 20060315 - 3M INNOVATIVE PROPERTIES CO [US]
- [Y] WO 2005064653 A1 20050714 - KONINKL PHILIPS ELECTRONICS NV [NL], et al
- [XY] SHAOBO TAN, J.MATER.CHEM., vol. 22, 20 July 2012 (2012-07-20), pages 18496 - 18504, XP002731229, DOI: 10.1039/c2jm33133k

Cited by

GB2566972A; FR3086666A1; CN110997832A; US2021226142A1; US11329228B2; WO2018118881A1; WO2020070419A3; WO2019027899A1; WO2020036761A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

EP 2960280 A1 20151230; CN 106663736 A 20170510; CN 106663736 B 20200117; EP 3161061 A1 20170503; EP 3161061 B1 20201118; JP 2017522613 A 20170810; JP 6608922 B2 20191120; KR 102283518 B1 20210728; KR 20170024007 A 20170306; TW 201606436 A 20160216; TW I668516 B 20190811; US 10409159 B2 20190910; US 2017192354 A1 20170706; WO 2015200872 A1 20151230

DOCDB simple family (application)

EP 14425084 A 20140626; CN 201580042359 A 20150626; EP 15744749 A 20150626; JP 2017520761 A 20150626; KR 20177001963 A 20150626; TW 104120788 A 20150626; US 2015038146 W 20150626; US 201615390708 A 20161226