

Title (en)  
LUBRICATING-OIL COMPOSITION

Title (de)  
SCHMIERÖLZUSAMMENSETZUNG

Title (fr)  
COMPOSITION D'HUILE LUBRIFIANTE

Publication  
**EP 2966155 A4 20161123 (EN)**

Application  
**EP 14760600 A 20140307**

Priority  
• JP 2013047399 A 20130308  
• JP 2014056068 W 20140307

Abstract (en)  
[origin: EP2966155A1] The lubricating oil composition of the present invention comprises a base oil that contains at least one selected from the group consisting of a mineral oil and a synthetic oil, has a viscosity index of 120 or more, and has a paraffin content by ring analysis of 70% or more; (A) a dispersant containing one or more compounds selected from the group consisting of an alkenylsuccinimide, a boronated alkenylsuccinimide, an alkylsuccinimide and a boronated alkylsuccinimide; and (B) a metallic detergent containing one or more compounds selected from the group consisting of an alkali metal sulfonate, an alkali metal phenate, an alkali metal salicylate, an alkaline earth metal sulfonate, an alkaline earth metal phenate, and an alkaline earth metal salicylate; wherein the component (A) is contained in an amount of from 0.01% by mass to 0.10% by mass in terms of the nitrogen content thereof based on the total amount of the composition, the component (B) is contained in an amount of from 0.01% by mass to 0.3% by mass in terms of the metal content thereof based on the total amount of the composition, at least one or more compounds selected from the group consisting of a boronated alkenylsuccinimide and a boronated alkylsuccinimide in the component (A) are contained, the ratio by mass of boron to nitrogen B/N in the component (A) is 0.5 or more, the phosphorus content based on the total amount of the composition is from 100 ppm by mass to 1200 ppm by mass, and the sulfated ash content based on the total amount of the composition is 1.1% by mass or less. Accordingly, even when used in automobile internal combustion engines capable of increasing the thermal and mechanical durability temperature thereof more than before and capable of realizing power increase and fuel efficiency, the lubricating oil composition can prevent engine performance degradation and therefore can satisfy both the requirements of engine performance and engine durability.

IPC 8 full level  
**C10M 129/10** (2006.01); **C10M 133/12** (2006.01); **C10M 133/16** (2006.01); **C10M 133/56** (2006.01); **C10M 139/00** (2006.01); **C10M 159/22** (2006.01); **C10M 159/24** (2006.01); **C10M 163/00** (2006.01); **C10N 10/02** (2006.01); **C10N 10/04** (2006.01); **C10N 10/12** (2006.01); **C10N 20/00** (2006.01); **C10N 20/02** (2006.01); **C10N 30/04** (2006.01); **C10N 30/06** (2006.01); **C10N 30/10** (2006.01); **C10N 40/25** (2006.01)

CPC (source: EP US)  
**C10M 141/12** (2013.01 - EP US); **C10M 163/00** (2013.01 - EP US); **C10M 2203/1006** (2013.01 - EP US); **C10M 2203/1025** (2013.01 - EP US); **C10M 2207/026** (2013.01 - EP US); **C10M 2207/028** (2013.01 - EP US); **C10M 2207/262** (2013.01 - EP US); **C10M 2207/289** (2013.01 - EP US); **C10M 2209/084** (2013.01 - EP US); **C10M 2215/064** (2013.01 - EP US); **C10M 2215/223** (2013.01 - EP US); **C10M 2215/28** (2013.01 - EP US); **C10M 2219/044** (2013.01 - EP US); **C10M 2219/046** (2013.01 - EP US); **C10M 2223/045** (2013.01 - EP US); **C10M 2227/066** (2013.01 - EP US); **C10N 2010/02** (2013.01 - EP US); **C10N 2010/04** (2013.01 - EP US); **C10N 2020/02** (2013.01 - EP US); **C10N 2030/06** (2013.01 - EP US); **C10N 2030/08** (2013.01 - EP US); **C10N 2030/10** (2013.01 - EP US); **C10N 2030/42** (2020.05 - EP US); **C10N 2030/43** (2020.05 - EP US); **C10N 2030/45** (2020.05 - EP US); **C10N 2030/54** (2020.05 - EP US); **C10N 2030/74** (2020.05 - EP US); **C10N 2040/25** (2013.01 - EP US)

Citation (search report)  
• [X] EP 2141220 A1 20100106 - IDEMITSU KOSAN CO [JP]  
• [E] EP 2706106 A1 20140312 - JX NIPPON OIL & ENERGY CORP [JP]  
• [X] US 2010218740 A1 20100902 - TESHIMA KAZUHIRO [JP], et al  
• [X] US 2007287643 A1 20071213 - MATSUI SHIGEKI [JP], et al  
• See references of WO 2014136970A1

Cited by  
FR3109942A1; WO2021224285A1; WO2022112899A1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**EP 2966155 A1 20160113**; **EP 2966155 A4 20161123**; CN 105189720 A 20151223; CN 109439401 A 20190308; JP 2018199836 A 20181220; JP 6507455 B2 20190508; JP 6676868 B2 20200408; JP WO2014136970 A1 20170216; US 2016024417 A1 20160128; WO 2014136970 A1 20140912

DOCDB simple family (application)  
**EP 14760600 A 20140307**; CN 201480012146 A 20140307; CN 201811219841 A 20140307; JP 2014056068 W 20140307; JP 2015504460 A 20140307; JP 2018186912 A 20181001; US 201414773609 A 20140307