

Title (en)
DEVICE FOR FASTENING A SINGLE REED TO THE MOUTHPIECE OF A SINGLE-REED WIND INSTRUMENT

Title (de)
VORRICHTUNG ZUM BEFESTIGEN EINES EINFACHROHRBLATTES AN DEM MUNDSTÜCK EINES
EINFACHROHRBLATTBLASINSTRUMENTS

Title (fr)
DISPOSITIF SERVANT À FIXER UNE ANCHE TUBULAIRE SIMPLE AU NIVEAU DE L'EMBOUT D'UN INSTRUMENT À VENT À ANCHE
TUBULAIRE SIMPLE

Publication
EP 2981954 A1 20160210 (EN)

Application
EP 14739950 A 20140404

Priority
• IT BZ20130020 A 20130405
• IT BZ20140015 A 20140401
• IT 2014000104 W 20140404

Abstract (en)
[origin: WO2014162325A1] A device for fastening a single reed (1) to the mouthpiece (2) of a single-reed wind instrument comprises: fastening means which apply to the single reed a fastening force forcing it against the mouth piece (2) and which comprise at least one string (13; 3), and regulating means which regulate the intensity of the fastening force, which consist of means for producing a tensile force of variable intensity in the at least one string (13; 3) and which comprise: a cover element (14; 4) that rests on the mouthpiece (2); an active element (15; 5) having receptacles (15a, 15b; 5a, 5b) in which (5a) sections (3a) of the string (3) extend and/or in which (15a, 15b; 5a, 5b) the ends of the string (13; 3) are anchored; and displacement means (16, 15c; 6, 5c, 7) which act on the active element (15; 5) in order to displace it along a radial direction of the mouthpiece (2) in both directions, the continuous movement of the active element (15; 5) away from the mouthpiece along said radial direction resulting in a movement of said sections (3a) or said ends of the string (13; 3), thereby producing a tensile force in the string (13;3). The invention is characterized in that along said radial direction the cover element (14; 4) is arranged between the active element (15; 5) and the mouthpiece (2). While the active element (15; 5) moves along said radial direction away from the mouthpiece (2), it (15; 5) moves away from the cover element (14; 4). The receptacles (15a, 15b; 5a, 5b) are arranged on projecting parts of the active element (15; 5) that protrude from the base of the active element (15; 5) and that extend beyond the circumference of the upper surface region of the mouthpiece (2) on which the cover element (14; 4) rests, such that the projections of said receptacles (15a, 15b; 5a, 5b) on the mouthpiece (2) are completely outside of said upper surface region of the mouthpiece.

IPC 8 full level
G10D 7/06 (2020.01); **G10D 9/02** (2020.01)

CPC (source: EP US)
G10D 7/06 (2013.01 - EP US); **G10D 9/02** (2013.01 - EP US)

Citation (search report)
See references of WO 2014162325A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
WO 2014162325 A1 20141009; EP 2981954 A1 20160210; EP 2981954 B1 20170531

DOCDB simple family (application)
IT 2014000104 W 20140404; EP 14739950 A 20140404