

Title (en)
RELAY

Title (de)
RELAIS

Title (fr)
RELAIS

Publication
EP 2994929 A1 20160316 (DE)

Application
EP 15725568 A 20150521

Priority
• DE 102014107884 A 20140604
• EP 2015061300 W 20150521

Abstract (en)
[origin: WO2015185371A1] The present invention relates to a relay (1), comprising a first terminal (2), a second terminal (3), a contact (4) which produces an electrical connection between the first and the second terminal (2, 3) in a closed state and which galvanically separates the first and second terminal (2, 3) in an opened state, a first electromagnet (5) which is designed such that same transfers the contact (4) into the closed state if the first electromagnet (5) is switched on, and a second electromagnet (6), which is designed such that it keeps the contact (4) in the closed state if the contact (4) is in a closed state and the second electromagnet (6) is switched on.

IPC 8 full level
H01H 47/04 (2006.01); **H01H 50/04** (2006.01)

CPC (source: EP US)
H01H 47/04 (2013.01 - EP US); **H01H 50/045** (2013.01 - EP US); **H01H 50/36** (2013.01 - US); **H01H 50/86** (2013.01 - US)

Citation (search report)
See references of WO 2015185371A1

Citation (examination)
• DE 102009052938 A1 20101111 - MITSUBISHI ELECTRIC CORP [JP]
• US 2012068477 A1 20120322 - BRADFIELD MICHAEL D [US]
• US 8686814 B2 20140401 - BACH JULIEN [FR], et al

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
WO 2015185371 A1 20151210; DE 102014107884 A1 20151217; EP 2994929 A1 20160316; JP 2016524302 A 20160812;
JP 2018010877 A 20180118; JP 6442013 B2 20181219; US 10395870 B2 20190827; US 2016172138 A1 20160616

DOCDB simple family (application)
EP 2015061300 W 20150521; DE 102014107884 A 20140604; EP 15725568 A 20150521; JP 2016524849 A 20150521;
JP 2017174684 A 20170912; US 201514903571 A 20150521