

Title (en)
VACUUM SEALER WITH ADJUSTABLE HEAD

Title (de)
VAKUUMVERSIEGLER MIT EINSTELLBAREM KOPF

Title (fr)
SCELLEUSE SOUS VIDE AVEC TÊTE RÉGLABLE

Publication
EP 3009357 A3 20160622 (EN)

Application
EP 15002927 A 20151014

Priority
US 201462063796 P 20141014

Abstract (en)
[origin: EP3009357A2] A vacuum sealer (10) including a base (12) defining a support surface (16) and a body (20) extending from the base (12). A suction head (40) is supported by the body (20) and is moveable along the body (20) toward and away from the support surface (16). The suction head (40) supports a suction assembly (60) including a suction inlet (66) with a sealing member (64) thereabout. A suction pump (40) is configured to selectively provide a suction force to the suction inlet (66).

IPC 8 full level
B65B 31/04 (2006.01)

CPC (source: EP US)
B65B 31/047 (2013.01 - EP US); **B65B 31/048** (2013.01 - EP US)

Citation (search report)

- [XAYI] US 2010132831 A1 20100603 - WAROUX CEDRIC [FR], et al
- [XAY] WO 9631396 A1 19961010 - ENGINEER PHEROZE JAL [IN], et al
- [YA] GB 2313557 A 19971203 - KHALID FASIH UDDIN [HK]
- [YA] US 2005039420 A1 20050224 - ALBRITTON CHARLES WADE [US], et al
- [A] US 6019034 A 20000201 - FORD SR CLIFTON K [US]
- [A] US 2087963 A 19370727 - BAXTER DONALD E
- [A] US 6391629 B1 20020521 - JENNY ALOIS [CH]
- [A] DE 8305271 U1 19831013 - SCHOTT ELEKTROGERAETE [DE]
- [A] WO 9822571 A1 19980528 - FORD CLIFTON K SR [US]
- [A] US 2003136791 A1 20030724 - TARLOW KENNETH P [US]
- [A] EP 0211686 A1 19870225 - BILBATE LTD [GB]
- [A] US 2013101442 A1 20130425 - ANN JUN-YOUNG [KR]

Cited by
FR3128694A1; WO2023079117A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
EP 3009357 A2 20160420; EP 3009357 A3 20160622; EP 3009357 B1 20190227; US 2016101884 A1 20160414

DOCDB simple family (application)
EP 15002927 A 20151014; US 201514883468 A 20151014