

Title (en)  
LEAD WIRE CUT-AND-CLINCH DEVICE

Title (de)  
CUT-AND-CLINCH VORRICHTUNG FÜR ZULEITUNGSDRAHT

Title (fr)  
DISPOSITIF DE DÉCOUPE ET DE SERTISSAGE DE FIL CONDUCTEUR

Publication  
**EP 3065523 A4 20170517 (EN)**

Application  
**EP 13896709 A 20131028**

Priority  
JP 2013079099 W 20131028

Abstract (en)  
[origin: EP3065523A1] Whether or not a lead wire has been normally cut and clinched can be reliably detected. A contact pipe is arranged in lead wire insertion holes of a pair of fixed pawls in a state of being electrically insulated from the fixed pawls. In a case where the lead wire is shorter than a set length after the lead wire is inserted into the lead wire insertion holes, a clearance of the pair of lead wire insertion holes is widened by a set amount in the event of outward bending of the lead wire and is narrowed by a set amount in the event of inward bending (S4). A cut-and-clinch operation is performed with S4 bypassed in a case where the length of the lead wire is at least the set length (S5) . In any case, if conduction between the fixed pawl and the contact pipe by the lead wire is detected in both of the fixed pawls in any of S2 to S5, the lead wire insertion is determined to have been normally performed (S6) and a transition to the next operation is made (S7). In the event of no conduction detection, an abnormality is determined and an electronic-circuit-component mounting machine is stopped (S8).

IPC 8 full level  
**H05K 13/04** (2006.01); **H05K 13/08** (2006.01)

CPC (source: EP US)  
**H05K 13/0473** (2013.01 - EP US); **H05K 13/082** (2018.07 - EP US); **Y10T 29/4913** (2015.01 - EP US); **Y10T 29/49139** (2015.01 - EP US); **Y10T 29/4914** (2015.01 - EP US); **Y10T 29/53174** (2015.01 - EP US)

Citation (search report)

- [IA] DE 2937250 A1 19800327 - USM CORP
- [A] GB 2197236 A 19880518 - SONY CORP
- [A] US 4908931 A 19900320 - ITOH TOMITERU [JP], et al
- [A] US 4218817 A 19800826 - TAKANO HIROJI [JP]
- See references of WO 2015063827A1

Cited by  
CN109429477A; EP3319408B1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**EP 3065523 A1 20160907**; **EP 3065523 A4 20170517**; **EP 3065523 B1 20190807**; CN 105659720 A 20160608; CN 105659720 B 20180928; JP 6247310 B2 20171213; JP WO2015063827 A1 20170309; US 2016270273 A1 20160915; US 9949420 B2 20180417; WO 2015063827 A1 20150507

DOCDB simple family (application)  
**EP 13896709 A 20131028**; CN 201380080447 A 20131028; JP 2013079099 W 20131028; JP 2015544630 A 20131028; US 201315032108 A 20131028