

Title (en)

GRID FOR COVERING AN OVERFLOW DUCT OF A SWIMMING POOL, AND METHOD FOR THE MANUFACTURE THEREOF

Title (de)

GITTER ZUM ABDECKEN EINES ÜBERLAUFKANALS EINES SCHWIMMBECKENS UND VERFAHREN ZUR HERSTELLUNG DAVON

Title (fr)

GRILLE DE RECOUVREMENT D'UN CONDUIT DE TROP-PLEIN D'UNE PISCINE ET SON PROCÉDÉ DE FABRICATION

Publication

EP 3080366 A1 20161019 (EN)

Application

EP 14830642 A 20141212

Priority

- IT TO20131019 A 20131213
- IB 2014066855 W 20141212

Abstract (en)

[origin: WO2015087295A1] The grid (1) comprises an array of tread elements (2) with an elongated shape, which are made from a composite moulded or cast material, in particular a synthetic stone material, and are arranged co-planar, aligned and mutually spaced along a direction of alignment (X- X) forming an angle with respect to their longitudinal direction and which are fixed to at least one interconnection member (3) with an elongated shape, which extends along said direction of alignment (X-X). The interconnection member (3) is flexible such that the ends of at least some of the tread elements (2) which extend on a same side with respect to the interconnection member (3) can be moved towards or away from one another, such that the array of tread elements (2) is capable of assuming an at least partially curved configuration in the plane in which the tread elements (2) lie.

IPC 8 full level

E04H 4/12 (2006.01); **E03F 5/06** (2006.01); **E04C 2/42** (2006.01); **E04H 4/14** (2006.01)

CPC (source: EP)

E04C 2/425 (2013.01); **E04H 4/1227** (2013.01); **E04H 4/141** (2013.01)

Citation (search report)

See references of WO 2015087295A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2015087295 A1 20150618; EP 3080366 A1 20161019; EP 3080366 B1 20171206; IT TO20131019 A1 20150614

DOCDB simple family (application)

IB 2014066855 W 20141212; EP 14830642 A 20141212; IT TO20131019 A 20131213