

Title (en)

JET ENGINE, FLYING BODY, AND METHOD FOR OPERATING JET ENGINE

Title (de)

TRIEBWERK, FLUGZEUG UND VERFAHREN FÜR DEN BETRIEB EINES TRIEBWERKS

Title (fr)

MOTEUR À RÉACTION, CORPS VOLANT, ET PROCÉDÉ POUR FAIRE FONCTIONNER LE MOTEUR À RÉACTION

Publication

EP 3098429 B1 20181212 (EN)

Application

EP 15769123 A 20150217

Priority

- JP 2014070205 A 20140328
- JP 2015054301 W 20150217

Abstract (en)

[origin: EP3098429A1] A jet engine includes an inlet (11) which takes in air and a combustor (12) which combusts fuel with the air. The combustor (12) has an injector (20), a plurality of flame stabilizers (21, 22) and a vanishment section (31). The injector (20) injects the fuel. The plurality of flame stabilizers (21, 22) can maintain the flame (F) used for combustion in the combustor (12). The vanishment section (31) is provided to cover the dent of the first flame stabilizer (21) which is situated on the side near to the inlet in the plurality of flame stabilizers (21, 22), and vanishes with the passage of time in the flight.

IPC 8 full level

F23R 3/60 (2006.01)

CPC (source: EP US)

F02C 7/042 (2013.01 - EP US); **F02K 7/10** (2013.01 - EP US); **F02K 7/18** (2013.01 - EP US); **F23R 3/22** (2013.01 - EP US); **F23R 3/60** (2013.01 - EP US); **F05D 2220/10** (2013.01 - US); **F05D 2220/80** (2013.01 - EP US); **F05D 2260/99** (2013.01 - EP US); **F23R 2900/00015** (2013.01 - EP US); **F23R 2900/00017** (2013.01 - EP US); **Y02T 50/60** (2013.01 - EP US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 3098429 A1 20161130; **EP 3098429 A4 20170322**; **EP 3098429 B1 20181212**; JP 2015190740 A 20151102; JP 6268529 B2 20180131; US 10274199 B2 20190430; US 2016363318 A1 20161215; WO 2015146375 A1 20151001

DOCDB simple family (application)

EP 15769123 A 20150217; JP 2014070205 A 20140328; JP 2015054301 W 20150217; US 201515120867 A 20150217