

Title (en)
THERMOREGULATED DEVICE FOR MODIFYING THE CONSISTENCY OF A COMPOSITION AND METHOD FOR OPERATING THE DEVICE

Title (de)
THERMOREGULIERTE VORRICHTUNG ZUR ÄNDERUNG DER KONSISTENZ EINER ZUSAMMENSETZUNG UND VERFAHREN ZUM BETREIBEN DER VORRICHTUNG

Title (fr)
DISPOSITIF THERMORÉGULÉ DESTINÉ À MODIFIER LA CONSISTANCE D'UNE COMPOSITION ET PROCÉDÉ DE MISE EN OEUVRE DU DISPOSITIF

Publication
EP 3104713 A2 20161221 (FR)

Application
EP 15708044 A 20150211

Priority
• IB 2014000163 W 20140214
• IB 2014001816 W 20140912
• IB 2014001918 W 20140925
• IB 2014002056 W 20141008
• IB 2015000138 W 20150211

Abstract (en)
[origin: WO2015121736A2] The invention relates to a thermoregulated device for modifying the consistency of a starting composition that comprises a preparation at least partially mixed with a liquid. For this purpose, the device is configured to accommodate a reservoir (3; 203; 303; 403; 503; 603; 703) containing the starting composition and possessing two opposing faces, at least one of which comprises a flexible section, the device comprising a thermoregulated element (2; 202; 302; 402) having a predefined contact surface arranged to come into contact with one of the opposing faces of the reservoir (3; 203; 303; 403; 503), as well as stirring means for mixing the composition in the reservoir (3; 203; 303; 403). The stirring means comprise a mixer (10; 210; 310; 410) as well as driving means (30; 230; 330) arranged for running the mixer (10; 210; 310; 410) bearing on said flexible section of the reservoir (3; 203; 303; 403; 503), when the reservoir is disposed on the thermoregulated, element (2; 202; 302; 402) of the device, in such a way as to create a local compression zone (8; 208; 308) in the interior of the reservoir (3; 203; 303; 403; 503). The driving means (30; 230; 330) are also arranged to then displace the mixer (10; 210; 310; 410) with respect to the flexible section of the reservoir (3; 203; 303; 403; 503) in order to displace said local compression zone (8; 208; 308) to the interior of the reservoir (3; 203; 303; 403; 503) in such a way as to mix the composition of the reservoir (3; 203; 303; 403; 503) during the mixing operation.

IPC 8 full level
A23G 9/12 (2006.01); **B01F 27/74** (2022.01)

CPC (source: EP KR US)
A23G 9/045 (2013.01 - US); **A23G 9/12** (2013.01 - EP KR US); **A23G 9/224** (2013.01 - EP KR US); **B01F 31/55** (2022.01 - EP KR US); **B01F 35/92** (2022.01 - EP KR US); **B01F 2035/98** (2022.01 - EP KR US); **B01F 2101/13** (2022.01 - US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
WO 2015121736 A2 20150820; WO 2015121736 A3 20161013; AU 2015216694 A1 20160818; AU 2019213339 A1 20190829; BR 112016018661 A2 20170808; CA 2939680 A1 20150820; CN 106163295 A 20161123; EP 3104713 A2 20161221; JP 2017506522 A 20170309; KR 20160124169 A 20161026; MX 2016010467 A 20161017; RU 2016135343 A 20180319; US 2017172173 A1 20170622

DOCDB simple family (application)
IB 2015000138 W 20150211; AU 2015216694 A 20150211; AU 2019213339 A 20190806; BR 112016018661 A 20150211; CA 2939680 A 20150211; CN 201580019676 A 20150211; EP 15708044 A 20150211; JP 2016569110 A 20150211; KR 20167025507 A 20150211; MX 2016010467 A 20150211; RU 2016135343 A 20150211; US 201515118364 A 20150211