

Title (en)

HIGH EFFICIENCY RADIANT BURNER WITH HEAT EXCHANGER OPTION

Title (de)

HOCHLEISTUNGSSTRAHLUNGSBRENNER MIT WÄRMETAUSCHEROPTION

Title (fr)

BRÛLEUR RADIANT À HAUTE EFFICACITÉ AVEC OPTION D'ÉCHANGEUR DE CHALEUR

Publication

EP 3118520 B1 20240313 (EN)

Application

EP 16181257 A 20060807

Priority

- US 70609605 P 20050805
- EP 06789552 A 20060807
- US 2006030814 W 20060807

Abstract (en)

[origin: WO2007027379A1] A radiant burner (10) and optional heat exchanger (90) arrangement where the radiant burner (10) has a generally enclosed cavity (24) defined, at least in part, by fuel gas impermeable surroundings (12,14) and a lower surface (62) of fuel gas permeable burner element (60), wherein cavity (12) preferably has two opening (16a,16b) exposed to an oxidizer source. Sealingly coupled to openings (16a,16b) are mix tubes (50a,50b), each having respective first ends (52a,52b) and second ends (54a,54b), wherein first ends (52a,52b) occupy openings (16a, 16b) and second ends (54a, 54b) extend into and are exposed to cavity (12). Fuel gas injectors (48a,48b), which during use are in fluid communication with fuel gas (100), are positioned to introduce fuel gas into mix tubes (50a,50b). Pre-combustion gasses migrate to upper surface (64) and are available for ignition. A thermal fuel flow interrupt may be positioned between fuel gas (100) and gas injectors (48a,48b) to isolate the fuel gas in the event of an overheat malfunction. Because burner (60) functions as a radiant body, increased thermal transfer efficiency over the prior art can be achieved by exploiting this fact, such as by creating a dedicated heat exchanger arrangement (90) for containers (70) placed on or proximate to burner (60). Exposed surfaces (80,82,84) are established to exploit the relative slow velocity of heated combustion gasses, thereby increasing heat transfer flux into container (70).

IPC 8 full level

F23D 14/12 (2006.01); **F23D 14/00** (2006.01); **F23D 14/46** (2006.01)

CPC (source: EP US)

F23D 14/151 (2021.05 - EP); **F23D 14/16** (2013.01 - EP US); **F23D 14/28** (2013.01 - EP US); **F23D 14/72** (2013.01 - EP US); **F23N 5/247** (2013.01 - EP US); **F23D 14/151** (2021.05 - US); **F23D 2203/105** (2013.01 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

WO 2007027379 A1 20070308; AU 2006285272 A1 20070308; CA 2617564 A1 20070308; CA 2617564 C 20160412; EP 1920191 A1 20080514; EP 1920191 A4 20101020; EP 1920191 B1 20160921; EP 3118520 A1 20170118; EP 3118520 B1 20240313; JP 2009503433 A 20090129; JP 5301992 B2 20130925; US 2008213715 A1 20080904

DOCDB simple family (application)

US 2006030814 W 20060807; AU 2006285272 A 20060807; CA 2617564 A 20060807; EP 06789552 A 20060807; EP 16181257 A 20060807; JP 2008525279 A 20060807; US 6902008 A 20080205