

Title (en)

METHOD OF PACKAGING A FLEXIBLE ELONGATE ELEMENT

Title (de)

VERFAHREN ZUM VERPACKEN EINES FLEXIBLEN LÄNGLICHEN ELEMENTS

Title (fr)

PROCÉDÉ DE CONDITIONNEMENT

Publication

EP 3157824 A2 20170426 (EN)

Application

EP 15832860 A 20150617

Priority

- ZA 201404406 A 20140617
- ZA 2015000043 W 20150617

Abstract (en)

[origin: WO2016044863A2] Method of coiling a flexible elongate element inside a container made from flexible sheet material wherein at least part of the sheet material is tensioned by establishing a pressure differential between an inner surface and an outer surface of the sheet material and the flexible elongate element is passed through a hole in the tensioned sheet material formed by a leading end of the flexible element into a coiled configuration inside the container.

IPC 8 full level

B65B 63/04 (2006.01); **B65B 9/13** (2006.01); **B65B 25/24** (2006.01); **B65B 43/26** (2006.01); **B65B 43/36** (2006.01); **B65D 85/04** (2006.01); **B65H 55/04** (2006.01)

CPC (source: EP US)

B65B 9/13 (2013.01 - EP US); **B65B 25/24** (2013.01 - US); **B65B 29/00** (2013.01 - EP US); **B65B 43/267** (2013.01 - EP US); **B65B 43/36** (2013.01 - EP US); **B65B 51/26** (2013.01 - US); **B65B 63/04** (2013.01 - EP US); **B65H 49/08** (2013.01 - EP US); **B65H 54/76** (2013.01 - EP US); **B65H 55/04** (2013.01 - EP US); **B65B 27/06** (2013.01 - EP US); **B65D 85/04** (2013.01 - EP US); **B65H 2701/354** (2013.01 - EP US)

Citation (search report)

See references of WO 2016044863A2

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2016044863 A2 20160324; **WO 2016044863 A3 20160506**; **WO 2016044863 A9 20160714**; EP 3157824 A2 20170426; US 2017121043 A1 20170504; ZA 201700252 B 20180829

DOCDB simple family (application)

ZA 2015000043 W 20150617; EP 15832860 A 20150617; US 201515320004 A 20150617; ZA 201700252 A 20170111