

Title (en)

MICROMACHINED GYROSCOPE INCLUDING A GUIDED MASS SYSTEM

Title (de)

MIKROGEFERTIGTES GYROSkop MIT EINEM GEFÜHRTEN MASSESYSTEM

Title (fr)

GYROSCOPE MICRO-USINÉ COMPRENANT UN SYSTÈME DE MASSE GUIDÉE

Publication

**EP 3184961 B1 20210106 (EN)**

Application

**EP 17156131 A 20140829**

Priority

- US 201314041810 A 20130930
- EP 14182956 A 20140829

Abstract (en)

[origin: EP2884229A1] A gyroscope (150) comprises a substrate (101) and a guided mass system. The guided mass system comprises proof masses (102a, 651) and guiding arms (104a, 104b) disposed in a plane parallel to the substrate (101). The proof masses are coupled to the guiding arm by springs (103a, 103b). The guiding arm is coupled to the substrate by springs (108a, 108b). At least one of the proof-masses (651) is directly coupled to the substrate (101) by at least one anchor via a spring system (710a, 710b). The gyroscope also comprises an actuator (109a, 109b) for vibrating one of the proof-masses (102a) in the first direction, which causes another proof mass to rotate in the plane. Finally, the gyroscope also includes transducers (660a, 660b) for sensing motion of the guided mass system in response to angular velocities about a single axis or multiple input axes.

IPC 8 full level

**G01C 19/5712** (2012.01); **G01C 19/5733** (2012.01); **G01C 19/574** (2012.01)

CPC (source: CN EP KR)

**G01C 19/5712** (2013.01 - CN EP); **G01C 19/5719** (2013.01 - KR); **G01C 19/5733** (2013.01 - EP KR); **G01C 19/574** (2013.01 - EP)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 2884229 A1 20150617; EP 2884229 B1 20180919; CN 104515517 A 20150415; CN 104515517 B 20180720; EP 3184961 A1 20170628; EP 3184961 B1 20210106; KR 101694586 B1 20170109; KR 20150037567 A 20150408**

DOCDB simple family (application)

**EP 14182956 A 20140829; CN 201410505767 A 20140928; EP 17156131 A 20140829; KR 20140128112 A 20140925**