

Title (en)

GUIDING DEVICE FOR CONTROLLING FLUID FLOW WHEN FEEDING IN TWO PHASE FLOWS INTO BLOCK-IN-SHELL HEATERS

Title (de)

LEITEINRICHTUNG ZUR KONTROLLE DER FLÜSSIGKEITSSTRÖMUNG BEI DER EINSPEISUNG VON ZWEIPHASENSTRÖMEN IN BLOCK-IN-SHELL-WÄRMEÜBERTRAGERN

Title (fr)

DISPOSITIF DE CONDUITE DESTINÉ AU CONTRÔLE DE L'ÉCOULEMENT DE LIQUIDE LORS DE L'ALIMENTATION DE COURANTS DIPHASIQUES DANS DES ÉCHANGEURS DE CHALEUR ENCAPSULÉS

Publication

EP 3237824 A1 20171101 (DE)

Application

EP 15805396 A 20151207

Priority

- EP 14004422 A 20141223
- EP 2015002462 W 20151207

Abstract (en)

[origin: WO2016102046A1] The invention relates to a heat exchanger (1) for indirectly exchanging heat between a first medium (F1) and a second medium (F2), comprising: a casing (2) which surrounds an encased area (3) for receiving the first medium (F1) and at least one plate heat exchanger (4) for indirectly exchanging heat between the two media (F1, F2), the at least one plate heat exchanger (4) being arranged in the encased area (3) such that the plate heat exchanger can be surrounded by a liquid first medium (F1) phase (L1) which can be found in the encased area (3). In order to introduce the first medium (F1) into the encased area, a distribution device (6) or a distributor channel (6) is arranged above the plate heat exchanger (4) in the encased area (3). The distribution device or the distributor channel (6) has at least one outlet opening (6b) which is oriented downwards and through which a liquid first medium (F1) phase (L1) can exit the distribution device (6) or the distributor channel (6) into the encased area (3). According to the invention, the heat exchanger (1) has a conducting device (10) which is arranged below the distribution device (6) or the distributor channel (6) and which is designed to conduct the liquid first medium (F1) phase (L1) exiting the at least one outlet opening (6b).

IPC 8 full level

F28F 9/02 (2006.01); **F25B 39/02** (2006.01); **F28D 3/04** (2006.01); **F28D 9/00** (2006.01); **F28D 21/00** (2006.01)

CPC (source: CN EP KR US)

F25B 39/022 (2013.01 - EP KR US); **F28D 3/04** (2013.01 - CN EP KR US); **F28D 9/0006** (2013.01 - CN EP KR US);
F28D 21/0017 (2013.01 - CN EP KR US); **F28F 9/026** (2013.01 - CN EP KR US); **F28F 9/0265** (2013.01 - US);
F28D 2021/0073 (2013.01 - KR US)

Citation (search report)

See references of WO 2016102046A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2016102046 A1 20160630; AU 2015371704 A1 20170629; CA 2972124 A1 20160630; CN 107110612 A 20170829;
EP 3237824 A1 20171101; JP 2018506012 A 20180301; KR 20170096055 A 20170823; MX 2017008039 A 20170919;
RU 2017120507 A 20190125; US 2019072340 A1 20190307

DOCDB simple family (application)

EP 2015002462 W 20151207; AU 2015371704 A 20151207; CA 2972124 A 20151207; CN 201580070902 A 20151207;
EP 15805396 A 20151207; JP 2017534280 A 20151207; KR 20177020727 A 20151207; MX 2017008039 A 20151207;
RU 2017120507 A 20151207; US 201515534532 A 20151207