

Title (en)
UNIVERSAL LOCK WITH SLIDING STOP MECHANISM

Title (de)
UNIVERSALSCHLOSS MIT GLEITSTOPPMECHANISMUS

Title (fr)
SERRURE UNIVERSELLE AVEC MÉCANISME D'ARRÊT COUILLANT

Publication
[EP 3262256 A1 20180103 \(EN\)](#)

Application
[EP 15883531 A 20150223](#)

Priority
US 2015017092 W 20150223

Abstract (en)
[origin: WO2016137539A1] A lock having a housing defining a cavity with first and second opposing side walls and an opening for receiving a locking bolt, the locking bolt moveable between a locked position and an unlocked position is provided. The lock includes a rotary actuator having a rotary output and responsive to entry of an electronic combination input by a user; and a sliding blocking mechanism responsive to said rotary output and moveable between a blocking position for blocking said locking bolt in the locked position and an unblocking position for allowing said locking bolt to move into said unlocked position.

IPC 8 full level
[E05B 47/04](#) (2006.01)

CPC (source: EP)
[E05B 17/2084](#) (2013.01); [E05B 47/0005](#) (2013.01); [E05B 47/0603](#) (2013.01); [E05B 65/0075](#) (2013.01); [E05B 2047/0024](#) (2013.01)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
[WO 2016137539 A1 20160901](#); EP 3262256 A1 20180103; EP 3262256 A4 20181205; EP 3262256 B1 20200129; EP 3262257 A1 20180103;
EP 3262257 A4 20181205; EP 3262257 B1 20200108; WO 2016137432 A1 20160901

DOCDB simple family (application)
[US 2015057773 W 20151028](#); EP 15883531 A 20150223; EP 15883625 A 20151028; US 2015017092 W 20150223