

Title (en)

FIN-STABILIZED SUB-CALIBRE PROJECTILE WHICH CAN BE FIRED FROM A RIFLED BARREL AND METHOD FOR THE PRODUCTION THEREOF

Title (de)

AUS EINEM GEZOGENEN WAFFENROHR VERSCHIESSBARES, FLÜGELSTABILISIERTES UNTERKALIBERGESCHOSS UND VERFAHREN ZU SEINER HERSTELLUNG

Title (fr)

PROJECTILE SOUS-CALIBRÉ EMPENNÉ POUVANT ÊTRE TIRÉ DEPUIS UN CANON RAYÉ ET SON PROCÉDÉ DE FABRICATION

Publication

EP 3317607 B1 20200108 (DE)

Application

EP 16732660 A 20160628

Priority

- DE 102015110627 A 20150701
- EP 2016065056 W 20160628

Abstract (en)

[origin: WO2017001428A1] To obtain a fin-stabilized sub-calibre projectile (1) which can be fired from a rifled barrel, the sabot (4) of which is lightweight and stable and the penetrator (3) of which has a smaller deflection error after leaving the barrel than is the case with comparable known sub-calibre projectiles, the invention proposes arranging on the penetrator (3) a sabot (4) which transfers the full twist, comprises two guide flanges (7, 8) and the main body (5) of which consists of a light metal alloy, wherein axial bores (17) that are made to pass through the front guide flange (7) and extend to the rear guide flange (8) are provided for weight-saving reasons.

IPC 8 full level

F42B 14/06 (2006.01)

CPC (source: EP US)

F42B 14/02 (2013.01 - US); **F42B 14/06** (2013.01 - EP US); **F42B 14/061** (2013.01 - EP US); **F42B 14/062** (2013.01 - EP US); **F42B 14/064** (2013.01 - EP US); **F42B 14/067** (2013.01 - EP US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

WO 2017001428 A1 20170105; CA 2996430 A1 20170105; CA 2996430 C 20230926; DE 102015110627 A1 20170105; EP 3317607 A1 20180509; EP 3317607 B1 20200108; US 10996035 B2 20210504; US 2018216922 A1 20180802

DOCDB simple family (application)

EP 2016065056 W 20160628; CA 2996430 A 20160628; DE 102015110627 A 20150701; EP 16732660 A 20160628; US 201615753092 A 20160628