

Title (en)  
FIRE EXTINGUISHER

Title (de)  
FEUERLÖSCHER

Title (fr)  
EXTINCTEUR

Publication  
**EP 3337576 B1 20191120 (DE)**

Application  
**EP 16750600 A 20160630**

Priority  
• DE 102015009329 A 20150722  
• DE 102016000079 A 20160107  
• DE 2016000261 W 20160630

Abstract (en)  
[origin: WO2017012601A1] A fire extinguisher comprises a ventilation chamber (21) at the end of the extinguishing mixture duct (6, 15) which is part of the fire extinguisher and from which the mixture of fire extinguishant and foaming agent (extinguishing foam) exits in the foamed state when the fire extinguisher is used. At the periphery, said ventilation chamber is provided with air holes (26) in a cross-sectional plane (ventilation plane). Air is sucked in as a result of the fact that the inner cross-section of the ventilation chamber is constricted by a collar (27), a wire mesh (29) below the ventilation plane. The orifice of the ventilation chamber (21) is equipped with a wire mesh.

IPC 8 full level  
**A62C 5/00** (2006.01); **A62C 5/02** (2006.01); **A62C 13/00** (2006.01); **A62C 13/66** (2006.01); **A62C 13/76** (2006.01); **A62C 31/00** (2006.01); **A62C 31/02** (2006.01); **A62C 31/12** (2006.01)

CPC (source: EP)  
**A62C 5/00** (2013.01); **A62C 5/002** (2013.01); **A62C 5/02** (2013.01); **A62C 5/022** (2013.01); **A62C 13/00** (2013.01); **A62C 13/76** (2013.01); **A62C 31/00** (2013.01); **A62C 31/02** (2013.01); **A62C 31/12** (2013.01); **A62C 13/66** (2013.01)

Cited by  
BE1028003A1; BE1028042A1; EP3862055A1; EP4186568A1

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**WO 2017012601 A1 20170126**; DE 112016003293 A5 20180426; EP 3337576 A1 20180627; EP 3337576 B1 20191120

DOCDB simple family (application)  
**DE 2016000261 W 20160630**; DE 112016003293 T 20160630; EP 16750600 A 20160630