

Title (en)
STOPPER FOR A CONTAINER

Title (de)
VERSCHLUSSVORRICHTUNG FÜR EINEN BEHÄLTER

Title (fr)
DISPOSITIF DE FERMETURE POUR UN RÉCIPIENT

Publication
EP 3357832 A1 20180808 (DE)

Application
EP 18156725 A 20160210

Priority
• DE 102015101961 A 20150211
• EP 16706808 A 20160210
• EP 2016052759 W 20160210

Abstract (en)
[origin: WO2016128420A2] The invention relates to a closure device (1) for a container (2), in particular a glass container, having a container opening (3), said closure device (1) comprising a lid element (4) for closing the container opening (3), a chamber (6) arranged at the lid element (4), and an inner housing (5), the chamber (6) and the inner housing (5) having mutually corresponding closure means (7) and opening means (9) which are in interaction with each other such that a discharge opening (8) associated with the chamber (6) can be released by moving the lid element (4) relative to the inner housing (5) such that a medium stored in the chamber (6) can exit into the container (2). According to the invention, the chamber (6) and the inner housing (5) each have corresponding first threaded means (10) which is formed relative to a rotational axis of the thread (19). In order to provide a closure device which is particularly suitable for closing a glass container, it is proposed that the chamber (6) has a first region (A) above the first threaded means (10) and a second region (B) below and/or in a horizontal overlap to the first threaded means (10), the first region (A) being designed radially greater than the second region (B) relative to the rotational axis of the thread (18).

Abstract (de)
Eine Verschlussvorrichtung (1) für einen Behälter (2) umfasst ein Deckelelement (4) zum Verschließen der Behälteröffnung (3), eine an dem Deckelelement (4) angeordnete Kammer (6) und ein Innengehäuse (5). Kammer (6) und Innengehäuse (5) weisen zueinander korrespondierende Verschlussmittel (7) und Öffnungsmittel (9) auf, welche so in Wechselwirkung zueinander stehen, dass eine der Kammer (6) zugeordnete Ablassöffnung (8) durch eine Bewegung des Deckelelementes (4) relativ zu dem Innengehäuse (5) freigebbar ist. Ein in der Kammer (6) bevorratetes Medium kann dann in den Behälter (2) austreten. Die Kammer (6) und das Innengehäuse (5) weisen jeweils korrespondierende und bezüglich einer Gewindedrehachse (19) ausgebildete erste Gewindemittel (10) auf. Die Verschlussmittel (7) weisen in einer Dichtungsebene zur Kammerwand radial außen einen Weichkunststoff (20) auf und radial innen einen Hartkunststoff (21).

IPC 8 full level
B65D 51/28 (2006.01)

CPC (source: EP US)
B65D 41/28 (2013.01 - US); **B65D 51/2892** (2013.01 - EP US); **B65D 2251/0015** (2013.01 - EP US); **B65D 2251/0093** (2013.01 - EP US)

Citation (applicant)
• WO 2007129116 A1 20071115 - GIZMO PACKAGING LTD [GB], et al
• EP 0520207 A1 19921230 - FINKE ROBERT GMBH [DE]
• CN 102785846 A 20121121 - WU ZHENWEN
• US 2008314775 A1 20081225 - OWOC GREG J [US]
• US 2014110281 A1 20140424 - CHEN YEN-SHU [TW]

Citation (search report)
• [XY] US 2014166510 A1 20140619 - FRUTIN BERNARD D [GB]
• [YA] EP 0520207 A1 19921230 - FINKE ROBERT GMBH [DE]
• [YA] DE 102004034709 B3 20060209 - SEIBEL PLASTIKO AG [DE]
• [A] US 2009236244 A1 20090924 - FRUTIN BERNARD DEREK [GB]
• [A] US 2014110281 A1 20140424 - CHEN YEN-SHU [TW]
• [A] US 2008314775 A1 20081225 - OWOC GREG J [US]

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
DE 102016102247 A1 20160811; **DE 102016102247 B4 20231026**; EP 3256396 A2 20171220; EP 3256396 B1 20190911;
EP 3357832 A1 20180808; EP 3357832 B1 20220601; EP 3388362 A1 20181017; EP 3388362 B1 20200805; US 10647485 B2 20200512;
US 2018044080 A1 20180215; WO 2016128420 A2 20160818; WO 2016128420 A3 20161110

DOCDB simple family (application)
DE 102016102247 A 20160210; EP 16706808 A 20160210; EP 18156717 A 20160210; EP 18156725 A 20160210; EP 2016052759 W 20160210;
US 201615556164 A 20160210