

Title (en)
DETERMINATION OF ARMATURE STROKE BY MEASUREMENT OF HYSTERESIS CHARACTERISTICS

Title (de)
ANKERHUBBESTIMMUNG DURCH MESSUNG MAGNETISCHER HYSTERESEKURVEN

Title (fr)
DÉTERMINATION DU TRAJET D'ARMATURE PAR MESURE DES COURBES D'HYSTÉRÉSIS

Publication
EP 3394866 B1 20201021 (DE)

Application
EP 16801793 A 20161128

Priority
• DE 102015226189 A 20151221
• EP 2016079028 W 20161128

Abstract (en)
[origin: WO2017108342A1] The invention relates to a method for producing a valve (1) that can be electromagnetically actuated which method comprises an electromagnet (2, 2a, 2b), an armature (3) that can be moved by the electromagnet (2, 2a, 2b), and a valve body (5), having means (4, 4a, 4b, 4c) for converting a movement of the armature (3) into an opening or closing of the valve (1), wherein the electromagnet (2, 2a, 2b) and the armature (3) are inserted into the valve body (5), wherein, before the electromagnet (2, 2a, 2b) is inserted into the valve body (5), a magnetic hysteresis curve (10) of a combination (6) of the electromagnet (2, 2a, 2b) having a test armature (3a) lying against said electromagnet (2, 2a, 2b) is recorded, the slope m_1 of a first, substantially linear curve segment (11) of the hysteresis curve (10) is determined in the unsaturated state, and, from the slope m_1 , the slope m_1^* of a curve segment (31) of a hysteresis curve (30) of the finally assembled valve (1) having the armature (3) lying continuously against the electromagnet (2, 2a, 2b) is determined, said curve segment corresponding to the first curve segment (11). The invention further relates to a method for determining the armature stroke AH , wherein the magnetic energy ΔE in the air gap (9) formed between the armature (3) and the electromagnet (2, 2a, 2b) is evaluated from the difference between the first slope m_0 and the second slope m_1^* .

IPC 8 full level
H01F 7/18 (2006.01); **F02D 41/20** (2006.01); **F02D 41/24** (2006.01); **F02M 65/00** (2006.01)

CPC (source: EP KR US)
F02D 41/20 (2013.01 - EP KR US); **F02D 41/2432** (2013.01 - EP KR US); **F02D 41/2467** (2013.01 - EP KR US); **F02M 65/00** (2013.01 - KR); **H01F 7/18** (2013.01 - EP US); **H01F 7/1844** (2013.01 - EP KR US); **F02M 65/00** (2013.01 - EP US); **H01F 2007/1855** (2013.01 - EP KR US); **H01F 2007/1861** (2013.01 - EP KR US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
DE 102015226189 A1 20170622; CN 108431909 A 20180821; CN 108431909 B 20201208; EP 3394866 A1 20181031; EP 3394866 B1 20201021; KR 102560239 B1 20230728; KR 20180095630 A 20180827; US 10770212 B2 20200908; US 2019006073 A1 20190103; WO 2017108342 A1 20170629

DOCDB simple family (application)
DE 102015226189 A 20151221; CN 201680075122 A 20161128; EP 16801793 A 20161128; EP 2016079028 W 20161128; KR 20187020304 A 20161128; US 201616065001 A 20161128