

Title (en)

SURFACE TREATMENT METHOD FOR METAL PRODUCT AND METAL PRODUCT

Title (de)

OBERFLÄCHENBEHANDLUNGSVERFAHREN FÜR METALLPRODUKT SOWIE METALLPRODUKT

Title (fr)

PROCÉDÉ DE TRAITEMENT DE SURFACE POUR PRODUIT MÉTALLIQUE ET PRODUIT MÉTALLIQUE

Publication

**EP 3460090 A4 20191120 (EN)**

Application

**EP 17799342 A 20170515**

Priority

- JP 2016101655 A 20160520
- JP 2017018229 W 20170515

Abstract (en)

[origin: EP3460090A1] Provided is a surface treatment method capable of continuously forming a uniform nanocrystalline structure along the surface of a metal product regardless of whether the metal product is hard or soft. In the present invention, a substantially spherical spray powder having a median diameter of 1-20 µm and a fall velocity in the air of 10 sec/m or more is sprayed onto a metal product at a spray pressure of 0.05-0.5 MPa. Thus even when the metal product is made of a soft material in a range from the surface of the metal product to a predetermined depth along the surface, it is possible to form a uniform continuous nanocrystalline structure layer in which nanocrystals are micronized to an average crystal grain size of not more than 300 nm, preferably not more than 100 nm, without forming a laminar worked structure, impart a high compression residual stress of from about -180 MPa up to the order of -1200 MPa, and strengthen the surface of the metal product.

IPC 8 full level

**B24C 1/10** (2006.01); **C21D 7/06** (2006.01); **C22F 1/00** (2006.01); **C22F 1/04** (2006.01); **C22F 1/043** (2006.01)

CPC (source: EP KR US)

**B24C 1/02** (2013.01 - EP); **B24C 1/10** (2013.01 - EP KR US); **C21D 7/06** (2013.01 - EP KR US); **C22F 1/04** (2013.01 - EP KR US); **C22F 1/043** (2013.01 - EP US); **C22F 1/00** (2013.01 - US); **C22F 1/002** (2013.01 - EP US)

Citation (search report)

- [X] EP 2463392 A1 20120613 - FUJI KIHAN CO LTD [JP]
- [X] US 2008233838 A1 20080925 - MASE KEIJI [JP], et al
- [X] JP 2003201549 A 20030718 - RIKOGAKU SHINKOKAI
- [T] MINGARD K P ET AL: "Comparison of EBSD and conventional methods of grain size measurement of hardmetals", INTERNATIONAL JOURNAL OF REFRACTORY METALS AND HARD MATERIALS, ELSEVIER, AMSTERDAM, NL, vol. 27, no. 2, 1 March 2009 (2009-03-01), pages 213 - 223, XP025937876, ISSN: 0263-4368, [retrieved on 20080718], DOI: 10.1016/J.IJRMHM.2008.06.009
- [T] A NIKU-LARI: "AN OVERVIEW OF SHOT -PEENING", INTERNATIONAL CONFERENCE ON SHOT PEENING AND BLAST CLEANING, 28 February 1996 (1996-02-28), XP055631126
- See references of WO 2017199918A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 3460090 A1 20190327**; **EP 3460090 A4 20191120**; CN 109154057 A 20190104; CN 109154057 B 20210813; JP 2017206761 A 20171124; JP 6307109 B2 20180404; KR 102173928 B1 20201104; KR 20190007052 A 20190121; US 2019076987 A1 20190314; WO 2017199918 A1 20171123

DOCDB simple family (application)

**EP 17799342 A 20170515**; CN 201780030919 A 20170515; JP 2016101655 A 20160520; JP 2017018229 W 20170515; KR 20187036593 A 20170515; US 201716084356 A 20170515