

Title (en)
HOUSEHOLD APPLIANCE, IN PARTICULAR A REFRIGERATOR OR A FREEZER OR A FURNITURE ITEM COMPRISING AT LEAST ONE SHELF

Title (de)
HAUSHALTSGERÄT, INSBESONDERE KÜHL- ODER GEFRIERSCHRANK, ODER MÖBEL MIT WENIGSTENS EINER ABLAGE

Title (fr)
APPAREIL MÉNAGER, EN PARTICULIER RÉFRIGÉRATEUR OU CONGÉLATEUR, OU MEUBLE COMPORTANT AU MOINS UN CASIER

Publication
EP 3599935 B1 20201223 (DE)

Application
EP 18711934 A 20180316

Priority
• DE 102017106171 A 20170322
• EP 2018056696 W 20180316

Abstract (en)
[origin: WO2018172215A1] The invention relates to a household appliance, in particular a refrigerator or a freezer or a furniture item comprising at least one storage space (13, 24), in which a support plate (3) is positioned comprising a storage area (5) and a shelf (2) which can be rotationally and translationally moved on the storage area (5) of the support plate (3), wherein: the shelf (2) comprises a flat storage area (4) which is oriented plane-parallel to the storage area (5) of the support element (3); the shelf (2) can be rotated relative to the support plate (3) in a first rotational direction (R) and can be displaced in a predefined direction (A); mutually facing bearing surfaces of the storage areas (4, 5) each have closed peripheral raceway grooves (44, 45, 51) in which rolling elements (6) are guided; the raceway grooves (44, 45, 51) are formed such that, when a force is applied to the shelf (2) in a direction (A) defined in the plane of the storage area, the shelf (2) can be moved, in a movement which is at least partially forcibly guided and which is simultaneously rotational and translational, from a base position into an intermediary position, the shelf (2) being rotated relative to the support plate (3) in one of two possible opposing rotational directions (R1, R2) and being displaced in a predefined direction (A); and the shelf (2), after being moved into the intermediary position, can be further rotated relative to the support plate (3) in the one of two possible opposing rotational directions (R1, R2) and can be displaced counter to the predefined direction (A) and, when rotated by 180°, resumes the base position.

IPC 8 full level
A47B 49/00 (2006.01); **A47B 77/10** (2006.01); **A47B 81/00** (2006.01); **A47B 96/02** (2006.01); **F25D 25/02** (2006.01)

CPC (source: EP KR US)
A47B 49/004 (2013.01 - EP KR US); **A47B 77/10** (2013.01 - EP KR US); **A47B 81/002** (2013.01 - EP KR); **A47B 96/025** (2013.01 - EP KR US);
F25D 25/024 (2013.01 - EP KR); **F25D 25/027** (2013.01 - EP KR); **F25D 25/024** (2013.01 - US); **F25D 25/027** (2013.01 - US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
WO 2018172215 A1 20180927; CN 110446441 A 20191112; CN 110446441 B 20211001; DE 102017106171 A1 20180927;
DE 102017106171 B4 20191224; EP 3599935 A1 20200205; EP 3599935 B1 20201223; ES 2859779 T3 20211004; JP 2020516838 A 20200611;
JP 7003149 B2 20220120; KR 102499957 B1 20230214; KR 20190130600 A 20191122; PL 3599935 T3 20210628; US 11096483 B2 20210824;
US 2020170408 A1 20200604

DOCDB simple family (application)
EP 2018056696 W 20180316; CN 201880019935 A 20180316; DE 102017106171 A 20170322; EP 18711934 A 20180316;
ES 18711934 T 20180316; JP 2019551977 A 20180316; KR 20197029880 A 20180316; PL 18711934 T 20180316;
US 201816495491 A 20180316