

Title (en)
LOCK

Title (de)
SCHLOSS

Title (fr)
SERRURE

Publication
EP 3655601 B1 20210609 (DE)

Application
EP 18762787 A 20180821

Priority
• DE 102017120316 A 20170904
• EP 2018072532 W 20180821

Abstract (en)
[origin: WO2019042819A1] The invention relates to a lock comprising at least one locking element that can be adjusted between a locking position and an unlocking position, at least one securing element that can be adjusted between a securing position and a release position, and an actuatable control element for adjusting the locking element and/or a further moving functional element of the lock. The locking element is retained in the unlocking position by the securing element located in the securing position, and can be automatically adjusted out of the unlocking position into the locking position if the securing element is in the release position. By actuating the control element in a closing direction, the securing element can be moved in the direction of the release position and also the locking element can be moved in the direction of the locking position.

IPC 8 full level
E05B 63/20 (2006.01); **E05B 47/02** (2006.01); **E05B 59/00** (2006.01); **E05C 9/02** (2006.01)

CPC (source: EP)
E05B 59/00 (2013.01); **E05B 63/20** (2013.01); **E05B 47/0012** (2013.01); **E05B 47/0046** (2013.01); **E05B 47/02** (2013.01); **E05C 9/02** (2013.01); **E05C 9/026** (2013.01)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
DE 102017120316 A1 20190307; CN 111183265 A 20200519; CN 111183265 B 20210706; EP 3655601 A1 20200527;
EP 3655601 B1 20210609; PL 3655601 T3 20211220; WO 2019042819 A1 20190307

DOCDB simple family (application)
DE 102017120316 A 20170904; CN 201880057419 A 20180821; EP 18762787 A 20180821; EP 2018072532 W 20180821;
PL 18762787 T 20180821