

Title (en)
ELECTRICAL CONNECTION ASSEMBLY HAVING TWO WELDED CONDUCTORS AND A LAYER OF CYANOACRYLATE GLUE BETWEEN THE CONDUCTORS, AND METHOD FOR THIS

Title (de)
ELEKTRISCHE VERBINDUNGSAUFRUNG MIT ZWEI GESCHWEISSTEN LEITERN UND EINER SCHICHT AUS CYANOACRYLAT-KLEBER ZWISCHEN DEN LEITERN UND VERFAHREN DAFÜR

Title (fr)
ENSEMBLE DE CONNEXION ÉLECTRIQUE DOTÉ DE DEUX CONDUCTEURS SOUDÉS ET D'UNE COUCHE DE COLLE CYANOACRYLATE ENTRE LES CONDUCTEURS, ET PROCÉDÉ CORRESPONDANT

Publication
EP 3682999 B1 20240306 (EN)

Application
EP 20152450 A 20200117

Priority
DE 102019200659 A 20190118

Abstract (en)
[origin: EP3682999A1] The invention relates to an electrical connection assembly (2), in particular for power electronics (1) for an electrically powered vehicle, and also to a method for the manufacture of such a connection assembly. Two conductors (4, 6) are connected to one another by a welding point (18). A layer (12) consisting of or comprising cyanoacrylate glue (14) is located between the two conductors (4, 6). The welding point (18) is located preferably in the area (16). Further, at least one layer (20) of a material (22) which impedes or prevents the hardening of the cyanoacrylate glue (14) may be present in the area (16). The thickness of the layer (12) is preferably a maximum of double the surface roughness (R) of the surface (28). To obtain a predetermined surface roughness R, the area (16) can at least partially be provided with a roughening (24).

IPC 8 full level
B23K 20/16 (2006.01); **H01R 4/02** (2006.01)

CPC (source: CN EP US)
H01B 13/0036 (2013.01 - US); **H01M 50/528** (2021.01 - US); **H01M 50/571** (2021.01 - CN); **H01R 4/029** (2013.01 - CN EP);
H01R 11/16 (2013.01 - CN); **H01R 12/59** (2013.01 - US); **H01R 43/0221** (2013.01 - US); **H01M 2220/20** (2013.01 - US);
H01R 2201/26 (2013.01 - CN); **Y02E 60/10** (2013.01 - EP)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 3682999 A1 20200722; EP 3682999 B1 20240306; CN 111463583 A 20200728; DE 102019200659 A1 20200723;
US 2020235503 A1 20200723

DOCDB simple family (application)
EP 20152450 A 20200117; CN 202010058658 A 20200119; DE 102019200659 A 20190118; US 202016747215 A 20200120