

Title (en)
GLOW PLUG

Title (de)
GLÜHKERZE

Title (fr)
BOUGIE DE PRÉCHAUFFAGE

Publication
EP 3736493 B1 20240313 (EN)

Application
EP 18880219 A 20180926

Priority
• JP 2017223485 A 20171121
• JP 2018035539 W 20180926

Abstract (en)
[origin: EP3736493A1] [Abstract] A rapid temperature increase is achieved while power consumption is suppressed. A glow plug (1) according to the present invention includes a ceramic heater (10) that has a conductive ceramic (11) and an insulating ceramic (16) covering the conductive ceramic (11). The conductive ceramic (11) has: a heat generating section (12) that is arranged at a tip; and a lead (14) that is connected to a rear end of the heat generating section (12). In a cross section that is perpendicular to an axis of the ceramic heater (10), the insulating ceramic (16) has a thinnest portion (16a), where an outer circumferential surface thereof and the heat generating section (12) are closest to each other, in a thickness of 0.5 to 0.7 mm.

IPC 8 full level
F23Q 7/00 (2006.01)

CPC (source: EP)
F23Q 7/001 (2013.01)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 3736493 A1 20201111; EP 3736493 A4 20210602; EP 3736493 B1 20240313; JP WO2019102708 A1 20201022; SI 3736493 T1 20240628; WO 2019102708 A1 20190531

DOCDB simple family (application)
EP 18880219 A 20180926; JP 2018035539 W 20180926; JP 2019556117 A 20180926; SI 201831099 T 20180926