

Title (en)
TEXTILE MACHINE WITH MULTIPLE WORK STATIONS AND METHOD FOR MONITORING A TEXTILE MACHINE WITH MULTIPLE WORK STATIONS

Title (de)
TEXTILMASCHINE MIT MEHREREN ARBEITSSTELLEN SOWIE VERFAHREN ZUR ÜBERWACHUNG EINER TEXTILMASCHINE MIT MEHREREN ARBEITSSTELLEN

Title (fr)
MACHINE TEXTILE DOTÉE DE PLUSIEURS POSTES DE TRAVAIL, AINSI QUE PROCÉDÉ DE SURVEILLANCE D'UNE MACHINE TEXTILE DOTÉE DE PLUSIEURS POSTES DE TRAVAIL

Publication
EP 3754064 B1 20220406 (DE)

Application
EP 20180135 A 20200616

Priority
DE 102019116627 A 20190619

Abstract (en)
[origin: MX2020006489A] Method for monitoring a textile machine having a plurality of workstations and a textile machine having a plurality of workstations, more particularly spinning positions, the textile machine having: a textile machine control unit, which is designed to capture different production figures of the individual workstations and to check whether the production figures exceed specified limit values; an input unit for inputting the limit values and selecting at least one production figure to be checked out of the set of production figures to be checked; and an indicating unit, which is connected to the textile machine control unit in order to optically output the result of the check of the at least one selected production figure to be checked for exceeding the allocated, specified limit value. In order to provide a method for monitoring a textile machine having a plurality of workstations and a textile machine having a plurality of workstations, said method and said textile machine enabling quick detection and identification of workstations whose production figures exceed specified limit values, the indicating unit has a plurality of signal units, which are arranged on the textile machine control unit and/or the workstations in question, are associated with the individual workstations and are designed in such a way that the result of the check of the at least one selected production figure to be checked for exceeding the allocated, specified limit value is indicated by means of different light signals.

IPC 8 full level
D01H 13/14 (2006.01); **B65H 63/00** (2006.01); **D01H 13/32** (2006.01)

CPC (source: BR CN EP US)
B65H 63/00 (2013.01 - BR CN EP); **D01H 4/42** (2013.01 - US); **D01H 13/14** (2013.01 - CN EP); **D01H 13/26** (2013.01 - US); **D01H 13/32** (2013.01 - EP US); **B65H 2701/174** (2013.01 - CN); **B65H 2701/31** (2013.01 - CN EP)

Cited by
EP4169859A1; DE102021127096A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 3754064 A1 20201223; EP 3754064 B1 20220406; BR 102020012098 A2 20201229; CN 112111822 A 20201222; CN 112111822 B 20230718; DE 102019116627 A1 20201224; JP 2021001427 A 20210107; JP 7494021 B2 20240603; MX 2020006489 A 20201221; PT 3754064 T 20220621; US 11866854 B2 20240109; US 2020399794 A1 20201224; US 2024102208 A1 20240328

DOCDB simple family (application)
EP 20180135 A 20200616; BR 102020012098 A 20200616; CN 202010558513 A 20200618; DE 102019116627 A 20190619; JP 2020105561 A 20200618; MX 2020006489 A 20200713; PT 20180135 T 20200616; US 202016903445 A 20200617; US 202318526393 A 20231201