

Title (en)
ELECTROMAGNETIC ACTUATOR, SWITCH, AND SWITCH GEAR

Title (de)
ELEKTROMAGNETISCHER BETÄIGER, SCHALTER UND SCHALTGETRIEBE

Title (fr)
ACTIONNEUR ÉLECTROMAGNÉTIQUE, COMMUTATEUR ET DISPOSITIF DE COMMUTATION

Publication
EP 3761337 A1 20210106 (EN)

Application
EP 18907548 A 20180227

Priority
JP 2018007120 W 20180227

Abstract (en)
An object is to provide an electromagnetic actuator (3) that enables high-speed operation of a switch (1) with a simple structure, the switch (1) that enables suppression of chattering caused due to high-speed operation, and a switchgear (51) having the switch (1). The electromagnetic actuator (3) includes a repulsive plate (21) and a movable core (22) connected to a movable shaft (15) so as to be opposed to each other with a coil (22) interposed therebetween. In an opened state, the distance between the repulsive plate (21) and the coil (22) is smaller than the distance between the movable core (23) and the coil (22). A disk spring (30) is connected to the movable shaft (15), to fix the movable shaft (15). When the coil (22) is energized, the movable shaft (15) moves to close electrodes, the distance between the movable core (23) and the coil (22) becomes small, and the disk spring (30) is reversed to press the movable shaft (15) in the closing direction.

IPC 8 full level
H01H 33/666 (2006.01); **H01H 33/38** (2006.01)

CPC (source: EP)
H01H 33/38 (2013.01); **H01H 33/40** (2013.01); **H02B 1/16** (2013.01); **H01H 33/666** (2013.01)

Cited by
CN113764225A; US11955300B2

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

DOCDB simple family (publication)
EP 3761337 A1 20210106; EP 3761337 A4 20210224; JP 6513304 B1 20190515; JP WO2019167103 A1 20200409;
WO 2019167103 A1 20190906

DOCDB simple family (application)
EP 18907548 A 20180227; JP 2018007120 W 20180227; JP 2018545234 A 20180227