

Title (en)
TRAIN COMPONENT CRACK DAMAGE DETECTION METHOD AND SYSTEM BASED ON LAMB WAVE IMAGING

Title (de)
VERFAHREN UND SYSTEM ZUR ERKENNUNG VON RISSSCHÄDEN AN ZUGKOMPONENTEN BASIEREND AUF LAMBWELLENABBILDUNG

Title (fr)
PROCÉDÉ ET SYSTÈME DE DÉTECTION DE DOMMAGE PAR FISSURE D'ÉLÉMENT DE TRAIN SUR LA BASE D'UNE IMAGERIE PAR ONDES DE LAMB

Publication
EP 3783357 A4 20220126 (EN)

Application
EP 19787865 A 20190412

Priority

- CN 201810351382 A 20180417
- CN 2019082493 W 20190412

Abstract (en)
[origin: EP3783357A1] The invention provides a folding and unfolding mechanism for front and rear leg assemblies of a frame and a child safety seat, and belongs to the field of child seats. The folding and unfolding mechanism comprises a folding and unfolding control assembly and a front-rear leg rotating assembly. The front-rear leg rotating assembly comprises a rotating shaft arranged on a seat body and used for rotatably connecting a front leg assembly to the seat body, a rear leg assembly supporting rod used for connecting a rear leg assembly to the seat body, and a rear leg assembly rotating rod arranged on the front leg assembly and used for connecting the rear leg assembly to the front leg assembly, so that the rear leg assembly can rotate reversely when the front leg assembly rotates around the rotating shaft. The child safety seat comprises a seat body, a front leg assembly hinged to the seat body, a rear leg assembly hinged to the front leg assembly, and the folding and unfolding mechanism for front and rear leg assemblies of a frame. According to the folding and unfolding mechanism of the invention, the rear leg assembly can be folded reversely when the front leg assembly rotates to be folded, that is, the front leg assembly and the rear leg assembly are folded on two sides of the seat body, so that the problem of the prior art that the seat body cannot be stably clamped on the front and rear leg assemblies because the front and rear leg assemblies are folded on the same side is solved.

IPC 8 full level
G01N 29/07 (2006.01); **G01N 29/04** (2006.01); **G01N 29/06** (2006.01); **G01N 29/44** (2006.01); **G01N 29/46** (2006.01)

CPC (source: CN EP)
G01N 29/041 (2013.01 - CN); **G01N 29/043** (2013.01 - EP); **G01N 29/069** (2013.01 - EP); **G01N 29/07** (2013.01 - CN); **G01N 29/4454** (2013.01 - EP); **G01N 29/46** (2013.01 - EP); **G01N 2291/011** (2013.01 - CN); **G01N 2291/0258** (2013.01 - EP); **G01N 2291/0427** (2013.01 - CN EP); **G01N 2291/2696** (2013.01 - EP); **Y02T 90/00** (2013.01 - EP)

Citation (search report)

- [IY] CN 104504457 A 20150408 - RES INST OF PETROLEUM EXPLORATION & DEV DAGANG OIL FIELD OF CNPC
- [IY] CN 106596726 A 20170426 - UNIV NANJING POSTS & TELECOMMUNICATIONS
- [IY] XIAOLIANG ZHAO ET AL: "Active health monitoring of an aircraft wing with embedded piezoelectric sensor/actuator network: I. Defect detection, localization and growth monitoring", SMART MATERIALS AND STRUCTURES, IOP PUBLISHING LTD., BRISTOL, GB, vol. 16, no. 4, 1 August 2007 (2007-08-01), pages 1208 - 1217, XP020120524, ISSN: 0964-1726, DOI: 10.1088/0964-1726/16/4/032
- [Y] WANG QIANG ET AL: "Online Damage Monitoring for High-Speed Train Bogie Using Guided Waves: Development and Validation Damage Monitoring for High-Speed Train Bogie Using Guided Waves: Development and Validation. EWSHM -7th European Workshop on Structural Health Monitoring", 8 July 2014 (2014-07-08), pages 143 - 150, XP055860113, Retrieved from the Internet <URL:https://hal.inria.fr/hal-01020332/document> [retrieved on 20211110]
- See references of WO 2019201178A1

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
EP 3783357 A1 20210224; EP 3783357 A4 20220126; CN 110389170 A 20191029; CN 110389170 B 20230324; WO 2019201178 A1 20191024

DOCDB simple family (application)
EP 19787865 A 20190412; CN 201810351382 A 20180417; CN 2019082493 W 20190412