

Title (en)

MULTI-WAY VALVE ASSEMBLIES FOR FLOW CONTROL OF A FLUID

Title (de)

MEHRWEGE-VENTILANORDNUNGEN ZUR DURCHFLUSSREGELUNG EINES FLUIDES

Title (fr)

AGENCEMENTS DE SOUPAPES À PLUSIEURS VOIES POUR RÉGULER LE DÉBIT D'UN FLUIDE

Publication

EP 3853507 A1 20210728 (DE)

Application

EP 18773990 A 20180920

Priority

EP 2018075401 W 20180920

Abstract (en)

[origin: WO2020057743A1] A first aspect of the invention relates to a multi-way valve assembly (M) for flow control of a fluid. The valve assembly has at least a first and a second valve element (12a-h) and actuating means (70) for actuating the valve elements (12a-h). The valve elements are arranged in such a way that, depending on the position of the actuating means (70), at least one predetermined valve element (12a) can be selected and actuated. The actuating means (70) are arranged to be translationally displaceable. In a first translational position of the actuating means (70), the first valve element (12a) can be actuated, and in a second translational position, different from the first, the second valve element (12b) can be actuated.

IPC 8 full level

F16K 11/14 (2006.01); **F16K 11/18** (2006.01); **F16K 11/22** (2006.01); **F16K 27/00** (2006.01)

CPC (source: EP US)

F16K 11/14 (2013.01 - EP); **F16K 11/18** (2013.01 - EP US); **F16K 11/22** (2013.01 - EP); **F16K 27/003** (2013.01 - EP US); **Y02E 60/50** (2013.01 - EP)

Citation (search report)

See references of WO 2020057743A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2020057743 A1 20200326; CA 3112375 A1 20200326; CN 112714843 A 20210427; EP 3853507 A1 20210728; SG 11202102667W A 20210429; US 2021348691 A1 20211111

DOCDB simple family (application)

EP 2018075401 W 20180920; CA 3112375 A 20180920; CN 201880097771 A 20180920; EP 18773990 A 20180920; SG 11202102667W A 20180920; US 201817278117 A 20180920