

Title (en)

SPLICING DEVICE FOR SPLICING YARN AND METHOD OF MANUFACTURING A SPLICING DEVICE

Title (de)

SPLEISSGERÄT ZUR VERSPLEISSUNG VON GARN UND VERFAHREN ZUM HERSTELLEN EINES SPLEISSGERÄTS

Title (fr)

APPAREIL D'ÉPISSURE DESTINÉ À L'ÉPISSURE DE FIL ET PROCÉDÉ DE FABRICATION D'UN APPAREIL D'ÉPISSURE

Publication

EP 3863954 B1 20240403 (DE)

Application

EP 19758771 A 20190829

Priority

- EP 18200194 A 20181012
- EP 2019073075 W 20190829

Abstract (en)

[origin: WO2020074180A1] The invention relates to a splicing device (1) for splicing yarn. The splicing device (1) comprises a valve block housing (2) having a valve block housing casing (3) and one or more line elements (4), more particularly tube elements, for transporting fluids, more particularly compressed air. The valve block housing casing (3) encloses the interior of the valve block housing (2). The one or more line elements (4) are arranged continuously in the interior of the valve block housing (2). By means of the line element or line elements, a fluid supply connection (40) is connected to an actuator element connection for an actuator element (13). The valve block housing (2) is produced integrally with the line element or line elements (4).

IPC 8 full level

B65H 69/06 (2006.01)

CPC (source: EP KR)

B65H 69/061 (2013.01 - EP KR); **B65H 2402/414** (2013.01 - EP KR); **B65H 2701/31** (2013.01 - EP KR)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

EP 3636571 A1 20200415; CN 112805232 A 20210514; CN 112805232 B 20231031; EP 3863954 A1 20210818; EP 3863954 B1 20240403; JP 2022504628 A 20220113; KR 102665160 B1 20240509; KR 20210074300 A 20210621; TW 202024413 A 20200701; WO 2020074180 A1 20200416

DOCDB simple family (application)

EP 18200194 A 20181012; CN 201980066205 A 20190829; EP 19758771 A 20190829; EP 2019073075 W 20190829; JP 2021519736 A 20190829; KR 20217011676 A 20190829; TW 108132088 A 20190905