

Title (en)  
UPLINK LOW-PEAK-TO-AVERAGE POWER RATIO (PAPR) DEMODULATION REFERENCE SIGNAL (DMRS) SEQUENCE DESIGN

Title (de)  
SEQUENZDESIGN VON DEMODULATIONSREFERENZSIGNALEN (DMRS) MIT NIEDRIGEM SPITZENLEISTUNG-ZU MITTELLEISTUNG-  
VERHÄLTNIS (PAPR) FÜR UPLINK

Title (fr)  
CONCEPTION DE SÉQUENCE DE SIGNAL DE RÉFÉRENCE DE DÉMODULATION (DMRS) DE RAPPORT DE PUISSANCE FAIBLE DE CRÊTE  
À MOYENNE (PAPR) DE LIAISON MONTANTE

Publication  
**EP 3864791 A1 20210818 (EN)**

Application  
**EP 19871391 A 20191004**

Priority  
• US 201862742780 P 20181008  
• US 201862755391 P 20181102  
• US 2019054849 W 20191004

Abstract (en)  
[origin: WO2020076656A1] Technology for a user equipment (UE) operable to generate a demodulation reference signal (DM-RS) having a reduced peak-to-average power ratio (PAPR) is disclosed. The UE can generate binary DM-RS sequence in a time domain. The UE can map the binary DM-RS sequence to a 5 pi/2 binary phase shift keying (BPSK) constellation to form a pi/2 BPSK modulated binary DM-RS sequence. The UE can perform Discrete Fourier Transform (DFT) spreading and Orthogonal Frequency Division Multiplexing (OFDM) symbol generation on the pi/2 BPSK modulated binary DM-RS sequence to produce the DM-RS having the reduced PAPR. The UE can encode the DM-RS having 10 the reduced PAPR for transmission to a Next Generation NodeB (gNB) on a physical uplink shared channel (PUSCH) or a physical uplink control channel (PUCCH).

IPC 8 full level  
**H04L 5/00** (2006.01); **H04J 13/00** (2011.01); **H04J 13/10** (2011.01); **H04L 5/02** (2006.01); **H04L 27/26** (2006.01); **H04L 27/34** (2006.01)

CPC (source: EP US)  
**H04J 13/0014** (2013.01 - EP); **H04J 13/0062** (2013.01 - EP); **H04J 13/10** (2013.01 - EP); **H04L 5/0026** (2013.01 - EP);  
**H04L 5/0048** (2013.01 - EP US); **H04L 27/205** (2013.01 - EP); **H04L 27/261** (2013.01 - EP US); **H04L 27/2614** (2013.01 - EP US);  
**H04L 27/262** (2013.01 - EP US); **H04L 27/2636** (2013.01 - EP US); **H04L 5/001** (2013.01 - EP)

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

DOCDB simple family (publication)  
**WO 2020076656 A1 20200416**; EP 3864791 A1 20210818; EP 3864791 A4 20220706

DOCDB simple family (application)  
**US 2019054849 W 20191004**; EP 19871391 A 20191004