

Title (en)
JOYSTICK

Title (de)
STEUERKNÜPPEL

Title (fr)
JOYSTICK

Publication
EP 3881160 B1 20221026 (FR)

Application
EP 19831776 A 20191111

Priority
• FR 1860532 A 20181115
• FR 2019052678 W 20191111

Abstract (en)
[origin: WO2020099771A1] Joystick comprising: - an articulation (26) comprising bearing faces (32, 34) shaped in such a way as to allow, through collaboration of shapes as they rub against one another, a rotational movement of a grip (4), - a first set (120) of springs applying to the grip a first vertical force which pushes the bearing faces (32, 34) against one another; - a second set (122) of springs applying to the grip a second vertical force in the opposite direction to the first vertical force and of which the amplitude is comprised between $0.9|F1|$ and $1.1|F1|$, where $|F1|$ is the amplitude of the first vertical force, and - the first and second sets (120, 122) of springs are able, in the absence of any external influence applied to the grip (4), to maintain a non-zero clearance (J) between all the bearing faces of the articulation.

IPC 8 full level
G05G 5/05 (2006.01); **G05G 5/06** (2006.01); **G05G 9/047** (2006.01)

CPC (source: EP US)
G05G 5/05 (2013.01 - EP US); **G05G 9/047** (2013.01 - EP US); **G05G 5/06** (2013.01 - EP); **G05G 2009/04707** (2013.01 - EP US); **G05G 2009/04755** (2013.01 - EP US); **G05G 2505/00** (2013.01 - US)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
FR 3088739 A1 20200522; FR 3088739 B1 20201113; EP 3881160 A1 20210922; EP 3881160 B1 20221026; ES 2934841 T3 20230227; US 11409321 B2 20220809; US 2022011807 A1 20220113; WO 2020099771 A1 20200522

DOCDB simple family (application)
FR 1860532 A 20181115; EP 19831776 A 20191111; ES 19831776 T 20191111; FR 2019052678 W 20191111; US 201917294205 A 20191111