

Title (en)

METHOD FOR DETECTING INTERNAL SHORT-CIRCUITED CELL

Title (de)

VERFAHREN ZUR ERKENNUNG EINER INTERNEN KURZGESCHLOSSENEN ZELLE

Title (fr)

PROCÉDÉ DE DÉTECTION D'ÉLÉMENT COURT-CIRCUITÉ INTERNE

Publication

**EP 3988954 A4 20230705 (EN)**

Application

**EP 20832672 A 20200205**

Priority

- KR 20190075224 A 20190624
- KR 2020001647 W 20200205

Abstract (en)

[origin: EP3988954A1] An internal short-circuit cell detection method according to various embodiments includes detecting a voltage and current of each of a plurality of battery cells that are electrically connected to one another between first and second terminals and are being used, to periodically generate a voltage value and a current value of each of the plurality of battery cells, updating in real time a G parameter value and an H parameter value obtained by digitizing a G parameter and an H parameter indicating a present state of each of the plurality of battery cells from the voltage value and the current value of each of the plurality of battery cells, by using an adaptive filter, calculating a G parameter representative value representing the G parameter values of the plurality of battery cells, and calculating an H parameter representative value representing the H parameter values of the plurality of battery cells, and determining whether a short circuit occurs in each of the plurality of battery cells, based on the G parameter value and the H parameter value of each of the plurality of battery cells, the G parameter representative value, and the H parameter representative value. The G parameter is a parameter indicating a sensitivity of a voltage to a change in current of each of the plurality of battery cells, and the H parameter is a parameter indicating an effective potential determined by a local equilibrium potential distribution and a resistance distribution in each of the plurality of battery cells.

IPC 8 full level

**G01R 31/52** (2020.01); **G01R 31/367** (2019.01); **G01R 31/3842** (2019.01); **G01R 31/389** (2019.01); **G01R 31/396** (2019.01)

CPC (source: EP KR US)

**G01R 31/3648** (2013.01 - KR); **G01R 31/367** (2019.01 - EP); **G01R 31/382** (2019.01 - KR); **G01R 31/3842** (2019.01 - EP US); **G01R 31/389** (2019.01 - EP KR); **G01R 31/396** (2019.01 - EP KR US); **G01R 31/52** (2020.01 - EP US)

Citation (search report)

- [A] CN 108562855 A 20180921 - UNIV TSINGHUA, et al
- [XAYI] OUYANG MINGGAO ET AL: "Internal short circuit detection for battery pack using equivalent parameter and consistency method", JOURNAL OF POWER SOURCES, vol. 294, 1 October 2015 (2015-10-01), AMSTERDAM, NL, pages 272 - 283, XP055871391, ISSN: 0378-7753, DOI: 10.1016/j.jpowsour.2015.06.087
- [IY] DUONG VAN-HUAN ET AL: "Online state of charge and model parameters estimation of the LiFePO<sub>4</sub>battery in electric vehicles using multiple adaptive forgetting factors recursive least-squares", JOURNAL OF POWER SOURCES, ELSEVIER, AMSTERDAM, NL, vol. 296, 24 July 2015 (2015-07-24), pages 215 - 224, XP029259464, ISSN: 0378-7753, DOI: 10.1016/J.JPOWSOUR.2015.07.041
- [IJ] GAO WENKAI ET AL: "Micro-Short-Circuit Diagnosis for Series-Connected Lithium-Ion Battery Packs Using Mean-Difference Model", IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS, IEEE SERVICE CENTER, PISCATAWAY, NJ, USA, vol. 66, no. 3, 1 March 2019 (2019-03-01), pages 2132 - 2142, XP011693797, ISSN: 0278-0046, [retrieved on 20181031], DOI: 10.1109/TIE.2018.2838109
- [IJ] MINHWAN SEO ET AL: "Detection of Internal Short Circuit in Lithium Ion Battery Using Model-Based Switching Model Method", ENERGIES, vol. 10, no. 1, 10 January 2017 (2017-01-10), pages 76, XP055545900, DOI: 10.3390/en10010076
- See also references of WO 2020262787A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 3988954 A1 20220427**; **EP 3988954 A4 20230705**; **EP 3988954 B1 20240619**; CN 114026443 A 20220208; KR 20210000207 A 20210104; US 11846683 B2 20231219; US 2022268856 A1 20220825; WO 2020262787 A1 20201230

DOCDB simple family (application)

**EP 20832672 A 20200205**; CN 202080044548 A 20200205; KR 20190075224 A 20190624; KR 2020001647 W 20200205; US 202017596808 A 20200205