

Title (en)
HIGH VISIBILITY TERMINATION SYSTEM AND METHOD

Title (de)
SYSTEM UND VERFAHREN FÜR HOCHSICHTBAREN ANSCHLUSS

Title (fr)
SYSTÈME D'EXTRÉMITÉ DE CÂBLE À HAUTE VISIBILITÉ ET PROCÉDÉ ASSOCIÉ

Publication
EP 4002316 A2 20220525 (EN)

Application
EP 21208644 A 20140605

Priority

- EP 21208644 A 20140605
- EP 14894017 A 20140605
- US 2014041170 W 20140605

Abstract (en)
A system to be installed on or in a pipe comprises a heat trace cable and a lighted cable termination assembly (100). The lighted cable termination assembly comprises a stand (104) configured to be supported by the pipe with the stand extending upwardly from the pipe. The stand is configured to receive, through a lower opening, an end of the heat trace cable. The lighted cable termination assembly also comprises a lighted end cap device (102) coupled to the stand and configured to be coupled to the heat trace cable. The lighted end cap device includes a lens (152) having a proud surface that extends radially outside of a perimeter of the stand, and a plurality of light emitting components (402) disposed under the lens and powered by the heat trace cable so that the lens provides, through the proud surface, illumination from a plurality of viewing angles as viewed from an underside of the pipe.

IPC 8 full level
G08B 5/36 (2006.01)

CPC (source: EP)
G08B 5/36 (2013.01)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)
WO 2015187170 A1 20151210; CA 2951223 A1 20151210; CA 2951223 C 20230822; CA 3204894 A1 20151210; EP 3152553 A1 20170412; EP 3152553 A4 20180124; EP 3152553 B1 20211117; EP 4002316 A2 20220525; EP 4002316 A3 20220727

DOCDB simple family (application)
US 2014041170 W 20140605; CA 2951223 A 20140605; CA 3204894 A 20140605; EP 14894017 A 20140605; EP 21208644 A 20140605