

Title (en)

KIT FOR CREATING A SELF-SUPPORTING ASSEMBLY FOR AN ELECTRONIC LOCK

Title (de)

BAUSATZ ZUR SCHAFFUNG EINER SELBSTTRAGENDEN BAUGRUPPE FÜR EIN ELEKTRONISCHES SCHLOSS

Title (fr)

KIT POUR L'ÉLABORATION D'UN ENSEMBLE AUTOPORTANT DE SERRURE ÉLECTRONIQUE

Publication

EP 4022156 A1 20220706 (FR)

Application

EP 20761762 A 20200812

Priority

- FR 1909443 A 20190827
- EP 2020072677 W 20200812

Abstract (en)

[origin: WO2021037570A1] Kit for creating an assembly for an electronic lock (1) comprising: - a lock cylinder (2), - a drive unit (3) configured to turn the rotor (22) of the cylinder (2) via a coupling means (4), - securing means (5) that are configured to removably attach the cylinder (2) to the drive unit (3), comprising a member (51) for locking the cylinder (2) and the drive unit (3) together, said kit comprising said cylinder (2) and said drive unit (3), each in the assembled state, and not coupled to one another, wherein: - said coupling means (4) is configured to slot into the rotor (22) of the cylinder (2) so as to rotationally couple the rotor (22) to the drive unit (3), - said securing means (5) also comprise an attachment means (52) that is as one with the drive unit (3), configured to be inserted into the stator (21) of the cylinder (2).

IPC 8 full level

E05B 9/08 (2006.01); **E05B 47/06** (2006.01)

CPC (source: EP)

E05B 9/084 (2013.01); **E05B 47/0611** (2013.01); **E05B 47/0615** (2013.01); **E05B 47/0012** (2013.01); **E05B 2009/046** (2013.01);
E05B 2047/002 (2013.01); **E05B 2047/0095** (2013.01)

Citation (search report)

See references of WO 2021037570A1

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

DOCDB simple family (publication)

WO 2021037570 A1 20210304; EP 4022156 A1 20220706; FR 3100261 A1 20210305; FR 3100261 B1 20210924

DOCDB simple family (application)

EP 2020072677 W 20200812; EP 20761762 A 20200812; FR 1909443 A 20190827