

Title (en)  
 ASYNCHRONOUS HEATING AND CALENDERING DEVICE, LARGE WIDE ULTRA-THIN LITHIUM METAL FOIL, PREPARATION METHOD THEREFOR, AND APPLICATION THEREOF

Title (de)  
 ASYNCHRONE HEIZ- UND KALENDRIERVORRICHTUNG, GROSSE BREITE ULTRADÜNNE LITHIUMMETALLFOLIE, VERFAHREN ZU IHRER HERSTELLUNG UND IHRE VERWENDUNG

Title (fr)  
 DISPOSITIF DE CHAUFFAGE ET DE CALANDRAGE ASYNCHRONE, GRANDE FEUILLE MÉTALLIQUE DE LITHIUM ULTRA-MINCE, SON PROCÉDÉ DE PRÉPARATION ET SON APPLICATION

Publication  
**EP 4037003 A4 20240612 (EN)**

Application  
**EP 20867180 A 20200922**

Priority  

- CN 201910911287 A 20190925
- CN 2020116658 W 20200922

Abstract (en)  
 [origin: EP4037003A1] Provided are an asynchronous heating and calendering device, a large wide ultra-thin lithium metal foil, and preparation method and use thereof, wherein the asynchronous heating and calendering device comprises: a pulling-substrate unwinding unit (E) for unwinding a pulling-substrate (P); a lithium strip unwinding unit (D) for unwinding a lithium strip (S); an asynchronous heating and calendering unit (H) which comprises: a first calendering roller (B), a second calendering roller (A) and a heating box (C), wherein the heating box (C) is used to heat the first calendering roller (B), the first calendering roller (B) heats the pulling-substrate (P), and the first calendering roller (B) and the second calendering roller (A) have parallel axes and are arranged opposite to each other, so that the pulling-substrate (P) and the lithium strip (S) are combined into a composite strip (Z); and a winding unit (G) for winding the composite strip (Z). A large wide ultra-thin lithium metal foil with a uniform thickness may be prepared by providing a heating box (C) and asynchronous first calendering roller (B) and second calendering roller (A) in said device, and the application of this lithium foil in batteries has a relatively high initial efficiency. The width of the lithium foil is 1-600mm; the thickness of the lithium foil is 1-20µm; and the initial efficiency of the battery reaches 98%.

IPC 8 full level  
**H01M 4/04** (2006.01); **H01M 4/1395** (2010.01); **H01M 4/38** (2006.01)

CPC (source: CN EP KR US)  
**B21B 1/40** (2013.01 - US); **B21B 3/00** (2013.01 - US); **B21D 13/045** (2013.01 - US); **H01M 4/04** (2013.01 - KR); **H01M 4/0404** (2013.01 - EP); **H01M 4/0435** (2013.01 - CN EP KR US); **H01M 4/134** (2013.01 - CN KR US); **H01M 4/1395** (2013.01 - CN EP KR US); **H01M 4/382** (2013.01 - EP); **B21B 2001/225** (2013.01 - US); **Y02E 60/10** (2013.01 - EP KR)

Citation (search report)  

- [X] WO 2016173137 A1 20161103 - CONTEMPORARY AMPEREX TECHNOLOGY CO LTD [CN]
- [IA] CN 207558931 U 20180629 - NINGDE CONTEMPORARY AMPEREX TECH CO LTD
- [IA] CN 109174967 A 20190111 - UNIV CENTRAL SOUTH
- See also references of WO 2021057688A1

Designated contracting state (EPC)  
 AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)  
**EP 4037003 A1 20220803**; **EP 4037003 A4 20240612**; CN 112563444 A 20210326; CN 112563444 B 20220830; JP 2022550744 A 20221205; JP 7466635 B2 20240412; KR 20220070253 A 20220530; US 2022352491 A1 20221103; WO 2021057688 A1 20210401

DOCDB simple family (application)  
**EP 20867180 A 20200922**; CN 201910911287 A 20190925; CN 2020116658 W 20200922; JP 2022519376 A 20200922; KR 20227013530 A 20200922; US 202017763357 A 20200922