

Title (en)
ELECTRIC STRIKE FOR PANIC BARS

Title (de)
ELEKTRISCHER TÜRÖFFNER FÜR PANIKSTANGEN

Title (fr)
GÂCHE ÉLECTRIQUE POUR BARRES DE PANIQUE

Publication
EP 4206424 A1 20230705 (EN)

Application
EP 21383236 A 20211229

Priority
EP 21383236 A 20211229

Abstract (en)
The invention relates to an electric strike for panic bars applicable in emergency exit doors, comprising a case (1) housing an electromechanical mechanism for blocking and unblocking a swivelling latch (2) assembled in the case by means of a swivelling shaft (3). The latch (2) comprises a body (4) bearing the shaft (3), provided with a front surface (41), and a latch front portion (5) provided with a rear surface (51) facing the front surface (41) of the body (4) and adjustable in height. Said latch front portion (5) comprises: vertically elongated openings (52) for height adjustment with respect to screws (6) for the front tightening and fixing to the body (4), and a curved front surface (53) having a generatrix parallel to the swivelling shaft (3) of the latch (2), suitable for receiving a panic bar once the position of the front portion (5) is height adjusted with respect to the body (4).

IPC 8 full level
E05B 15/02 (2006.01); **E05B 47/00** (2006.01)

CPC (source: EP)
E05B 15/0245 (2013.01); **E05B 47/0047** (2013.01)

Citation (search report)
• [X] US 2008136200 A1 20080612 - WITTKE NORMAN [DE]
• [XI] DE 102009043962 A1 20110317 - WILKA SCHLIESTECHNIK GMBH [DE]
• [XI] EP 3492677 A1 20190605 - ASSA ABLOY SICHERHEITSTECHNIK GMBH [DE]
• [XI] EP 3203001 B1 20190109 - ASSA ABLOY SICHERHEITSTECHNIK GMBH [DE]
• [A] EP 3385475 B1 20210106 - OPENERS & CLOSERS SL [ES]
• [A] US 381725 A 18880424

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

Designated validation state (EPC)
KH MA MD TN

DOCDB simple family (publication)
EP 4206424 A1 20230705

DOCDB simple family (application)
EP 21383236 A 20211229