

Title (en)

METHOD OF TRANSMITTING AND RECEIVING CHANNEL STATE INFORMATION IN WIRELESS COMMUNICATION SYSTEM AND APPARATUS THEREFOR

Title (de)

VERFAHREN ZUM SENDEN UND EMPFANGEN VON KANALSTATUSINFORMATIONEN IN EINEM DRAHTLOSESKOMMUNIKATIONSSYSTEM UND VORRICHTUNG DAFÜR

Title (fr)

PROCÉDÉ DE TRANSMISSION ET DE RÉCEPTION D'INFORMATIONS D'ÉTAT DE CANAL DANS UN SYSTÈME DE COMMUNICATION SANS FIL ET APPAREIL ASSOCIÉ

Publication

**EP 4270822 A2 20231101 (EN)**

Application

**EP 23196856 A 20190821**

Priority

- US 201862720865 P 20180821
- KR 20180114467 A 20180921
- KR 20180116598 A 20180928
- US 201862742337 P 20181006
- EP 22166099 A 20190821
- EP 19851001 A 20190821
- KR 2019010629 W 20190821

Abstract (en)

A method of transmitting, by a user equipment, LTE, power measurement information related to beam reporting in a wireless communication system, is proposed, which comprises: reporting (S1305), to a base station, LTE capability information; receiving (S1310) downlink control information, DCI, triggering reporting of the power measurement information; receiving (S1315) a downlink reference signal for the reporting of the power measurement information; and transmitting (S1320), to the base station, an uplink channel containing the power measurement information determined based on the received downlink reference signal. Based on the reporting of the power measurement information being configured for Layer 1 reference signal received power, L1-RSRP, reporting: a minimum required time for the reporting of the power measurement information is determined based on (i) a first timing parameter and (ii) a second timing parameter. Information regarding the second timing parameter is reported as the LTE capability information, and for a subcarrier spacing of 60 kHz or 120 kHz, the minimum required time for reporting of the power measurement information is determined based on a specific threshold value if, depending on a value of the second timing parameter, the sum of (i) the first timing parameter and (ii) the second timing parameter exceeds the specific threshold value.

IPC 8 full level

**H04B 17/24** (2015.01)

CPC (source: CN EP KR US)

**H04B 7/06** (2013.01 - CN); **H04B 7/0626** (2013.01 - KR); **H04B 7/0695** (2013.01 - EP); **H04B 17/24** (2015.01 - EP);  
**H04B 17/309** (2015.01 - CN EP KR); **H04L 5/0048** (2013.01 - CN EP US); **H04L 5/0064** (2013.01 - KR); **H04W 24/10** (2013.01 - CN EP KR US);  
**H04W 48/12** (2013.01 - EP); **H04W 72/23** (2023.01 - US)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

DOCDB simple family (publication)

**EP 3664503 A1 20200610**; **EP 3664503 A4 20200610**; **EP 3664503 B1 20230315**; CN 111165010 A 20200515; CN 111165010 B 20230623;  
CN 116634489 A 20230822; EP 4044665 A1 20220817; EP 4044665 B1 20231108; EP 4270822 A2 20231101; EP 4270822 A3 20240117;  
ES 2942868 T3 20230607; ES 2964506 T3 20240408; JP 2020537415 A 20201217; JP 2022078316 A 20220524; JP 7043594 B2 20220329;  
JP 7307832 B2 20230712; KR 102143536 B1 20200812; KR 102224909 B1 20210309; KR 20200021902 A 20200302;  
KR 20200096469 A 20200812; US 10785669 B2 20200922; US 10834624 B2 20201110; US 11284286 B2 20220322;  
US 11696165 B2 20230704; US 12058553 B2 20240806; US 2020196179 A1 20200618; US 2020296613 A1 20200917;  
US 2021022030 A1 20210121; US 2022174532 A1 20220602; US 2023292170 A1 20230914; WO 2020040539 A1 20200227

DOCDB simple family (application)

**EP 19851001 A 20190821**; CN 201980004744 A 20190821; CN 202310659864 A 20190821; EP 22166099 A 20190821;  
EP 23196856 A 20190821; ES 19851001 T 20190821; ES 22166099 T 20190821; JP 2020520143 A 20190821; JP 2022041656 A 20220316;  
KR 20190102539 A 20190821; KR 2019010629 W 20190821; KR 20200097967 A 20200805; US 202016790126 A 20200213;  
US 202016886990 A 20200529; US 202017061064 A 20201001; US 202217579843 A 20220120; US 202318199000 A 20230518