

Title (en)  
MULTI-WAVELENGTH LASER BEAM HOMOGENIZER-EXPANDER LIGHT ENGINE

Title (de)  
MULTI-WELLENLÄNGEN-LASERSTRAHL-HOMOGENISIERER-AUFWEITER-LICHTMASCHINE

Title (fr)  
MOTEUR D ÉCLAIRAGE EXPANSEUR-HOMOGÉNÉISATEUR DE FAISCEAU LASER À LONGUEURS D'ONDE MULTIPLES

Publication  
**EP 4286919 A1 20231206 (EN)**

Application  
**EP 22175968 A 20220529**

Priority  
EP 22175968 A 20220529

Abstract (en)  
Provided is an invention related to laser beam shaping with the goal to achieve a controlled intensity profile, usually top-hat distribution, created by several laser beam sources with incident non-uniform beam intensity profile (incident gaussian laser beam/s or other higher order multi-transverse modes, in the visible, IR or UV spectrum). The Laser beam homogenizer-expander uses a first beam shaper element to divide the incident beams into beamlets along the main optical axis, and a second beam shaper element i.e., 2nd light integrator which defines the top-hat intensity distribution output, thus providing a 2nd homogenization stage. The invention also includes several light diffusers (F1, F2), mirrors, filters (D1, D2), and output lenses (L1, L2, L3), to achieve a good homogenization at the desired output angle which are described in detail in the following. The invention is designed to fully integrate/blend one or several wavelength laser sources, like red, green, and blue as an example, but other wavelengths in the visible/non-visible spectrum can be integrated as well. If multi-wavelengths are used as initial laser source (LS1), the light engine output provides a good homogenization and color blend, with almost no noticeable speckle, near top-hat intensity profile and no visible hot spots or interference patterns. The invention is useful for many applications, like microscopy, material processing, fluorescence, lighting fixtures, holography, fiber coupling etc., where spectral properties of laser light is required (narrowband, monochromaticity) but a uniform distribution of the intensity is necessary at the same time.

IPC 8 full level  
**G02B 27/09** (2006.01); **G02B 27/10** (2006.01); **G02B 27/14** (2006.01)

CPC (source: EP)  
**G02B 27/0916** (2013.01); **G02B 27/0927** (2013.01); **G02B 27/0961** (2013.01); **G02B 27/1006** (2013.01); **G02B 27/141** (2013.01)

Citation (search report)  
• [A] EP 2372471 A1 20111005 - SWAN THOMAS & CO LTD [GB]  
• [Y] JP 2015148654 A 20150820 - RICOH CO LTD  
• [A] US 2007183054 A1 20070809 - RYZHIKOV LEV [US], et al  
• [A] US 2013235353 A1 20130912 - KANEDA KAZUMASA [JP]  
• [IY] VOELKEL REINHARD: "Micro-optics: enabling technology for illumination shaping in optical lithography", PROCEEDINGS OF SPIE, IEEE, US, vol. 9052, 31 March 2014 (2014-03-31), pages 90521U - 90521U, XP060031157, ISBN: 978-1-62841-730-2, DOI: 10.1117/12.2046116

Designated contracting state (EPC)  
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)  
BA ME

Designated validation state (EPC)  
KH MA MD TN

DOCDB simple family (publication)  
**EP 4286919 A1 20231206; EP 4286919 B1 20240214; EP 4286919 C0 20240214; WO 2023232483 A1 20231207**

DOCDB simple family (application)  
**EP 22175968 A 20220529;** EP 2023063312 W 20230517