

Title (en)
LIGHTING DEVICE FOR A MOTOR VEHICLE

Title (de)
BELEUCHTUNGSVORRICHTUNG FÜR EIN KRAFTFAHRZEUG

Title (fr)
DISPOSITIF D'ÉCLAIRAGE POUR VÉHICULE À MOTEUR

Publication
EP 4313656 A1 20240207 (DE)

Application
EP 22715009 A 20220314

Priority
• DE 102021108391 A 20210401
• EP 2022056510 W 20220314

Abstract (en)
[origin: WO2022207293A1] The invention relates to a lighting device (1) for a motor vehicle, comprising a light guiding body (2) having a first outer surface (3), which is free of a dedicated light output coupling structure, and a second outer surface (4), the outer surfaces (3, 4) being spaced apart from one another by way of a thickness of the light guiding body (2). Furthermore, a light input coupling surface (5, 12), which is different than the outer surfaces (3, 4), and a light output coupling region (9), in which a dedicated light output coupling structure (7) is formed on the second outer surface (4), are provided on the light guiding body (2). The light output coupling structure has a light output coupling element (8) and is constituted in such a way that, in a luminous operating mode, the light output coupling region (9) is a nontransparent region of the light guiding body (2) and, in a nonluminous operating mode, the light output coupling region (9) is a transparent region of the light guiding body (2). A portion of a design element (18) attached to a design surface (15) of a design carrier (14) of the lighting device (1), said portion being covered by the light output coupling region (9), is visible to a human observer in the nonluminous operating mode and is not visible to a human observer in the luminous operating mode.

IPC 8 full level
B60K 35/10 (2024.01); **H03K 17/96** (2006.01)

CPC (source: EP US)
B60K 35/00 (2013.01 - EP); **B60K 35/10** (2024.01 - EP); **B60K 35/22** (2024.01 - EP); **B60Q 3/283** (2017.02 - US); **B60Q 3/64** (2017.02 - US); **B60Q 3/82** (2017.02 - US); **G02B 6/0063** (2013.01 - US); **B60K 2360/143** (2024.01 - EP); **B60K 2360/332** (2024.01 - EP); **B60K 2360/336** (2024.01 - EP); **B60K 2360/682** (2024.01 - EP)

Designated contracting state (EPC)
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)
BA ME

Designated validation state (EPC)
KH MA MD TN

DOCDB simple family (publication)
DE 102021108391 A1 20221006; CN 116997478 A 20231103; EP 4313656 A1 20240207; US 2024017668 A1 20240118; WO 2022207293 A1 20221006

DOCDB simple family (application)
DE 102021108391 A 20210401; CN 202280017673 A 20220314; EP 2022056510 W 20220314; EP 22715009 A 20220314; US 202318476020 A 20230927