

Title (en)

METHOD FOR MANUFACTURING AN ELEMENT COMPRISING A SLURRY-ACTIVATION CYCLE

Title (de)

VERFAHREN ZUR HERSTELLUNG EINES ELEMENTS MIT EINEM AUFSCHLÄMMUNGSAKTIVIERUNGSZYKLUS

Title (fr)

PROCEDE DE FABRICATION D'UN ELEMENT COMPRENANT UN CYCLE D'ACTIVATION D'UN COULIS

Publication

EP 4363667 A1 20240508 (FR)

Application

EP 22734629 A 20220623

Priority

- FR 2107053 A 20210630
- EP 2022067279 W 20220623

Abstract (en)

[origin: CA3224435A1] A method for manufacturing an element (E) in a ground (S) comprising a drilling step during which a grout (F) comprising a first composition is introduced and after the drilling step, at least one grout activation cycle is performed during which at least part of the grout is pumped; a second composition (C) configured to activate the grout by reacting with the first composition in order to initiate the hardening of said grout is added to the pumped grout; then the activated grout is introduced into the excavation (H); and after said at least one grout activation cycle, the activated grout is allowed to harden in order to form the element in the ground.

IPC 8 full level

E02D 3/12 (2006.01); **E02D 5/36** (2006.01); **E02D 5/46** (2006.01); **E02D 17/13** (2006.01); **E02F 3/20** (2006.01)

CPC (source: EP)

E02D 3/12 (2013.01); **E02D 3/126** (2013.01); **E02D 5/36** (2013.01); **E02D 5/46** (2013.01); **E02D 17/13** (2013.01); **E02F 3/205** (2013.01); **E02D 2250/003** (2013.01); **E02D 2300/0018** (2013.01)

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

Designated validation state (EPC)

KH MA MD TN

DOCDB simple family (publication)

FR 3124810 A1 20230106; **FR 3124810 B1 20240524**; CA 3224435 A1 20230105; EP 4363667 A1 20240508; WO 2023274853 A1 20230105

DOCDB simple family (application)

FR 2107053 A 20210630; CA 3224435 A 20220623; EP 2022067279 W 20220623; EP 22734629 A 20220623