

Title (en)

FLEXIBLE BARRIER COATING, RESISTANT TO CREASING AND TO FOLDING, BASED ON FLUIDIZED STARCH AND POLYOL

Title (de)

FLEXIBLE, FALTEN- UND KNITTERFESTE SPERRSCHICHT AUF BASIS VON FLUIDISIERTER STÄRKE UND POLYOL

Title (fr)

REVETEMENT BARRIERE FLEXIBLE RESISTANT AU RAINURAGE ET AU PLIAGE A BASE D'AMIDON FLUIDIFIE ET DE POLYOL

Publication

**EP 4409068 A1 20240807 (FR)**

Application

**EP 22799852 A 20220929**

Priority

- FR 2110293 A 20210929
- EP 2022025452 W 20220929

Abstract (en)

[origin: WO2023051954A1] A layer of barrier coating to fatty substances and/or to gases having the distinctive feature of being flexible, to the point of being able to withstand creasing and folding, is proposed. It comprises a non-crosslinked fluidized starch having a weight-average molecular mass greater than or equal to 3000 kDa and a polyol chosen from sorbitol, xylitol, maltitol or glycerol. The barrier coating layer is notably of use for the manufacture of food packaging made of paper or board, intended to contain fatty food.

IPC 8 full level

**D21H 17/06** (2006.01); **B65D 65/42** (2006.01); **C08L 3/00** (2006.01); **D21H 17/00** (2006.01); **D21H 17/28** (2006.01); **D21H 19/14** (2006.01); **D21H 21/16** (2006.01); **D21H 27/10** (2006.01)

CPC (source: EP)

**C08B 30/12** (2013.01); **D21H 17/06** (2013.01); **D21H 17/28** (2013.01); **D21H 17/72** (2013.01); **D21H 19/14** (2013.01); **D21H 21/16** (2013.01); **D21H 27/10** (2013.01)

C-Set (source: EP)

**C09D 103/02** + **C08K 5/053**

Designated contracting state (EPC)

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

Designated extension state (EPC)

BA ME

Designated validation state (EPC)

KH MA MD TN

DOCDB simple family (publication)

**WO 2023051954 A1 20230406**; EP 4409068 A1 20240807

DOCDB simple family (application)

**EP 2022025452 W 20220929**; EP 22799852 A 20220929