

(19)



(11)

**EP 2 013 764 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention of the grant of the patent:  
**14.08.2019 Bulletin 2019/33**

(51) Int Cl.:  
**G06F 17/00<sup>(2019.01)</sup> H04L 29/06<sup>(2006.01)</sup>**

(21) Application number: **07709839.0**

(86) International application number:  
**PCT/US2007/001985**

(22) Date of filing: **24.01.2007**

(87) International publication number:  
**WO 2007/114884 (11.10.2007 Gazette 2007/41)**

**(54) MANAGING RICH PRESENCE COLLECTIONS**

VERWALTUNG VON REICHEN PRÄSENZSAMMLUNGEN

GESTION DE COLLECTIONS DE PRÉSENCE RICHES EN CONTENU

(84) Designated Contracting States:  
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR**

(74) Representative: **Grünecker Patent- und Rechtsanwälte PartG mbB Leopoldstraße 4 80802 München (DE)**

(30) Priority: **31.03.2006 US 278364**

(43) Date of publication of application:  
**14.01.2009 Bulletin 2009/03**

(56) References cited:  
**EP-A1- 1 143 363 KR-A- 20020 044 734  
KR-A- 20040 091 181 KR-A- 20050 076 401  
US-A1- 2001 042 126 US-A1- 2002 035 605  
US-A1- 2003 065 788 US-A1- 2003 217 142  
US-A1- 2005 068 167**

(73) Proprietor: **Microsoft Technology Licensing, LLC Redmond, WA 98052 (US)**

(72) Inventor: **COX, Shaun, D. Redmond, Washington 98052-6399 (US)**

**EP 2 013 764 B1**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

## Description

### BACKGROUND

**[0001]** Presence servers are increasingly being used to provide presence information such as the availability status of users. Presence information of a user identifies the current "presence state" of that user. Users may make their presence information available so that other users can decide how best to communicate with them. For example, the presence information may indicate whether a user is logged on ("online") with an instant messaging server or is logged off ("offline"). Presence information may also provide more detailed information about the availability of the user. For example, even though a user is online, that user may be away from their computer in a meeting. In such a case, the presence state may indicate "online" and "in a meeting."

**[0002]** In an instant messaging context, a publishing user ("publisher") may provide their presence information to a presence service that then provides the presence information to subscribing users ("subscribers"). Thus, a presence service may use a subscriber/publisher model to provide the presence information for the publishing and subscribing users of the presence service. Whenever the presence information of a user changes, the presence service is notified of the change by that user's computer system and in turn notifies the subscribing users of the change. A subscribing user can then decide how best to contact the publishing user based on the presence information of the intended participants. For example, if the presence information indicates that a publishing user is currently in a conference telephone call, then the subscribing user may decide to send an instant message, rather than place a telephone call, to the publishing user. If the subscribing user, however, needs to call and speak with the publishing user, the subscribing user can monitor the presence information of the publishing user to know when the call can be placed. When the subscribing user notices that the publishing user's presence information indicates that the telephone conference has been concluded, the subscribing user can then place the telephone call.

**[0003]** A particular user may also publish presence information from multiple devices. For example, a user may be logged on to a presence service from a laptop computer, a desktop computer, and a cell phone all at the same time. The presence information may indicate the user's status on each device. This is particularly useful if, for example, the user is walking to a meeting with a cell phone and has stepped away from their desktop computer. If a subscribing user wants to contact the publishing user, the presence information may indicate that a call to the cell phone would be a more effective way to reach the user than an instant message received at the user's desktop computer. Each of a user's devices may also subscribe to the presence information of the user's other devices to enable the devices, for example, to de-

termine which device the publishing user is currently most active at.

**[0004]** Because of the increasing popularity of instant messaging systems and other real-time communications systems, presence services need to support an increasing number of users. In addition, these systems need to support increasingly complex definitions of "presence information." For example, presence information may include calendar information that specifies the availability of a publisher during the next several months. As a result, a presence server is typically developed to provide presence services in an efficient way. Unfortunately, typical presence models require intense computation when presence information is updated. Thus, as more publishers and subscribers are added, additional presence servers are needed to perform the necessary computations.

**[0005]** Early presence systems handled the publishing of presence information by placing all of the presence information in a single XML document. As parts of the user's presence information changed, a publisher had to point to a line in the document and replace it with new presence information or point to a node within an XML subtree and replace it with another XML subtree. This kind of update required the presence server to perform computationally expensive XML parsing. As the number of users and presence updates increase, the burden of XML parsing on the presence server could become overwhelming. This model of publishing presence information also does not allow a subscriber to subscribe to only a portion of a presence document. In addition, individual portions of the document are not versioned such that a subscriber or presence server can easily tell which portions of the document have recently changed. This model also does not allow exposing different versions of a presence document to different subscribers or specifying different authorization information for individual portions of the document.

**[0006]** A more efficient presence system that is less computationally expensive is described in a related application, U.S. Patent Application No. 11/190,503 (Attorney Docket No. 41826-8225US) entitled "ORGANIZING PRESENCE INFORMATION INTO COLLECTIONS OF PUBLICATIONS," filed on July 26, 2005. The related application describes a method and system for managing presence information based on collections of publications. A presence collection system creates collections of publications for a publisher. A publication includes a type and value, and may be accompanied by attributes such as when the publication should expire. For example, a publication with a type "status" and a value "online" may indicate to subscribing users that the publishing user is currently online. A publisher may define one collection of publications that is to be made available to certain subscribers and another collection of publications that is to be made available to other subscribers. For example, one collection may be visible to the public, while another may be visible only to coworkers of the publishing user. Each collection contains a list of the users that are al-

lowed to subscribe to the information within that collection. The presence collection system may allow a publisher to update individual publications within a collection. Upon receiving the update, the presence server can quickly update the presence information without having to rely on computationally expensive parsing of XML documents. Each collection of publications may also contain categories of information. A category is a type of publication that spans multiple collections. For example, a category "status" may have a publication with a value "not available" in a collection that is available to the public, and a publication with a value "in a meeting with John" in a collection available to coworkers. Publications may also specify an instance identifier. An instance Identifier differentiates similar information within the same collection. For example, a user may have a publication "status" with an instance of "laptop" that indicates the status of the user at their laptop, and another publication "status" with an instance of "cell phone" that indicates the status of the user at their cell phone.

**[0007]** Although the presence collection system is an improvement over prior techniques, it may place a higher burden on network resources and the presence server. For example, a publishing user who sends separate updates to many publication instances within many collections to a presence server creates a high amount of network traffic to the presence server. Similarly, a subscribing user who receives separate notifications for each publication that is updated creates a high amount of network traffic from the presence server to the subscribing user's logged-on device or devices. Typically, presence publications are set to expire within a fixed amount of time, and must be periodically refreshed by the publishing user in order to keep the publications published. The need to refresh many publications that have not changed creates an unnecessary burden on the server. Finally, the addition of collections having varying degrees of detail available to different subscribing users creates an opportunity to expose presence information to broader groups of subscribers. The list of users with access to a collection can grow quite large and the computational cost of checking which collection a particular subscriber should be subscribed to only increases as the list grows, causing an additional burden to the presence server.

**[0008]** US 2002/035605 A1 relates to the integration of presence determination, instant messaging and mobile commerce into a functionally seamless system. This integrated presence, location, instant messaging and mobile commerce (or PLIM) system may be implemented as an added component of a wireless provider's network. The Presence Server enables "presence management" in a world where there are many ways to be online, and individuals may carry several different wireless devices. The Instant Messaging Server queries the Presence Server to determine if a subscriber's phone is ON or OFF so that accurate "mobile buddy list" information is available for the Instant Messaging clients. Presence information is made available to approved external entities

via "push" or "pull" through the Network API. The Presence Server retrieves presence and location information asynchronously or synchronously. The WAP client displays buddy list and buddy status, and allows buddies to be added or deleted. The WAP client also displays group lists, and allows group lists to be created, edited, and deleted. A two-way SMS client utilizes standard two-way SMS to send and receive text messages, and buddy status updates (ON-OFF, online-offline) are sent via SMS. Wireless subscribers use the Privacy Management System to establish their availability and to establish rules for sharing presence and location information. It is entirely up to the subscriber to perform her personal presence management. The Privacy Management System is an integrated component of the PLIM system platform, and can be accessed directly from any of the IM clients.

**[0009]** US 2005/068167 A1 relates to methods and systems that evaluate a number of different sources of presence information to determine a status of a user. The presence status of a user is determined by obtaining presence information from a plurality of presence data stores; translating the obtained presence information from at least one of said presence data stores into a standard format; and determining the presence status of the user based on the obtained presence information. Filter rules determine who may receive the presence status. A presence data collector is provided for each of presence data stored. The presence data collector supports presence data stores that can be queried for presence information. Thus, the presence data collector can query corresponding data stores at regular intervals to obtain the latest presence information. The presence data collector can convert extracted presence information to an XML document following the CPIM model. A presence notification module notifies the clients about the presence change of other clients (or devices), that subscribed to the presence of the client. Notifications of present state changes are sent to subscribed and on-line watchers. Users are also notified when someone they have been watching changes their accessibility to that user. If a user stops allowing a watcher his/her presence information, the watcher is notified of this change in real time. This also applies to groups. The watcher of a group is sent a notice when his/her group membership is terminated. An access control list management module allows the users to manage their access control lists. An access control list lets a user indicate who they will allow to "watch" them (receive his or her presence information). It is important in an enterprise setting to allow users to specify who (other users and groups) is permitted to receive their presence data. Both 'Allow Lists' and 'Deny Lists' are typically needed for enterprise applications. An access control list system is used that allows only those users and groups to receive information for which this permission had been initially granted.

**[0010]** US 2003/217142 A1 relates to a method and system for detecting and communicating the presence of one or more users on a computer network. This in-

cludes users who employ devices that communicate over a network via SIP protocol. The first computing device executes a program, referred to as a presence user agent, that generated presence information relating to the first user. When the second user wishes to gain access to the presence information of the first user, the second user interacts with the second computing device to generate a subscribe message. The second computing device sends the message to the server. The subscribe message alerts the server that the second wants to "subscribe" as a watcher of the first computing device and the corresponding first user. The subscribe message contains an event handler that specifies presence as the basis for the subscription request. The event header causes the presence agent to initiate a call to the server to process the message as a presence subscription. In response to the subscription request, the server stores the contents of the request into a data structure, referred to as an offline subscribes data structure. A computing device sets its access preferences with a server via the set ACL procedure call. The set ACL procedure call is an executable functional method that specifies the ACL settings for the computing device of the network. The computing device submits a service message to a server in order to initiate the setting, or updating of the ACL. The service message comprises one or more set ACL procedure calls, which trigger the presence agent operating on the network device to set (update) the ACL. Multiple set ACL calls may be contained with a single service message in order to authorize one or more subscribers.

**[0011]** US 2003/065788 A1 relates to mobile messaging and presence services. According to one aspect of the invention, a client device of the mobile messaging system adds a qualifier to a presence attribute, the qualifier comprising one or more parameters specifying the use of the attribute. A client device receiving a presence attribute processes the received presence attribute according to the qualifier parameters in the received attribute. Another aspect of the invention is the showing of how to assemble and store presence items with names, attributes and values in a single presence set within a role having an associated authorization group of members that have the right to subscribe to the whole or part of the presence set of the same role.

#### SUMMARY

**[0012]** A method and system for increasing the computational and network efficiency of presence servers having collections of publications is provided, as defined by the scope of the claims. The presence system uses several techniques that enable a presence server to provide rich presence information without requiring expensive processing. First, the presence system accepts batches of publication updates in a single presence update request. Similarly, the presence system accepts batches of subscription requests. Next, the presence system supports new expiration types for publication update

requests that eliminate the need for a publishing user to continually refresh presence information that has not changed. Finally, the presence system accepts access lists that contain membership groups rather than an individual list of users that are to have access to a particular presence collection.

**[0013]** This Summary is provided to introduce a selection of concepts in a simplified form that are further described below in the Detailed Description. This Summary is not intended to identify key features or essential features of the claimed subject matter, nor is it intended to be used to limit the scope of the claimed subject matter.

#### BRIEF DESCRIPTION OF THE DRAWINGS

##### **[0014]**

Figure 1 is a block diagram that illustrates components of the presence system in one embodiment.

Figure 2 is a protocol listing that illustrates the SIP protocol extensions for sending publication updates in one embodiment.

Figure 3 is a flow diagram that illustrates the processing of the update publications component of the presence system in one embodiment.

Figure 4 is a protocol listing that illustrates the SIP protocol extensions for sending subscription requests in one embodiment.

Figure 5 is a flow diagram that illustrates the processing of the update subscriptions component of the presence system in one embodiment.

Figure 6 is a protocol listing that illustrates the SIP protocol extensions for updating collection memberships in one embodiment.

Figure 7 is a flow diagram that illustrates the processing of the update memberships component of the presence system in one embodiment.

Figure 8 is a flow diagram that illustrates the processing of the expire publications component of the presence system in one embodiment.

#### DETAILED DESCRIPTION

**[0015]** A method and system for increasing the computational and network efficiency of presence servers having collections of publications is provided. The presence system uses several techniques that enable a presence server to provide rich presence information without requiring expensive processing. First, the presence system accepts batches of publication updates in a single presence update request. For example, a publishing user

can publish multiple categories of information in multiple collections by sending a single update request to the presence server. Similarly, the presence system accepts batches of subscription requests. For example, a subscribing user can request a subscription to multiple categories of information in multiple collections by sending a single subscription request to the presence server. Next, the presence system supports new expiration types for publication update requests that eliminate the need for a publishing user to continually refresh presence information that has not changed. For example, a publishing user's home phone number rarely changes, so the presence system allows the user to publish this information once and not update it unless the information changes, rather than republishing the information once per hour. Finally, the presence system accepts access lists that contain membership groups rather than an individual list of users that are to have access to a particular presence collection. For example, a publishing user can grant access to all of their coworkers by applying a membership group to a collection without listing each coworker individually.

#### Publication Batching

**[0016]** In one embodiment, the presence system accepts multiple presence publications in a single request. The publications can span multiple categories, instances, and collections. For example, a publishing user having publication categories "status" and "location" can publish a status of "not available" and a location of "Microsoft Headquarters" in a collection accessible to the public and a status of "in a meeting with John" and a location of "Bldg 40/Conference Room 5" in a collection accessible to coworkers. The publishing user can also publish multiple instances of the same information within each collection. For example, a category "phone number" might have instances of "home" for a home number, "work" for a work number, and "mobile" for a cell phone number. The user can publish values for each of these instances in the same publication request.

**[0017]** In one embodiment, the presence system accepts unpublishing and publishing publications in a single request. For example, a publishing user who is going to a meeting may log off of their desktop computer, causing unpublishing of publication instances relating to the desktop, and the user may become active at their cell phone, causing new instances to need to be added for the cell phone. The presence system can accept both the unpublishing of the desktop publications and the publishing of the cell phone publications in a single update request. For example, an enterprise's network presence service may receive the publication updates from both devices and forward the updates to a global presence service in a single request.

**[0018]** In one embodiment, the presence system sends multiple presence updates using extensions to the Session Initiation Protocol (SIP) and SIP for Instant Mes-

saging and Presence Leveraging Extensions (SIMPLE) protocols. SIP is an application-layer control protocol that devices can use to discover one another and to establish, modify, and terminate sessions between devices and is an Internet proposed standard described in "RFC 3261." RFC 3261, which is available on the Internet at [www.ietf.org/rfc/rfc3261.txt](http://www.ietf.org/rfc/rfc3261.txt). The SIP standard allows implementers to add extensions to define custom behaviors. The presence system adds a tag <publish> that contains a list of <publication> tags specifying presence information to be published, and a similar <unpublish> tag that contains a list of <publication> tags specifying presence information to be unpublished. Each publication identifies the category, instance, and collection to which it applies. In some embodiments, the presence system accepts an expiration value of zero for a publication within a <publish> tag as an indication to unpublish information rather than having a separate <unpublish> tag.

**[0019]** In one embodiment, the presence system accepts updates for multiple publishing users in a single request. For example, when the SIP protocol is used, each publication may contain the URI of the user to which the publication applies. This allows services to publish information on behalf of a large number of users. For example, an Exchange email server can publish calendar information for all of the users that use the server. As another example, a cell phone carrier can publish information on the location of its cell phone customers to a presence server. In both of these examples, information that would previously have generated extensive network traffic can be published for a large number of users in a single request to the presence server.

**[0020]** In one embodiment, the presence system accepts publication requests having different attributes in a single request. A publishing user may specify a different expiration policy for a publication in one collection than a publication in another collection. For example, in a collection having detailed information for a publication "location," the detailed status information (e.g., "in conference room 2") may change frequently and have a shorter expiration than less detailed information in another collection (e.g., "in Seattle"). As another example, a publishing user may specify a different notification policy for one type of publication than for another in the same request. For example, the notification policy may indicate that updates in certain categories should not result in any notification at all.

#### Subscription Batching

**[0021]** In one embodiment, the presence system accepts subscriptions from a subscribing user for multiple categories in a single request. For example, a subscribing user that is interested in a publishing user's status and location can compose a single subscribe request that contains "status" and "location" in a list of categories.

**[0022]** In one embodiment, the presence system accepts subscriptions from a subscribing user for multiple

publishing users in a single request. For example, a subscribing user can subscribe to multiple categories for User A and User B in a single request. When a subscribing user is subscribing to presence information for each of the users on their list of contacts, this can result in substantial resource savings because all of the subscriptions can be made in a single request. Similarly, the presence system may also accept different category lists for different users in a single request. For example, a subscribing user can subscribe to categories 1 and 2 for User A and categories 3 and 4 for User B in a single request.

**[0023]** In one embodiment, the presence system allows a subscribe request to retrieve presence information without creating a subscription. For example, a user may want to request presence information for a publishing user one time without receiving notifications as the information changes. The user can send a subscribe request with an indication that the request is a query for the current value of the presence information in the specified categories and not a request to create a subscription.

**[0024]** In one embodiment, the presence system accepts the removal of existing subscriptions in the same request as the addition of new subscriptions. For example, if a subscribing user is no longer interested in knowing a publishing user's location, and also would like to track the publishing user's current phone number, the subscribing user can compose a single request that contains the category "status" in a list of categories to unsubscribe from, and the category "phone number" in a list of categories to subscribe to.

**[0025]** In one embodiment, the presence system accepts subscription requests on behalf of multiple subscribing users in a single request. For example, an enterprise may have a local presence server that receives individual subscription requests from subscribing users within the enterprise and forwards the requests to a global presence server as a single batched subscription request.

**[0026]** In one embodiment, the presence system sends multiple presence subscriptions using extensions to the SIP and SIMPLE protocols. The presence system adds a tag <batchSub> that contains a <categoryList> tag that specifies the list of categories to be subscribed to. The <batchSub> tag may also specify an <adhocList> tag that specifies a list of multiple users whose categories are being subscribed to. The presence system also adds a tag <batchUnsub> that also contains tags specifying the list of users and their categories that are being unsubscribed from. The system may also allow a subscribe request with an empty body to indicate that all users and categories should be unsubscribed from, rather than requiring the subscribing user to list every category and user that they have subscribed to.

**[0027]** In one embodiment, the presence system filters out unwanted presence information for a subscribing user by requiring an explicit subscription to each category the subscribing user is interested in. For example, a publishing user may publish hundreds of categories of infor-

mation, but a subscribing user may only want to know the publishing user's current status. The subscribing user can send a subscribe request indicating a subscription to the category "status" and the user will only receive notifications for that category. This prevents the subscribing user from being overwhelmed with notifications that the user is not interested in as the amount of information provided by the presence server grows.

#### 10 Expiration Models

**[0028]** In one embodiment, the presence system accepts publications that expire when the publishing device logs off from the presence server. In previous systems the publishing user published information for a fixed duration (e.g., one hour), and had to refresh or republish the information when the publication was near expiration to keep the information published. The presence system defines a new type of expiration that keeps presence information published until the device that published the information goes offline. This is used, for example, when a device such as a cell phone has published instances of information that are valid only while the cell phone is online. When the cell phone is turned off or otherwise goes offline, the presence server can detect it and remove the information that was only relevant while the device was online. When the device is online, it is no longer required to continually update presence information that has not changed to keep it from expiring.

**[0029]** In one embodiment, the presence system accepts publications that expire when the publishing user is no longer online. This expiration type is useful for presence information that applies to multiple devices for as long as the user is online, but that is no longer relevant when the user is offline. The presence system may detect that the user is offline when the user is no longer logged on through any device. The presence system may detect that the user is no longer logged on to a device when the device disconnects from the presence server or when the device informs the presence server that the user is no longer using the device. For example, a public Internet kiosk may allow a user to access the Internet by inserting a USB dongle that identifies the user. When the dongle is removed, the Internet kiosk may inform any services that the user was connected to, such as a presence service, that the user is no longer using the device. While the user is online, the information stays published without refresh requests from the user, thereby saving the presence server from processing additional update requests.

**[0030]** In one embodiment, the presence system accepts publications that do not expire. This expiration type, called static, is useful for information that is relevant whether a user is online or not, such as the user's phone number or address. This expiration type can also be used by services that publish information on behalf of a user. For example, an Exchange server that publishes calendar information for multiple users need not know whether the user is online or not before publishing the user's cal-

endar information, and the information should not expire regardless of the user's current logged-on status. Therefore, such services can publish information by specifying a static expiration type for the publication, and the published information will not be unpublished unless the presence server receives an explicit unpublish request.

### Membership Groups

**[0031]** In one embodiment, the presence system accepts collection membership lists that contain groups of users. Previously, the users that had access to a particular collection of presence information were listed explicitly, and a default collection contained information that applied to users not on any list. The presence system allows groups of users to be specified, which reduces the computational difficulty of determining whether a user has access to a collection for large groups of users. Collection membership lists can be specified when presence information is published, or can be specified independently in a separate request. One type of membership group, "contact list," specifies that any subscribing user on a publishing user's list of contacts can view information in a collection that the group is assigned to.

**[0032]** In one embodiment, the presence system accepts a membership group containing users within the same enterprise as a publishing user. This membership group allows a single entry in a user's collection membership list to specify that any subscribing user in the same enterprise should have access to a particular collection. For example, for a large corporation like Microsoft, this allows a collection to be created with additional detail for coworkers that contains a single entry in the membership list that specifies the "same enterprise" membership group. The presence server determines whether a particular subscribing user has access to the collection by checking whether the user's enterprise is the same as the publishing user, such as by querying an external domain controller. This prevents the presence server from replicating the same list of users that the external domain controller already contains.

**[0033]** In one embodiment, the presence system accepts a membership group containing users within a public cloud. A public cloud is defined as an externally available list of users provided by a different organization. The public cloud membership group is useful when one operator of a presence server has partnerships with operators of other presence systems. For example, a presence server using Microsoft's instant messaging software could interact with AOL, Yahoo, and other instant message platforms using the public cloud membership groups. By specifying the public cloud membership group in a collection membership list, a publishing user can define the presence publications that members of other presence systems can subscribe to and view without having to list each member explicitly in the collection membership list.

**[0034]** In one embodiment, the presence system ac-

cepts a federated membership group. A federated membership group is one in which multiple entities define lists of users that should have similar access to presence information. For example, two corporations such as Microsoft and Intel can make their employee lists available for federated membership groups. A presence server receiving publications with a federated membership group type refers to specified federated membership servers to determine which users are members of the federated group. A publishing user can then specify publications that the federated group can subscribe to.

**[0035]** In one embodiment, the presence system accepts batches of membership list changes in a single request. For example, a publishing user could grant access to subscribing users in the same enterprise membership group to one collection and remove users in the public cloud membership group from the collection in a single request. A publishing user may specify membership lists for multiple collections as well as multiple membership groups and individual users in a membership list for a particular collection in a single request.

**[0036]** By combining the collection model with membership groups, a publishing user can establish a hierarchy of presence information access. For example, a user's calendar information can be made available in detail to coworkers within the same enterprise and be made available as free/busy information (which only indicates the times that a user is free and the times that a user is busy) to the general public. This allows members of the general public to schedule an appointment with the publishing user that does not conflict with the rest of the user's schedule without exposing personal information about what the user is doing. On the other hand, coworkers are provided a more detailed view of what the user is doing so that they can, for example, know that the user will be in a meeting with the coworker later in the day.

**[0037]** Figure 1 is a block diagram that illustrates components of the presence system in one embodiment. The presence system 110 is connected to entity devices 120 and 130 via a communications link 140, such as the Internet. The entity devices correspond to entities that may be publishers or subscribers. The entity devices include a compose publication update component 122, a compose subscription request component 125, and a send request component 127. The compose publication update component 122 composes update requests to published presence information that may include batches of individual publication updates. The compose subscription request component 125 composes subscription requests that may include batches of subscriptions to multiple categories of presence information for multiple publishing users. The send request component 127 sends publication update requests and subscription requests to the presence system 110.

**[0038]** The presence system includes a receive publication update component 150, an update publications component 155, a receive membership update component 170, an update memberships component 175, an

expire publications component 180, a detect connect status component 182, a receive subscription request component 185, an update subscriptions component 190, a create collection component 165, a publication store component 160, and a subscription store component 195. The publication store 160 contains the publications of the publishers. The publications are organized into collections created by the create collection component 165. The receive publication update component 150 is invoked when a request to update one or more publications is received from a publisher. The receive publication update component 150 invokes the update publications component 155 to add, remove, or update publications in the publication store 160 as specified by the request. The receive membership update component 170 is invoked when a request to update the membership list of one or more collections in the publication store 160 is received from a publisher. The request may be received as an independent message or may be part of a publication update request. The receive membership update component 170 invokes the update memberships component 175 to add, remove, and update memberships on collections in the publication store 160. The receive subscription request component 185 is invoked when a request is received from an entity to subscribe to one or more types of publications of a publisher. The receive subscription request component 185 invokes the update subscriptions component 190 to subscribe the entity to the requested types of publications. Subscriptions are stored in a subscription store 195, which may be integrated with the publication store 160. The expire publications component 180 is invoked periodically by the presence system to clean up expired publications in the publication store 160. Although not shown in Figure 1, the entity devices include components of the presence system to define collections and their memberships, to send publication updates, to send subscription requests, and to receive notifications of updates to publications.

**[0039]** The computing device on which the system is implemented may include a central processing unit, memory, input devices (e.g., keyboard and pointing devices), output devices (e.g., display devices), and storage devices (e.g., disk drives). The memory and storage devices are computer-readable media that may contain instructions that implement the system. In addition, the data structures and message structures may be stored or transmitted via a data transmission medium, such as a signal on a communication link. Various communication links may be used, such as the Internet, a local area network, a wide area network, a point-to-point dial-up connection, a cell phone network, and so on.

**[0040]** Embodiments of the system may be implemented in various operating environments that include personal computers, server computers, hand-held or laptop devices, multiprocessor systems, microprocessor-based systems, programmable consumer electronics, digital cameras, network PCs, minicomputers, mainframe computers, distributed computing environments that include

any of the above systems or devices, and so on. The computer systems may be cell phones, personal digital assistants, smart phones, personal computers, programmable consumer electronics, digital cameras, and so on.

**[0041]** The system may be described in the general context of computer-executable instructions, such as program modules, executed by one or more computers or other devices. Generally, program modules include routines, programs, objects, components, data structures, and so on that perform particular tasks or implement particular abstract data types. Typically, the functionality of the program modules may be combined or distributed as desired in various embodiments.

**[0042]** Figure 2 is a protocol listing that illustrates the SIP protocol extensions for sending publication updates in one embodiment. The protocol begins with a SIP verb "PUBLISH" 210 that signals a request to publish information. The protocol contains headers 220 that further describe the request, such as its content type. The protocol contains a "<publish>" section 230 that contains a "<publications>" section 232. The "<publications>" section lists publications 235 and 240 to be published and publication 250 to be unpublished. The publication 235 specifies presence information for a category named "status," a specific instance of the category named "laptop," a container (which is a type of collection) identified as "1," a version of "0," a publishing user identified by the SIP address "sip:foo@bar.com," and an expiration type for the publication of "user" which indicates that the publication should be removed when the user goes offline. Although text is shown for some fields for clarity, numbers may also be used. For example, the value of the "instance" field may contain a unique identifier assigned to a device rather than the text "laptop." Another publication 240 specifies the same category "status," but a different instance "desktop" in a different container "2" for the same publishing user. The protocol also contains a publication 250 that is to be removed from the publication store as indicated in this example by an expire type of zero. Although in this example the "expireType" field is overloaded to indicate that a publication is to be unpublished, a separate field or a separate XML section within the protocol could also be used. The publication 250 that is being removed is identified by a category name, an instance identifier, a container identifier, and a publishing user address. Specifying the publishing user's address in a publication allows entities other than the user to publish and unpublish presence information on a user's behalf, such as an Exchange server as described above.

**[0043]** Figure 3 is a flow diagram that illustrates the processing of the update publications component of the presence system in one embodiment. The component is invoked by the receive publication update component when a publish request such as the one in Figure 2 is received. In block 310, the component receives an update publications request from the receive publication update component. In block 320, the component selects the next publication from the request. In block 330, the

component locates the collection for the publishing user identified by the selected publication in the publication store. In decision block 340, if the publication exists, then the component continues at block 360, else the component continues at block 350. In block 350, the publication that did not previously exist is added to the publication store. In block 360, the existing publication in the publication store is updated with the information in the request. In decision block 370, if there are more publications in the request, the component loops to block 320 to select the next publication, else the component completes.

**[0044]** Figure 4 is a protocol listing that illustrates the SIP protocol extensions for sending subscription requests in one embodiment. The protocol begins with a SIP verb "SUBSCRIBE" 410 that signals a request to subscribe to published information. The protocol contains headers 420 that further describe the request, such as its content type. The protocol also contains a "<batch-Sub>" section 440 that contains an "<action>" section 442. The action section contains an "<ad hocList>" section 445 and a "<categoryList>" section 450. The ad hoc list section 445 specifies the identifiers of publishing users whose publications the subscribing user would like to receive notifications for. The category list section 450 specifies the categories to subscribe to for each publishing user. The subscription request will cause the subscribing user to receive notifications for each of the specified categories for each of the specified users. Although not shown in Figure 4, the request may also contain a list of categories and users to unsubscribe from similar to the subscribe section 440.

**[0045]** Figure 5 is a flow diagram that illustrates the processing of the update subscriptions component of the presence system in one embodiment. The component is invoked by the receive subscription request component when a subscription request such as the one in Figure 4 is received. In block 510, the component receives a subscription request from the receive subscription request component. In decision block 520, if there are more category filters contained in the request, then the component continues at block 530, else the component continues at block 550. In block 530, the component selects the next category filter from the request. In block 540, the component updates the category filters in the subscription store. The component then loops to block 520 to determine whether there are any more category filters in the request. In decision block 550, if there are more subscriptions in the request, then the component continues at block 560, else the component continues at block 580. In block 560, the component selects the next subscription from the subscription request. In block 570, the component adds the subscription to the subscription store. The subscription may be in the form of a list of users and a list of categories, such that multiple categories can be subscribed for multiple users in a single subscription section. The component then loops to block 550 to determine whether there are any more subscriptions in the request. In decision block 580, if there are more unsubscriptions

in the request, the component continues at block 590, else the component completes. In block 590, the component selects the next unsubscription in the request. In block 595, the component removes the specified subscription from the subscription store. After all of the unsubscriptions are processed, the component completes.

**[0046]** Figure 6 is a protocol listing that illustrates the SIP protocol extensions for updating collection memberships in one embodiment. The portion of the protocol shown may be included in the body of a SIP publish request as shown in Figure 2, or it may be part of an independent message type specifically for updating memberships. The protocol begins with a "<setContainerMembers>" section 610 that contains one or more "<container>" sections 615 that identify a collection whose memberships are to be modified. Each container section contains one or more member entries 620, 630, and 640. The first member entry 620 in Figure 6 specifies a type "uri" that indicates that the value is the SIP URI of a specific user. The action type "add" indicates that the specified user is to be added as a member with access to the specified collection. The second member entry 630 specifies a type "sameDomain" that indicates that the membership of users from the same domain as the publishing user is being modified, and the action type "remove" indicates that access to the collection is being removed. The third member entry 640 specifies a type "contactList" and an action type "add" that indicates that access to the specified collection is to be granted to any member of the publishing user's contact list.

**[0047]** Figure 7 is a flow diagram that illustrates the processing of the update memberships component of the presence system in one embodiment. The component is invoked by the receive membership update component when a membership update request such as the one in Figure 6 is received. In block 710, the component receives an update memberships request from the receive membership update component. In block 720, the component selects the next container section from the request. In block 730, the component selects the next member update within the container section. In decision block 740, if the member update contains an action type "add," then the component continues at block 750, else the component continues at block 760. In block 750, the user or group specified in the member update is added to the member list of the selected container in the publication store. In block 760, the user or group specified in the member update is removed from the member list of the selected container in the publication store. In decision block 770, if there are more member updates in the selected container section, then the component loops to block 730 to select the next member update, else the component continues at block 780. In decision block 780, if there are more container sections in the membership update request, then the component loops to block 720 to select the next container section, else the component completes.

**[0048]** Figure 8 is a flow diagram that illustrates the

processing of the expire publications component of the presence system in one embodiment. The component is invoked periodically by the presence system to remove stale publications from the publication store. In block 810, the component selects the next publication from the publication store. In decision block 820, if the expire type of the selected publication is "static," then the component continues at block 860, else the component continues at block 830. In decision block 830, if the expire type of the selected publication is "device," then the component continues at block 833, else the component continues at block 840. In decision block 833, if the device that published the selected publication is offline, then the component continues at block 836, else the component continues at block 860. In block 836, the component removes the expired publication from the publication store. In decision block 840, if the expire type of the selected publication is "user," then the component continues at block 843, else the component continues at block 850. In decision block 843, if the user that published the selected publication is not logged on through any device, then the component continues at block 846, else the component continues at block 860. In block 846, the component removes the expired publication from the publication store. In decision block 850, if the expire type of the selected publication is "duration," then the component continues at block 853, else the component continues at block 860. In decision block 853, if the amount of time specified for the selected publication has expired, then the component continues at block 856, else the component continues at block 860. In block 856, the component removes the expired publication from the publication store. In decision block 860, if there are more publications in the publication store, then the component loops to block 810 to select the next publication, else the component completes. Although the method depicted shows a polling method of checking for and removing expired publications, it will be understood by those of ordinary skill in the art that other methods could be used such as an event-driven model in which the event of a user or device changing from online to offline status causes the expired publications to be removed directly.

**[0049]** Although the subject matter has been described in language specific to structural features and/or methodological acts, it is to be understood that the subject matter defined in the appended claims is not necessarily limited to the specific features or acts described above. Rather, the specific features and acts described above are disclosed as example forms of implementing the claims. For example, the requests processed by the presence system have been described using the SIP protocol, but other protocols such as a custom protocol on top of the Transmission Control Protocol (TCP) could be used. In some instances steps have been described as being performed by components at the presence server, but they could also be performed by components at the entities that interact with the presence server. The system could also be implemented as a peer-to-peer network in

which there is no single, central presence server, but rather presence information could be distributed and stored by the peers. Accordingly, the invention is not limited except as by the appended claims.

## Claims

1. A presence system of modifying access to presence information published in collections, wherein each collection contains a member list of users that are allowed to subscribe to the information within that collection, wherein the member list is adapted to contain a membership group of users, the system comprising:

a receive request component (150) that receives a request to publish presence information, the request comprising:

a collection identifier that specifies a collection whose member list is to be modified;  
a membership group of users for which user access is to be modified; and

a modify access component (175) that modifies the access of the specified membership group to the specified collection in response to the request,

wherein the presence system further accepts a federated membership group, the federated membership group being a membership group in which multiple corporations make available lists of users that have access to presence information of the federated membership group.

2. The system of claim 1 wherein the membership group specifies a domain and/or wherein the membership group specifies the collection owner's contact list and/or wherein the membership group specifies federated member servers and/or wherein the membership group specifies a membership group defined by an entity external to the presence system.

3. The system of claim 1 wherein the request contains more than one membership group for which access is to be modified, and/or wherein the request contains more than one collection for which access is to be modified.

4. The system of claim 3 wherein the collections belong to different publishing users.

5. The system of claim 1 wherein the request specifies that the membership group is to be granted access to the collection or wherein the request specifies that the membership

- group is to be denied access to the collection.
6. The system of claim 1 further comprising a receive subscription request component that receives a request to subscribe to the presence information from a subscribing user.
7. The system of claim 6 wherein the collections and member lists create a hierarchy of presence information available to subscribing users having a level of detail that differs based on the identity of the subscribing user.
8. The system of claim 1 wherein the request uses the SIP protocol.
9. The system of claim 1 wherein some components of the system are located at a presence server and other components are located at a presence client.
10. A method of modifying access to presence information published in collections, wherein each collection contains a member list of users that are allowed to subscribe to the information within that collection, wherein the member list is adapted to contain a membership group of users, the method comprising:
- receiving (150) a request to publish presence information, the request comprising:
- a collection identifier that specifies a collection whose member list is to be modified;
- a membership group of users for which user access is to be modified; and
- modifying (175) the access of the specified membership group to the specified collection in response to the request,
- the method further comprising:
- accepting a federated membership group, the federated membership group being a membership group in which multiple corporations make available lists of users that have access to presence information of the federated membership group.
11. The method of claim 10 wherein the membership group specifies a domain.
12. The method of claim 10 wherein the request contains more than one membership group for which access is to be modified.
13. A computer-readable medium containing instructions which, when executed by a computer, cause the computer to carry out the steps of the method of claim 10.

14. The computer-readable medium of claim 13 wherein the membership group specifies the collection owner's contact list.

5 15. The computer-readable medium of claim 13 wherein the request contains more than one collection for which access is to be modified.

## 10 Patentansprüche

1. Präsenzsystem zum Ändern des Zugriffs auf in Sammlungen veröffentlichten Präsenzinformatio-  
nen, wobei jede Sammlung eine Mitgliederliste von Benutzern enthält, die berechtigt sind, die Informa-  
tionen mit dieser Sammlung zu abonnieren, wobei die Mitgliederliste dazu eingerichtet ist, eine Mitglie-  
dergruppe von Benutzern zu enthalten, wobei das System umfasst:

eine Empfangsanforderungskomponente (150), die eine Anforderung zum Veröffentlichen von Präsenzinformatio-  
nen empfängt, wobei die Anforderung umfasst:

eine Sammlungskennung, die eine Samm-  
lung angibt, deren Mitgliederliste geändert  
werden soll;

eine Mitgliedschaftsgruppe von Benutzern,  
für die der Benutzerzugriff geändert werden  
soll; und

eine Änderungszugriffskomponente (175), die  
den Zugriff der angegebenen Mitgliedschafts-  
gruppe auf die angegebene Sammlung als Ant-  
wort auf die Anforderung ändert,  
wobei das Präsenzsystem weiterhin eine Ver-  
bundmitgliedschaftsgruppe akzeptiert, wobei  
die Verbundmitgliedschaftsgruppe eine Mit-  
gliedschaftsgruppe ist, in der mehrere Unter-  
nehmen Listen von Benutzern verfügbar ma-  
chen, die Zugriff auf Präsenzinformatio-  
nen der Verbundmitgliedschaftsgruppe haben.

2. System nach Anspruch 1, bei dem die Mitglie-  
derschaftsgruppe eine Domäne angibt und/oder die Mit-  
gliedschaftsgruppe die Kontaktliste des Samm-  
lungsbesitzers angibt und/oder die Mitgliedschafts-  
gruppe Verbundmitglieds-Server angibt und/oder  
die Mitgliedschaftsgruppe eine Mitgliedschaftsgrup-  
pe angibt, die von einer Einheit außerhalb des Prä-  
senzsystems definiert wird.

3. System nach Anspruch 1, bei dem die Anforderung  
mehr als eine Mitgliedschaftsgruppe enthält, für die  
der Zugriff geändert werden soll, und/oder  
die Anforderung mehr als eine Sammlung enthält,  
für die der Zugriff geändert werden soll.

4. System nach Anspruch 3, bei dem die Sammlungen verschiedenen Veröffentlichungsbenutzern gehören.
5. System nach Anspruch 1, bei dem die Anforderung angibt, dass der Mitgliedschaftsgruppe Zugriff auf die Sammlung gewährt werden soll oder die Anforderung angibt, dass der Mitgliedschaftsgruppe der Zugriff auf die Sammlung verweigert werden soll.
6. System nach Anspruch 1, weiterhin umfassend eine Empfangsabonnement-Anforderungskomponente, die eine Anforderung zum Abonnieren der Präsenzinformationen von einem abonnierenden Benutzer empfängt.
7. System nach Anspruch 6, bei dem die Sammlungen und Mitgliederlisten eine Hierarchie von Präsenzinformationen erstellen, die für abonnierende Benutzer mit einer Detailebene verfügbar sind, die sich basierend auf der Identität des abonnierenden Benutzers unterscheidet.
8. System nach Anspruch 1, bei dem die Anforderung das SIP-Protokoll verwendet.
9. System nach Anspruch 1, bei dem sich einige Komponenten des Systems auf einem Präsenz-Server befinden und sich andere Komponenten auf einem Präsenz-Client befinden.
10. Verfahren zum Modifizieren des Zugriffs auf in Sammlungen veröffentlichte Präsenzinformationen, wobei jede Sammlung eine Mitgliederliste von Benutzern enthält, die berechtigt sind, die Informationen mit dieser Sammlung zu abonnieren, wobei die Mitgliederliste dazu eingerichtet ist, eine Mitgliedschaftsgruppe von Benutzern zu enthalten, wobei das Verfahren umfasst:

Empfangen (150) einer Anforderung zum Veröffentlichlichen von Präsenzinformationen, wobei die Anforderung umfasst:

eine Sammlungskennung, die eine Sammlung angibt, deren Mitgliederliste geändert werden soll;

eine Mitgliedschaftsgruppe von Benutzern, für die der Benutzerzugriff geändert werden soll; und

Ändern (175) des Zugriffs der angegebenen Mitgliedschaftsgruppe auf die angegebene Sammlung als Antwort auf die Anforderung, wobei das Verfahren weiterhin umfasst:

Akzeptieren einer Verbundmitgliedschaftsgruppe, wobei die Verbundmitgliedschaftsgruppe ei-

ne Mitgliedschaftsgruppe ist, in der mehrere Unternehmen Listen von Benutzern verfügbar machen, die Zugriff auf Präsenzinformationen der Verbundmitgliedschaftsgruppe haben.

11. Verfahren nach Anspruch 10, bei dem die Mitgliedschaftsgruppe eine Domäne spezifiziert.
12. Verfahren nach Anspruch 10, bei dem die Anforderung mehr als eine Mitgliedschaftsgruppe enthält, für die der Zugriff geändert werden soll.
13. Computerlesbares Medium, das Anweisungen enthält, die, wenn sie von einem Computer ausgeführt werden, den Computer veranlassen, die Schritte des Verfahrens nach Anspruch 10 auszuführen.
14. Computerlesbares Medium nach Anspruch 13, bei dem die Mitgliedschaftsgruppe die Kontaktliste des Sammlungsbesitzers spezifiziert.
15. Computerlesbares Medium nach Anspruch 13, bei dem die Anforderung mehr als eine Sammlung enthält, für die der Zugriff geändert werden soll.

#### Revendications

1. Système de gestion de présence permettant de modifier l'accès à des informations de présence publiées dans une collection, dans lequel chaque collection contient une liste des membres des utilisateurs autorisés à s'abonner aux informations au sein de ladite collection, dans lequel la liste de membres est conçue pour contenir un groupe d'utilisateurs membres, le système comprenant:

un composant de réception de demande (150) qui reçoit une demande de publication d'informations de présence, la demande comprenant:

un identifiant de collection qui indique une collection dont la liste de membres doit être modifiée;

un groupe d'utilisateurs membres pour lesquels l'accès utilisateur doit être modifié; et

un composant de modification d'accès (175) qui modifie l'accès du groupe de membres précisé à la collection précisée en réponse à la demande,

dans lequel le système de gestion de présence accepte en outre un groupe de membres fédéré, le groupe de membres fédéré étant un groupe de membres dans lequel de nombreuses sociétés rendent disponibles les listes des utilisateurs, qui ont accès aux informations de présence du groupe de membres fédéré.

2. Système selon la revendication 1, dans lequel le groupe de membres indique un domaine et/ou dans lequel le groupe de membres indique la liste de contacts du propriétaire de la collection et/ou dans lequel le groupe de membres indique des serveurs membres fédérés et/ou dans lequel le groupe de membres indique un groupe de membres défini par une entité externe au système de gestion de présence. 5
3. Système selon la revendication 1, dans lequel la demande contient plus d'un groupe de membres pour lequel accès doit être modifié, et/ou dans lequel la demande contient plus d'une collection pour laquelle l'accès doit être modifié. 10
4. Système selon la revendication 3, dans lequel les collections appartiennent à différents utilisateurs d'édition. 15
5. Système selon la revendication 1, dans lequel la demande indique qu'un accès à la collection doit être accordé au groupe de membres ou bien dans lequel la demande indique qu'un accès à la collection doit être refusé au groupe de membres. 20
6. Système selon la revendication 1, comprenant en outre un composant de réception de demande d'abonnement qui reçoit une demande d'abonnement aux informations de présence de la part d'un utilisateur abonné. 25
7. Système selon la revendication 6, dans lequel les collections et les listes de membres créent une hiérarchie des informations de présence à la disposition des utilisateurs abonnés ayant un niveau de détail différent sur la base de l'identité de l'utilisateur abonné. 30
8. Système selon la revendication 1, dans lequel la demande utilise le protocole SIP. 35
9. Système selon la revendication 1, dans lequel certains composants du système sont situés dans un serveur de gestion de présence et les autres composants sont situés sur un client de gestion de présence. 40
10. Procédé de modification de l'accès aux informations de présence publiées dans des collections, dans lequel chaque collection contient une liste des membres des utilisateurs autorisés à s'abonner aux informations au sein de ladite collection, dans lequel la liste des membres est conçue pour contenir le groupe de membres utilisateurs, le procédé comprenant les étapes suivantes: 45
- recevoir (150) une demande de publication d'informations de présence, la demande comprenant: 50
- un identifiant de collection qui indique une collection dont la liste de membres doit être modifiée;
- un groupe d'utilisateurs membres pour lesquels l'accès utilisateur doit être modifié; et
- modifier (175) l'accès du groupe de membres précisé à la collection précisée en réponse à la requête, le procédé consistant en outre à:
- accepter un groupe de membres fédéré, le groupe de membres fédéré étant un groupe de membres dans lequel de nombreuses sociétés rendent disponibles les listes des utilisateurs, qui ont accès aux informations de présence du groupe de membres fédéré. 55
11. Procédé selon la revendication 10, dans lequel le groupe de membres indique un domaine.
12. Procédé la revendication 10, dans lequel la demande contient plus d'un groupe de membres pour lequel accès doit être modifié.
13. Support lisible par ordinateur comprenant des instructions qui, lorsqu'elles sont exécutées par un ordinateur, conduisent l'ordinateur à réaliser les étapes du procédé de la revendication 10.
14. Support lisible par ordinateur selon la revendication 13, dans lequel le groupe de membres indique la liste de contacts du propriétaire de la collection.
15. Support lisible par ordinateur selon la revendication 13, dans lequel la demande contient plus d'une collection pour laquelle l'accès doit être modifié.






FIG. 1



**FIG. 2**



**FIG. 3**






FIG. 4




**FIG. 5**

```
...  
<setContainerMembers xmlns="http://schemas.microsoft.com/2006/09/sip/container-management">  
  615 { <container id="1" version="0">  
    620 { <member type="uri" value="user1@domain.com" action="add"/>  
    630 { <member type="sameDomain" action="remove"/>  
    640 { <member type="contactList" action="add"/>  
    </container>  
  </setContainerMembers>
```

**FIG. 6**



**FIG. 7**



**FIG. 8**

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- US 19050305 A [0006]
- US 2002035605 A1 [0008]
- US 2005068167 A1 [0009]
- US 2003217142 A1 [0010]
- US 2003065788 A1 [0011]