

(12) **EUROPEAN PATENT APPLICATION**

(21) Application number: 81200982.7

(51) Int. Cl.³: F 21 S 1/00

(22) Date of filing: 03.09.81

(43) Date of publication of application:
16.03.83 Bulletin 83/11

(84) Designated Contracting States:
AT BE CH DE FR GB IT LI LU NL SE

(71) Applicant: Tang, Woei Shiou
2 FI, 1-1, Lane 129, Sec. 2, Chang-An E.Rd.
Taipei(TW)

(72) Inventor: Tang, Woei Shiou
2 FI, 1-1, Lane 129, Sec. 2, Chang-An E.Rd.
Taipei(TW)

(74) Representative: Faraggiana, Vittorio et al,
Ing. Barzanò & Zanardo S.P.A. Via Borgonuovo, 10
I-20121 Milano(IT)

(54) Improved vase-type illuminative device.

(57) This invention relates to one kind of improved vase-type illuminative devices comprising such component parts as transparent container (1), transparent base board (2), supporting stand (3) and illuminating mechanism (4). In which the transparent base board (2) can be either movably or immovably mounted on the underside of the said container (1), while the flowers or various kinds of ornaments are inserted in place into the holding hole (23) on the base board (2), and is characterized by that apart from providing the ideal lighting effect, it achieves a most satisfactory adorning result by means of filling hued liquid through the upper portion of the container (1) or the transparent base board (2), and by installing fixed bulbs or rotatable chromatic light source on the upper or lower side of the container (1).




FIG 1

IMPROVED VASE-TYPE ILLUMINATIVE DEVICE

This invention relates to one kind of improved vase-type illuminative devices comprising such component parts as transparent container, transparent
5 base board, supporting stand and illuminating mechanism, in which the transparent base board can be either movably or immovably mounted on the underside of the said container, while the flowers or various kinds of ornaments are inserted in place into the holding hole on the base
10 board, and is characterized by that apart from providing the idealest lighting effect, it achieves a most satisfactory result by means of filling hued liquid through the upper portion of the container or the transparent base board, and by installing fixed bulbs or rotatable chromatic light source on the upper or lower
15 side of the container.

In general, the contemporary flower vases are mostly made of opaque materials such as porcelain, marble, enamel, etc. and filled with water to preserve the freshness of the flowers held upright therein. Such kind of
20 vases adapt to interior decoration, nevertheless the insufficient lighting and poor ventilation indoors considerably discount the pleasure of sight that the flowers can offer. However, provided such vases are removed

2.

outdoors, the bright living flowers will inevitably incur the contamination of the dust-rich urban air, and appear only dull and matted in color. Moreover, in conventional types of vases, the visible portion of a bundle of
5 flower held thereby is confined to what rises above the margin of opening of the vases instead of a whole bundle, and in this regard they will become functionless in case the flower stems are too short to be held in place.

As far as the flower-arranging plates frequently
10 seen are concerned, nor can their displaying function in terms of interior decoration be said satisfactory not only because the shallow reservoir due to their dwarf figuration resting flat on the table allows only limited water be stored therein, but also because the way
15 flowers held in position is exclusively performed by securing the flower stems onto a number of spikes pointing upward constructing a nail-bed-like base which is liable to injure the vulnerable stem of cut flowers especially those succulent, herbaceous ones such as gladiolus, lili,
20 daisies, etc. Moreover such way of standing flower does not always ensure a secure positioning, in other words, the flowers are tend to lean askew or aside and appear only unduly awkward. When such flower-arranging devices are placed in a place subjected to motions such as ve-
25 hicles, trains, airplanes or ships, high caution must be taken to avoid them falling off on the deckboard and being broken thereon, if not that bad, the reserved water may still be splashed out and renders much trouble, therefore their application is much limited.

3.

About the art lamps frequently appear in families as well as in some public occasions, the hue and patterns are usually encaustically printed on the glass lamp shade and the scene is thus displayed in our sight
5 by passing the lamp light through the patterned lamp shade. Inasmuch as both the hue and patterns are all geometrically planar, they fail to create a solid and stereoscopic sence thus lack realism. Further, since the light is directly emitted from the bulb and pass
10 through a mere layer of glass, if we stare at such art lamps directly, the glare may dazzle our eyes.

Accordingly, it is the aim of this invention to develop an ornamental, illuminating device combining all the merits of the aforesaid conventional vases,
15 flower-arranging plates and art lamps yet free of their said defects.

It is the major object of this invention to provide one kind of improved vase-type illuminative device, of which the container for holding flowers or ornaments
20 is substantially transparent, and the said flowers or ornaments are thus made to appear lifelike when a beam of light is projected from either a fixed lamp or a colored light source through the container, outlines the flowers and ornaments and creates an undescribably
25 charming atmosphere out of such seemingly plain articles.

As the light has been obscured and diffused by the flowers and the ornaments in advance before coming into our sight, it appears only agreeable soft, and neither dazzles our eyes nor disturbs a bit of the pleasure of
30 sight, hence it can make the best of both its illuminat-

4.

ing and ornamental function.

It is another object of this invention to provide one kind of improved vase-type illuminative devices, of which the container can be so designed as to fit
5 the growing condition of the flowers to match the background of ornaments, and to meet the requirement of interior decoration by filling said container with liquid of various colors to make an appearance of crystal-like, stereoscopic structure to create a sense of unusual lux-
10 uriousness and undescribable beauty. Again, with the flowers and ornaments standing out against the background pervaded by a charming atmosphere created by the colorful liquid and the illumination of the fixed or chromatic light source, a marvelous, flickering and
15 twinkling effect is therefore attained, and makes us perceive the coloration shift throughout all the seasons of a whole year therefrom. Further, due to the existence of the hued liquid, the petals are tend to flutter therefore make it appear more liflike and beauteous.

20 It is a further object of the present invention to provide one kind of improved vase-type illuminative devices, of which the vase is so designed that it can be either conveniently dismounted or mounted. On the base board, there are provided with two water inlets
25 for feeding water thereinto which can be freely closed by stoppers or screwed covers, and a single or a plurality of holding holes for inseting the flowers or other ornaments upstanding therein which provide an optimal way of securing the flowers in place duly and

5.

safely without harming the fragile flower stem.

It is still a further object of this invention to provide one kind of improved vase-type illuminative devices, of which the base board of the container can be
5 installed a sucker disc to cling onto the table or corresponding objects that are subjected to move, to secure it in place and prevent it from falling down and being broken. Said sucker can also be mounted on the side of the vase to attach onto walls sideways.

10 It is a further object of this invention to provide one kind of improved vase-type illuminative devices, whereof the transparent base board equipped with flowers or ornaments can be rotated through a shaft transmitting the torque yielded by motor to the base board to attain
15 a natural, stereoscopic and dynamic sense in accompany with the illuminating effect provided by the fixed or colored light source.

It is a further object of this invention to provide one kind of improved vase-type illuminative devices,
20 of which the applied illuminating mechanism can be either a single light source or multicolored ones insomuch that it can harmonize with various kinds of occasions suitably to accomplish different preferred effects. The illuminating mechanism can be mounted on either the upper part
25 or lower part of the container depending on the practical conditions, to adapt to various kind of necessity in different situation.

It is still a further object of this invention to provide one kind of improved vase-type illuminative de-

6.

vices adaptively applicable to different occasions as mural ornaments, ceiling ornaments and outdoor illuminating ornaments etc. without the trouble of being disturbed by wind, rain, sunlight and contaminated by dust so as to successfully arrest the attention of people wherever and whenever.

The present invention relates to one kind of devices embracing both functions of conventional flower vases and art lamps, and more particularly to that provides ideal lighting as well as displays most satisfactory decorative result. In other words, it includes both practical and beautifying effects.

Numerous other features, objects, and advantages of the invention will become apparent from the following specification when read in connection with the accompanying drawing in which :

- Fig.1 is the perspective view of this invention;
Fig.2 is a graphical representation showing the proposed three exemplary methods of the connection of the transparent container and its base board;
Fig.3 is another embodiment of the base board of this invention;
Fig.4 is the sectional view of the rotatable device of the base board of this invention;
Fig.5 is an embodiment of this invention functioning as a table ornament;
Fig.6 is an embodiment of this invention acting as wall ornament;
Fig.7 is an embodiment of this invention acting as

7.

a ceiling ornament;

Fig.8 is an embodiment of this invention acting as a gate light;

5 Fig.9 is an embodiment of this invention acting as a street light;

Fig.10 is an embodiment of this invention provided with sucker disk to cling onto the body of a vehicle.

With reference now to the drawing, and more particularly Fig.1 thereof, the invention is seen comprising
10 four main parts such as transparent container 1, transparent base board 2, supporting stand 3, and illuminating mechanism 4, in which said transparent base board 2 can be either stationarily fixed or movably mounted on the bottom portion of transparent container 1, while the
15 function of supporting stand 3 provides the connection of transparent container 1 and illuminating mechanism 4. The underside of transparent container 1 is the base board 2 that can be dismounted freely yet is still closely engaged with the container in a watertight manner and al-
20 lows no exudation of the liquid held therein. On the base board there is provided with two water inlets 21, 21' closed by either stoppers or screwed covers 22, 22' for charging or discharging water. The portion for holding flowers or for installing other kinds of ornaments of
25 the base board can be designed as seen in the embodiment of Fig.3. A plurality of holding holes 23 is set on base board 2 as shown in Fig.2 which protect the flower stem from being hurt. Besides, such holes still provide a safer and more convenient way of holding flowers and

other ornaments in position. Fig.3(B) is another embodiment in which the base board is equipped a water through 24 below holding holes 23. The internal space of the former intercommunicate with the latter through which the flower is secured. Thus the sealed water in
5 the water trough will not be splashed out by rocking or jolting.

In the embodiment of Fig.3(C), there is prepared a heavy metallic block below the holding holes.

10 Since the base board of this invention can be separably used, when applied to watery places such as an aquarium or a family pool, the base board 2 together with the flowers or ornaments held thereon, are kept in place without floating on the water by the gravity
15 of said metallic block.

In Fig.3(D) there is shown an embodiment of this invention in which the accessory is a sucker installed on the underside of base board 26 to cling onto the table or other objects subjected to frequent motions
20 such as vessels, trains, motorcars, airplanes, etc.

Referring to Fig.2 both the transparent container 1 and the base board 2 of this invention have several ways of engagement. We hereby propose three preferable ways, in Fig.2(A) it is performed by the screw thread on the connecting portion, in Fig.2(B), glue is applied
25 to adhere both parts together instead, whereas in Fig. 2(C), the fastening effect is achieved by the constrictive force exerted by the rubber loop around said container. However all the foregoing preferred, exemplary

methods only provide help to understand this invention, and do not limit the boundary thereto.

The illuminating mechanism can be either fixed light source or colored ones, depending on the need of practical use.

Take for example, Fig.6 is an embodiment of this invention functioning as mural ornament, whereas Figs. 7, 8, 9 are respectively ceiling ornaments, door light, and street lamp. Fig.10, on the other hand, is an embodiment of this invention equipped with sucker disc to cling onto the surface of such objects undergoing frequent motions such as automobiles, ships, airplanes.

Unlike the conventional vases, the reserved water of the invention is not splashed out easily even in a violent shake, hence it can be applied broadly to many occasions where the former cannot be put in use.

The base board of this invention may also be mounted on a shaft 5 connecting to motor 6 to transmit the rotation to the base board. In so doing, the flowers or ornaments appear in our sight in a dynamic manner to impress us a more realistic and vivacious feeling.

On the other hand, semi-transparent or opaque coating can be applied on the surface of the transparent container 1 so that the container 1 can be beautified.

Considering all the above mentioned, this invention obviously preserves all the fortes of contemporary vases and art lamps, and effectively remedies their defects. With the diffusive and absorptive effect of the flowers and ornaments, the glare of light is avoided. Likewise,

10.

with the lighting effect, the lifeless, monotonous and insipid flowers and ornaments are greatly enlivened. In this regard, the merit of the invention is not merely an additive effect, but instead, multiplicative effect
5 of the strong points of vases and art lamps. From the point of view, in practicality is undeniable. The patent is therefore solicited.

It is evident that those skilled in this art may now make numerous uses and modifications of and depart-
10 ures from the specific embodiments described herein without departures from the specific inventive concepts. Consequently, the invention is to be construed as embracing each and every novel feature and novel combination of features present in or possessed by the apparatus and
15 techniques herein disclosed and limited solely by the spirit and scope of the appended claims.

1.

C L A I M S

1. One kind of improved vase-type illuminative device comprising such component parts as transparent container (1), transparent base board (2), supporting stand (3) and illuminating mechanism (4), characterized in that both the said transparent container (1) and the transparent base board (2) thereunder can be either fixed or movably mounted together, while the transparent base board (2) is provided with a single or a plurality of holding holes (23) for securing flowers and ornaments, and water inlets (21, 21') equipped with stoppers or threaded covers to close the openings of water inlets (21, 21').
2. The device in accordance with claim 1, in which the said container (1) and base board (2) can also be made of translucent material of various kinds of colors instead of transparent one, the colors of both the container and base board is allowed to be different, and the latter can be printed various kinds of colors.
3. The device in accordance with claim 1, in which the transparent container (1) is characterized by that its configuration can be open upward and closed downward.
4. The device in accordance with claim 1, in which the transparent container (1) is so textured that it allows various kinds of flowers and ornaments be held and liquid of various colors be reserved therein.
5. The device in accordance with claim 1, in which the illuminating mechanism (4) can be either fixed light source or changeable color source.

2.

6. The device in accordance with claim 1, in which the illuminating mechanism (4) can be installed on either the upper portion or the lower portion of said transparent container (1).
7. The base board (2) in accordance with claim 1 characterized by that one of its side facing to the interior of the container (1) can be installed a single or a plurality of holding holes (23) for holding flowers or ornaments.
8. The base board (12) in accordance with claim 1 characterized by that there can be prepared a heavy metal block below its holding holes (23).
9. The base board in accordance with claim 1 characterized by that it can be installed a water trough (24) on its underside (26) which intercommunicates with all its holding holes (23).
10. The base board (2) in accordance with claim 1 characterized by that its underside (26) can be equipped with sucker disc.
11. The base board (2) in accordance with claim 1 characterized by that either itself or its portion for holding flowers and ornaments is rotatable.
12. The base board (2) in accordance with claim 1 characterized by that its holding device for holding flowers or ornaments in place can also be either a plurality of thin top end smooth in the interspace of which the flower and ornaments can be securely clamped therein, or be combination of the rod-like processes and holding holes (23), as mentioned hereinbefore, i.e. there are

3.

both said rod-like processes and holding holes (23) on the base board (2).

13. The base board (2) in accordance with claims 7, 8, 9, 12, characterized by that its lower side can be equipped with sucker disc.

14. The base board (2) in accordance with claims 7, 12, characterized by that its lower side can be equipped heavy metal block, sucker disc or water trough (24).

15. The transparent base board (2) in accordance with claim 1, characterized by that it can be structurally tabular in shape wherein the flowers or ornaments are secured.

16. The device in accordance with claim 1, in which semi-transparent or opaque coating can be applied on the surface of the transparent container (1).









FIG. 1




(A)




(B)



(C)

FIG. 2

FIG. 3

4/10

0073857




FIG. 4

5/10

0073857




FIG. 5

6/10

0073857




FIG. 6

7/10

0073857





FIG. 7

8/10

0073857





FIG. 8

FIG. 9

0073857

10/10




FIG. 10



European Patent
Office

EUROPEAN SEARCH REPORT

0073857

Application number

EP 81 20 0982

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. ³)
X	FR-A- 850 769 (CHAMPRENAULT) *The whole document*	1, 2, 4, 5, 6, 7	F 21 S 1/00
A	--- GB-A-1 490 647 (MILLETT) *The whole document*	1, 2, 5, 6, 7	
A	--- GB-A-1 307 669 (PERRIN) *Page 1, lines 91-98; fig. 5*	1, 7	
A	--- US-A-1 788 058 (JYUMI) *Figures 1, 2*	3, 5, 6, 7	
A	--- FR-A-2 147 542 (PERITORE) *Page 2, lines 5-23*	5-11	
			TECHNICAL FIELDS SEARCHED (Int. Cl. ³)
			F 21 S F 21 P A 47 G G 09 F
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 28-04-1982	Examiner FOUCRAY R.B.F.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	