11) Publication number:

**0 092 438** A3

12)

## **EUROPEAN PATENT APPLICATION**

21 Application number: 83302246.0

(f) Int. Cl.4: A 61 B 5/02, A 61 B 5/00

2 Date of filing: 20.04.83

30 Priority: 21.04.82 US 370568

Applicant: PURDUE RESEARCH FOUNDATION, Hovde Hall Purdue University, West Lafayette Indiana 47907 (US)

43 Date of publication of application: 26.10.83 Bulletin 83/43

Inventor: Geddes, Leslie A., 400 North River Road
Apartment 1724, West Lafayette Indiana 47906 (US)
Inventor: Grubbs, David S., 500 Barringer
Road 950 Walnut Street, Philadelphia Pennsylvania (US)


Designated Contracting States: AT BE CH DE FR GB IT LI LU NL SE

74 Representative: Bannerman, David Gardner et al,
Withers & Rogers 4 Dyer's Buildings Holborn, London,
EC1N 2JT (GB)

Bate of deferred publication of search report: 22.01.86 Bulletin 86/4

## Method and apparatus for measuring cardiac output.

© Cardiac output is measured utilizing an indicator. Such as saline, which alters blood resistivity, and an electrically calibrated conductivity cell (9) postioned at the tip (21) of a catheter (11). The catheter with the tetrapolar conductivity cell at the top is inserted into a blood vessel for current injection to develop a potential which is proportional to blood resistivity for inscribing the dilution curve occurring due to injection of the indicator, which curve is utilized to determine blood flow or cardiac output.







## EUROPEAN SEARCH REPORT

EP 83 30 2246

	DOCUMENTS CONS	IDERED TO BE	RELEVANT	<u></u>		
Category	Citation of document wit of relev	h indication, where appi ant passages	opriate,	Relevant to claim	CLASSIFICATION APPLICATION (In	
P,X	IEEE TRANSACTION ENGINEERING, vo. 12, December 198 769-772, IEEE, N D.S. GRUBBS et a technique for ol of cardiac outpon succession" * Whole document	1. BME-29, 3 B2, pages New York, U al.: "A new otaining va ut in rapid	no. S;	1-12	A 61 B A 61 B	
Y	MEDICAL & BIOLOG & COMPUTING, vo July 1980, page Stevenage, GB; et al.: "Intrava velocity measur crosscorrelation Page 440, 445, paragraph	GICAL ENGIN 1. 18, no. s 439-446, A. CONSTANT scular mean ements usin n technique paragraph	4, IFMBE, INESCO blood g a "	1,2	TECHNICAL FI	
Α				4-6,8 11		
Y	US-A-3 290 589 * Column 2, lin *			1,2		
Α	DE-A-2 819 128 * Page 9, last 6 *			1,10		
	_		-/-			
	The present search report has b	een drawn up for all cla	ms		•	
Place of search THE HAGUE		Date of completion O2-10	on of the search )-1985 RIEB		Examiner K.D.	
Y : pa do A : teo O : no	CATEGORY OF CITED DOCU rticularly relevant if taken alone rticularly relevant if combined w cument of the same category chnological background n-written disclosure ermediate document		E: earlier pate after the fili D: document of L: document of	nt document, ng date cited in the app cited for other	ying the invention but published on, c plication reasons nt family, correspo	





## **EUROPEAN SEARCH REPORT**

EP 83 30 2246

	DOCUMENTS CONS	Page 2		
Category		th indication, where appropriate, vant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 3)
A	FR-A-2 485 364 * Page 8, lines		3	
A	& COMPUTING, vo 1979, pages 337 Stevenage, GB;	A. van OOSTEROM ural resistivity	7,9	
A		 (G. HENNERSDORF) 14 - page 7, line	10	
				TECHNICAL FIELDS SEARCHED (Int. Cl. 3)
	The present search report has b	een drawn up for all claims		
	Place of search THE HAGUE	Date of completion of the search 02–10–1985	RIEB	Examiner K.D.
Y: part	CATEGORY OF CITED DOCU ticularly relevant if taken alone ticularly relevant if combined we turnent of the same category anological background a-written disclosure	E : earlier pa	filing date  nt cited in the app  nt cited for other	