

(11) Publication number:

0 154 355

A3

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 85102970,2

(22) Date of filing: 26.01.82

(51) Int. Cl.4: D 03 D 39/02

D 04 B 35/22, D 03 J 1/00

(30) Priority: 05.02.81 GB 8103564

(43) Date of publication of application: 11.09.85 Bulletin 85/37

- (88) Date of deferred publication of search report: 01.04.87
- Designated Contracting States:
 BE DE GB NL


- (1) Applicant: BRINTONS LIMITED
 Exchange Street P.O. Box 16
 Kidderminister Worcestershire DY10 1AG(GB)
- 72) Inventor: Lowe, Harry Frederick Ridge End Lea Bank Bewdley Road Kidderminster Worcestershire(GB)
- (2) Inventor: Brinton, Charls Topham Cecil Broncroft Castle Craven Arms Shorpshire, SY7 0B1(GB)
- (72) Inventor: Pilling, John Reginald Redmarley Great Witley Worcestershire (GB)
- (72) Inventor: Jowett, John Bernard 8 Woodlands Road Cookley Near Kidderminster Worcestershire(GB)
- (74) Representative: Jennings, Guy Kenneth et al, GILL JENNINGS & EVERY 53-64 Chancery Lane London WC2A 1HN(GB)

(54) Production of patterned fabrics.

patterned fabric has the yarn positions defined by vertically extending containers of rectangular section each of which contains the calculated length of yarn required for the respective position in the pattern. The containers are mounted in rectangular arrays in trolleys 15 which are supplied with the calculated quantities of yarn before installation in the creel. For this purpose each trolley 15 is indexed beneath a row of filling heads 20 so that each container 21 in its turn is brought into register beneath an upper filling container 40 to which the yarn is supplied. Each individual yarn 27 is drawn from a package 25 and passes between a pair of metering rollers 30, 31 which are computer-controlled so as to feed the calculated length of yarn to the respective container 21. From the rollers 30 and 31 the yarn passes downwardly through an air injector jet 35 which blows the yarn into the container 40 and compacts it at the bottom of this container. When the calculated quantity of yarn has been delivered, a ram 42 driven by an air motor 53 and guided by a rod 51 compacts the yarn against the bottom of the container 40. The bottom of the container 40 is then opened and the continuing stroke of the ram 42 forces

(5) A yarn supply creel for a textile machine for producing a patterned fabric has the yarn positions defined by vertically extending containers of rectangular section each of which is then transferred to the creel.

Ш





EUROPEAN SEARCH REPORT

EP 85 10 2970

Category Citation of document with indication, where appropriate, Category Control of relevant passages (1997)				CLASSIFICATION OF THE	
ategory	of relev	ant passages	to claim	APPLICATION (in	t. Cl.4)
A		nes 26-51; column column 5, line 59		D 03 J	5/22
A	FR-A-2 106 615 * Page 4, line 3 18; figures 1,2	88 - page 5, line	1,3		
A	FR-A-2 339 012 * Page 3, lines		1,3		
A	FR-A-2 271 158 * Page 14, line 5; figures 1-3 *	8 - page 16, line	1		
				TECHNICAL FIELDS SEARCHED (Int. Cl.4)	
A	GB-A-1 421 621 CARPETS)	(BRITISH		D 03 J D 03 D D 04 B D 05 C	ţ
	The present search report has t	Man drawn up for all claims			
	Place of search	Date of completion of the searce	in I	Examiner	
	THE HAGUE	05-12-1986	i	FELEGIER C.	н.н.
Y : pa	CATEGORY OF CITED DOCU inticularly relevant if taken alone inticularly relevant if combined we occument of the same category chnological background on-written disclosure	JMENTS T: theory E: earlier after th vith another D: docum L: docum	or principle unde	erlying the invention to but published on, o pplication er reasons	or