

12

EUROPEAN PATENT APPLICATION

21 Application number: **86300990.8**

51 Int. Cl. 4: **A47C 5/02**

22 Date of filing: **13.02.86**

30 Priority: **07.05.85 US 731312**

43 Date of publication of application:
04.02.87 Bulletin 87/06

64 Designated Contracting States:
AT CH DE FR GB IT LI LU NL SE

88 Date of deferred publication of the search report:
25.11.87 Bulletin 87/48

71 Applicant: **Chi, Ching-Chu**
52, Lane 335 Chungking N. Road, S. 3
Taipei(TW)

Applicant: **Huang, Chiu-Lin**
52, Lane 335 Chungking N. Road, S.3
Taipei(TW)

72 Inventor: **Chi, Ching-Chu**
52, Lane 335 Chungking N. Road, S. 3
Taipei(TW)
Inventor: **Huang, Chiu-Lin**
52, Lane 335 Chungking N. Road, S.3
Taipei(TW)

74 Representative: **Arthur, Bryan Edward et al**
Withers & Rogers 4 Dyer's Buildings Holborn
London EC1N 2JT(GB)

54 **Novel structure of inlaid rattan network for seating and bed furnitures.**

57 This invention is related to a kind of novel structure for binding the inlaid rattan network for the rattan seating furnitures, especially provides a kind of simple and ready method for doing the job of binding the rattan network. And, no matter whether in flat surface or curved surface, the rattan network bound on it will be in a flat and tight binding condition. It is only necessary to make an outer frame and an inner ring according to the size and shape of the integral outer appearance of the seat, or seat back, or the integrated seat and back in one piece of the seating furniture to be bound with the rattan network, with a rattan network of the size a little larger than seat surface, seat back, or the integrated seat surface and back in one piece to be placed on the top of the inner ring; then, with the help of such machinery as punching machine or the like, the outer frame is placed on the rattan network covered inner ring and punched and pressed tightly, or further, filled or painted with viscous gum or melting liquid for further tightening combination. Thus, a rattan network type seat surface, seat back, or integrated seat surface and back in one piece is

finished up, and can be conveniently matched with plastics, metals, or materials other than wood and rattan to form the novel structure of inlaid rattan network part to be assembled to various types of seating furnitures such as chairs, stools, and couches, etc. through integrated operation of total automation.




FIG.1



DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 4)
A	US-A-3 423 775 (COCKERILL) * Column 2, lines 3-24; figure 1 * -----	8	
			TECHNICAL FIELDS SEARCHED (Int. Cl. 4)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 16-09-1987	Examiner KERGUENO J.P.D.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

