11 Publication number:

0 304 607

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 88111414.4

2 Date of filing: 06.11.84

(5) Int. Cl.4: **B05B** 13/04 , **B22D** 11/06 , //C23C4/14

Priority: 07.11.83 US 549752 07.11.83 US 549652 07.11.83 US 549653

43 Date of publication of application: 01.03.89 Bulletin 89/09

- Publication number of the earlier application in accordance with Art.76 EPC: 0 144 769
- Designated Contracting States:
 AT BE DE FR GB IT
- Date of deferred publication of the search report: 02.11.89 Bulletin 89/44
- Applicant: HAZELETT STRIP-CASTING CORPORATION Malletts Bay Box 600 Colchester Vermont 05446(US)
- Inventor: Bergeron, Norman J.26 Shelburne Street

Burlington Vermont 05401(US) Inventor: Szczypiorski, Wojtek S.

25 Timberlake Drive

Colchester Vermont 05446(US)

Inventor: Villa, James G.

P.O. Box 109

Hinesburg Vermont 05461(US)

Inventor: Hazelett, S. Richard

451 West 200 South Provo Utah 84601(US)

Inventor: Hazelett, R. William

Malletts Bay

Colchester Vermont 05404(US)

Inventor: Boozan, Dean A.

R.F.D. Waterville Vermont 05492(US)

Inventor: Brennan, Thomas E.

South Street

South Hero Vermont 05486(US)


Representative: Vossius & Partner Siebertstrasse 4 P.O. Box 86 07 67 D-8000 München 86(DE)

Apparatus for making matrix coatings.

an apparatus for making fusion-bonded matrix coatings on endless, flexible metallic casting belts for continuous casting machines is described. The fusion-bonded matrix coating comprises a nonmetallic refractory material interspersed substantially uniformly throughout a matrix of heat-resistant metal or metal alloy, for example nickel or nickel alloy. The coating is applied to a revolving belt (10,20) being supported and driven by pulleys (34,36) in a machine by thermally spraying a powdered mixture directly onto the roughened casting surface of the belt. The machine holds the revolving belt under tension and applies cooling to the rear surface of the revolving belt (10,12) opposite to the region where the thermal spray gun (66) is applying the coating to

the belt (10,20), and causes the thermal spray gun (66) to traverse uniformly traversely across the belt. The result is to insulate and protect the underlying belt from intimate molten metal contact. The life of the coated belts is dramatically increased, and the surface quality and properties of the cast product are significantly improved.

EP 0 304 607 A3



EUROPEAN SEARCH REPORT

DOCUMENTS CONSIDERED TO BE RELEVANT				EP 88111414.4	
Category	Citation of document wit of relev	h indication, where appropriate, ant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL-2)	
Y	DE - A1 - 2 511 839 (SCHWEIZERISCHE ALUMINIUM AG) * Fig. 3; page 9, line 5 - page 10 *		1	B 05 B 7/20 C 23 C 4/14 B 22 D 11/06 B 05 B 13/04	
Y	EP - A1 - 0 092 844 (HAZELETT STRIP-CASTING CORP.) * Fig. 1,2; page 15, line 17 - page 18, line 16 * AT - B - 336 827 (METALLGESELLSCHAFT AG) * Totality *		1		
A			1		
A	DE - A1 - 2 51 (METALLURGIE HOBOKEN-OVERPE * Claim 4 *		1		
D,A	<u>US - A - 2 904 860</u> (HAZELETT, HAZELETT, BLACKFORD) * Column 3, lines 26-50 *		1	B 05 B B 05 D	
D,A	US - A - 4 298 (DOMPAS et al. * Totality)	1	B 22 D C 23 C	
A	DE - A - 2 353 (TAMIC INTERNA LTD) * Claims *		1		
D,A	US - A - 3 871 (PETRY) * Totality REFUND: 2	*	1		
	The present search report has b	een drawn up for all claims			
Place of search VIENNA Date of completion of the search 24-08-1989		- I	Examiner SCHÜTZ		
Y: partic docu A: techr	CATEGORY OF CITED DOCU cularly relevant if taken alone cularly relevant if combined wi ment of the same category nological background written disclosure	E : earlie	or principle under r patent document, he filing date nent cited in the ap nent cited for other	rlying the invention but published on, or oplication r reasons	